



PSYCHIATRIC OUT- PATIENT

STATISTICAL BRIEF, 2015



STATISTICS BOTSWANA

Published by

STATISTICS BOTSWANA

Private Bag 0024, Gaborone
Tel: 3671300 Fax: 3952201
E-mail: info@statsbots.org.bw
Website: www.statsbots.org.bw
TollFree: 0800 600 200

AUGUST 2020

Copyright © Statistics Botswana 2020





PSYCHIATRIC OUT- PATIENT

STATISTICAL BRIEF, 2015

Preface

This statistical health report analyses Out-Patient consultations regarding mental disorders in Botswana. The information is derived from administrative data from patients consulted at health facilities country wide in 2015. The brief states the major mental health consultations by age, sex, health district and type of consultation. In compiling this report, the international Classification of Diseases (ICD 10) was adopted to code the main condition.

Statistics Botswana's Health Statistics Unit is attached to the Ministry of Health and Wellness to provide statistical support, as an enabler of better national/public health programs through the collection and dissemination of quality official statistics for evidence-based decision-making, program monitoring and evaluation. The Unit produces Statistical Briefs on health related issues including mental health.

For more information, contact the Directorate of Stakeholder Relations at 3671300. All Statistics Botswana Outputs /publications are available on the website at www.statsbots.org.bw and at the Statistics Botswana Library.

We sincerely thank all stakeholders involved in the formulation of this brief, for their continued support, as we strive to better serve users of our statistical products and services.



Dr. Burton Mguni
Statistician General
August 2020

Table of Contents

| | |
|--|----|
| Preface..... | 4 |
| List of Tables..... | 5 |
| List of Figures..... | 5 |
| 1.0 Introduction..... | 6 |
| 2.0 Main Findings..... | 6 |
| 2.1. Total Out-Patient Mental Health Consultations, 2015..... | 6 |
| 2.2. Blocks of Mental Health Consultations..... | 7 |
| 2.3. Sex and age structure of Out-Patient Mental Health Consultations..... | 7 |
| 2.4. Distribution of Mental and Behavioural by Month, 2015..... | 8 |
| 2.5. Top Ten leading new and repeat Out-Patient mental health consultations..... | 8 |
| 2.6. Leading Out-Patient Mental Health consultations by Sex..... | 9 |
| 2.7. Leading Mental Health Out-Patient consultation by broad age groups..... | 10 |
| Annexes..... | 13 |

List of Tables

| | |
|---|----|
| Table 1: Mental Health Consultation by Health District, 2015..... | 6 |
| Table 2: Distribution of mental and behavioural disorders blocks, 2015..... | 7 |
| Table 3: The ten leading mental health consultations (New and Repeat), 2015..... | 9 |
| Table 4: The ten leading mental health consultations for males and females, 2015..... | 10 |

List of Figures

| | |
|--|----|
| Figure 1: Percentage distribution of Outpatient mental Health disorders by sex and age, 2015..... | 7 |
| Figure 2: Distribution of mental and behavioural by month, 2015..... | 8 |
| Figure 3: Leading underlying natural causes of death by 0-14 broad age group..... | 10 |
| Figure 4: The ten leading Out-patient mental health disorders by 15-24 broad age groups, 2015..... | 11 |
| Figure 5: The ten leading Out-Patient Mental Health Consultations by 25-44 Years age groups, 2015..... | 11 |
| Figure 6: The ten leading Out-Patient mental health disorders by 45+ Years broad age groups, 2015..... | 12 |

Introduction

This publication is based on administrative records from health facilities using the Mental Disorder Out-Patient Register (MH1053/Rev 2003) in Botswana. Psychiatric nurses in health facilities for all Outpatient consultations complete the abovementioned form. A record is completed as either a new or repeat case, with information on date, sex, age main mental disorder, and ICD-10 code. A new consultation refers to a case where a patient is seeking health services for a condition for the first time. A repeat refers to a case where a patient is getting a service for the same condition for the second or repeated time. An episode of contact with health services for reasons other than illness, may be recorded under appropriate main condition. The information is collected on a monthly basis from health facilities.

According to WHO ICD-10 Volume 2, the main condition is defined as: The condition, diagnosed at the end of the episode of health care, primary responsible for the patients need for treatment or investigation. If there is more than one such condition, the one held most responsible for the greatest use of resources should be selected. If no diagnosis was made, the main symptoms, abnormal finding, or problem should be selected as the main condition.

2.0 Main Findings

2.1. Total Out-Patient Mental Health Consultations, 2015

Forty two thousand and forty seven Out -Patient mental disorder consultations were reported by health facilities in 2015. Table 1 indicates that 7.6 percent of the consultations were new cases. Majority of mental health consultations were from Francistown (20.2%) followed by Gaborone(16.1%) and Lobatse (14.7%).These top three health districts constituted 51.0 percent of all mental health consultations in Botswana. The health districts are also a host to the three-referral hospitals of Botswana. However, the number of mental health Out -Patient consultations by all other health districts are shown below (Table 1) refers. Annex 3 further shows the mental health consultations by Diagnosis and Health District.

Table 1: Mental Health Consultation by Health District, 2015

| District | New Case | Repeat Case | N/S | Total | Percent |
|---------------|--------------|---------------|-----------|---------------|------------|
| Francistown | 249 | 8,229 | 5 | 8,483 | 20.2 |
| Gaborone | 1,092 | 5,694 | 3 | 6,789 | 16.1 |
| Lobatse | 814 | 5,363 | 10 | 6,187 | 14.7 |
| Southern | 105 | 3,001 | 2 | 3,108 | 7.4 |
| Kweneng East | 74 | 2,181 | 0 | 2,255 | 5.4 |
| Moshupa | 88 | 2,116 | 21 | 2,225 | 5.3 |
| South East | 59 | 1,920 | 1 | 1,980 | 4.7 |
| Mahalapye | 86 | 1,875 | 3 | 1,964 | 4.7 |
| Kgatleng | 55 | 1,527 | 1 | 1,583 | 3.8 |
| Selebi Phikwe | 83 | 1,397 | 1 | 1,481 | 3.5 |
| GoodHope | 32 | 840 | 9 | 881 | 2.1 |
| North East | 101 | 762 | 1 | 864 | 2.1 |
| Kweneng West | 48 | 739 | 4 | 791 | 1.9 |
| Chobe | 112 | 595 | 4 | 711 | 1.7 |
| Palapye | 41 | 647 | 4 | 692 | 1.6 |
| Bobirwa | 43 | 529 | 7 | 579 | 1.4 |
| Boteti | 58 | 350 | 1 | 409 | 1 |
| Tutume | 46 | 311 | 1 | 358 | 0.9 |
| Hukuntsi | 0 | 304 | 0 | 304 | 0.7 |
| Serowe | 3 | 292 | 0 | 295 | 0.7 |
| Ngamiland | 3 | 57 | 0 | 60 | 0.1 |
| Ghantzi | 10 | 21 | 0 | 31 | 0.1 |
| Charles Hill | 0 | 17 | 0 | 17 | 0 |
| Total | 3,202 | 38,767 | 78 | 42,047 | 100 |

N/S Not specified

2.2. Blocks of Mental Health Consultations

Table 2 gives the distribution of mental and behavioural disorders by blocks. The ICD-10 classifies mental and behavioural disorders into 11 blocks. Schizophrenia, Schizotypal and delusional disorders was the most common mental disorder block, comprising 55.5% of Out-Patient mental health disorders seen at health facilities in 2015. Mood (Affective) Disorders were the second most common main block of mental disorders comprising 18.2% consultations. Other diseases were the third responsible for 10.8% of consultations seen at health facilities. Other blocks are in table 2 below.


Table 2: Distribution of mental and behavioural disorders blocks, 2015

| No. | ICD Codes | Blocks of Mental and behavioural disorders | New | Repeat | N/S | Total | % |
|-----|-----------|--|--------------|---------------|-----------|---------------|------------|
| 1 | F00-F09 | Organic ,including symptomatic, mental disorders | 167 | 1,352 | 3 | 1,522 | 3.6 |
| 2 | F10-F19 | Mental and behavioural disorders due to psychoactive substance | 265 | 1,658 | 2 | 1,925 | 4.6 |
| 3 | F20-F29 | Schizophrenia, Schizotypal and delusional disorders | 525 | 22,744 | 43 | 23,312 | 55.4 |
| 4 | F30-F39 | Mood(Affective) Disorders | 432 | 6,939 | 4 | 7,375 | 17.5 |
| 5 | F40-F48 | Neurotic, Stress related and somatoform disorders | 663 | 1,046 | 14 | 1,723 | 4.1 |
| 6 | F50-F59 | Behavioural syndromes associated with physiological disturbances | 33 | 74 | 0 | 107 | 0.3 |
| 7 | F60-F69 | Disorders of adult personality and behaviour | 53 | 70 | 0 | 123 | 0.3 |
| 8 | F70-F79 | Mental Retardation | 82 | 659 | 1 | 742 | 1.8 |
| 9 | F80-F89 | Disorders of Psychological Development | 27 | 36 | 0 | 63 | 0.1 |
| 10 | F90-F98 | Behaviour and emotional disorders with onset usually occurring in childhood and adolescent | 79 | 451 | 2 | 532 | 1.3 |
| 11 | F99 | Unspecified mental disorder | 22 | 56 | 3 | 81 | 0.2 |
| 12 | | Others diseases | 854 | 3,682 | 6 | 4,542 | 10.8 |
| | | Total | 3,202 | 38,767 | 78 | 42,047 | 100 |

2.3. Sex and age structure of Out-Patient Mental Health Consultations

Figure one shows the percentage distribution of Outpatient mental health consultations at health facilities by age group and sex. More than half (52.4%) of Out-Patient mental health consultations were males while their female counterparts contributed 47.6%. Furthermore, more males were higher than females in all age groups except for 45+ where females(21.6%) outnumbered males(13.9%). The general pattern observed is that the proportion of mental health consultations increases with age until age group 25-44 Years thereby decreasing in age group 45+. The majority of consultations were in the 25–44 age groups (49.0%) and the least in the 0-14 age group (2.5%). Annex 2 further shows all mental health Out-patient consultation by diagnosis and age group.


Figure 1: Percentage distribution of Outpatient mental Health disorders by sex and age, 2015



2.4. Distribution of Mental and Behavioural by Month, 2015

Figure 2 shows the percentage distribution of mental and behavioural disorders by Month among New and Repeat attendances. Generally, among repeat cases there is marginal difference in attendance per month with percentage distribution ranging around eight and nine percent. For New cases, there is a pronounced difference among the months with percentage distribution ranging from 2.1% to 11.0%. Few cases were generally reported in the first months of the year (January to July) compared to cases in the last months of the year (August to December). The highest number of new cases were reported in November (11.0%), October (10.8%) and August (10.5%). Annex 3 further shows the distribution of diagnosis by months.

Figure 2: Distribution of mental and behavioural by month, 2015



2.5. Top Ten leading new and repeat Out-Patient mental health consultations

Table 3 shows the leading Out-Patient mental health consultations by new and repeat attendances. The ten leading causes of repeat cases contributed 88.5% of repeat mental health consultations, while the ten leading consultations for new cases contributed 58.0% of all new consultations. Five of the ten leading Out-Patient mental health consultations were the same for new and repeat cases, although their ranks differed. Schizophrenia(unspecified) was the leading mental consultation among repeat cases constituting 48.0% of all repeat consultations while Depressive episode(unspecified) was leading amongst new cases with 11.7% of new mental health consultations. Epilepsy(unspecified) , Schizo affective disorder, Bipolar affective disorder(unspecified) and Unspecified mental retardation without mention of impairment of behaviour were the top ten consultations among repeat consultations not in new cases while Examination and observation for unspecified reason ,Adjustment disorders, Acute stress reaction and Anxiety disorder(unspecified) were among the top ten in new cases not found in repeat cases.

Table 3: The ten leading mental health consultations (New and Repeat), 2015

| ICD Code | Disease/Condition | Repeat Cases | | | New Cases | | |
|----------|--|--------------|---------------|------------|-----------|--------------|------------|
| | | Rank | No. | % | Rank | No. | % |
| F20.9 | Schizophrenia, unspecified | 1 | 18,612 | 48 | 6 | 149 | 4.7 |
| F32.9 | Depressive episode, unspecified | 2 | 4,696 | 12.1 | 1 | 375 | 11.7 |
| G40.9 | Epilepsy, unspecified | 3 | 2,953 | 7.6 | - | - | - |
| F25.9 | Schizoaffective disorder, unspecified | 4 | 2,314 | 6 | - | - | - |
| F31.9 | Bipolar affective disorder, unspecified | 5 | 1,909 | 4.9 | - | - | - |
| F23.9 | Acute and transient psychotic disorder, unspecified | 6 | 1,182 | 3 | 2 | 289 | 9 |
| F03 | Unspecified dementia | 7 | 986 | 2.5 | 8 | 118 | 3.7 |
| F79.9 | Unspecified mental retardation without mention of impairment of behaviour | 8 | 613 | 1.6 | - | - | - |
| F12.2 | Mental and behavioural disorders due to use of cannabinoids, dependence syndrome | 9 | 546 | 1.4 | 10 | 88 | 2.7 |
| F12.1 | Mental and behavioural disorders due to use of cannabinoids, harmful use | 10 | 486 | 1.3 | - | - | - |
| Z04.9 | Examination and observation for unspecified reason | - | - | - | 3 | 239 | 7.5 |
| F43.2 | Adjustment disorders | - | - | - | 4 | 185 | 5.8 |
| Z91.5 | Personal history of self-harm | - | - | - | 5 | 166 | 5.2 |
| F43.0 | Acute stress reaction | - | - | - | 7 | 146 | 4.6 |
| F41.9 | Anxiety disorder, unspecified | - | - | - | 9 | 101 | 3.2 |
| | Other | | 4,470 | 11.5 | | 1,346 | 42 |
| | Total | | 38,767 | 100 | | 3,202 | 100 |

2.6. Leading Out-Patient Mental Health consultations by Sex

Table 4 shows the distribution of the ten leading consultations of Mental Health by sex in 2015. Eight of the ten leading causes of mental health consultations were the same for both males and females, although their ranks differed with the exception of Schizophrenia, (unspecified) which was ranked first for both males and females. Epilepsy (unspecified) was the second leading consultation among males, constituting 8.3% of consultations while Depressive episode (unspecified) was second leading amongst females with 19.0%. Mental and behavioural disorders due to use of cannabinoids(dependence syndrome) and Mental and behavioural disorders due to use of cannabinoids(harmful use) were the only top ten consultations among males not in females while Adjustment disorders and Unspecified nonorganic psychosis were in females only.

Table 4: The ten leading mental health consultations for males and females, 2015

| ICD Code | Mental Disorder | Males | | | Females | | |
|----------|--|-------|---------------|------------|---------|---------------|------------|
| | | Rank | No. | % | Rank | No. | % |
| F20.9 | Schizophrenia, unspecified | 1 | 11,386 | 51.7 | 1 | 7,406 | 37 |
| G40.9 | Epilepsy, unspecified | 2 | 1,837 | 8.3 | 4 | 1,188 | 5.9 |
| F32.9 | Depressive episode, unspecified | 3 | 1,260 | 5.7 | 2 | 3,813 | 19 |
| F25.9 | Schizoaffective disorder, unspecified | 4 | 1,000 | 4.5 | 3 | 1,350 | 6.7 |
| F31.9 | Bipolar affective disorder, unspecified | 5 | 820 | 3.7 | 5 | 1,128 | 5.6 |
| F23.9 | Acute and transient psychotic disorder, unspecified | 6 | 790 | 3.6 | 7 | 681 | 3.4 |
| F12.2 | Mental and behavioural disorders due to use of cannabinoids, dependence syndrome | 7 | 609 | 2.8 | - | - | - |
| F12.1 | Mental and behavioural disorders due to use of cannabinoids, harmful use | 8 | 546 | 2.5 | - | - | - |
| F03 | Unspecified dementia | 9 | 379 | 1.7 | 6 | 726 | 3.6 |
| F79.9 | Unspecified mental retardation without mention of impairment of behaviour | 10 | 363 | 1.6 | 8 | 331 | 1.7 |
| F43.2 | Adjustment disorders | - | - | - | 9 | 291 | 1.5 |
| F29 | Unspecified nonorganic psychosis | - | - | - | 10 | 242 | 1.2 |
| | Others | | 3,015 | 13.7 | | 2,879 | 14.4 |
| | Total | | 22,005 | 100 | | 20,035 | 100 |

2.7. Leading Mental Health Out-Patient consultation by broad age groups

Annex one shows the top ten leading Out-Patient mental health consultations by broad age groups (0–14, 15–24, 25–44, and 45 years and older). Acute and transient psychotic disorder (unspecified), Depressive episode (unspecified) and Schizophrenia (unspecified) were the top ten leading Out-Patient mental health consultations in all age groups. Schizophrenia (unspecified) was the leading mental health consultation in age groups from 15-24, 25-34 and 45+.

Figure 3 shows the leading Out-Patient mental health consultations in the 0-14 broad age group. For this age group, Disturbance of activity and attention (24.6%) was the leading mental health consultation, the second was Epilepsy, unspecified (21.6%), and the third was Hyperkinetic disorder, unspecified with 8.5%. All the top ten mental consultations among 0-14 broad age group constitute 77.1% of all Out-Patient consultations in this age group.

Figure 3: Leading underlying natural causes of death by 0-14 broad age group




Figure 4 shows the leading mental Health consultations in the 15-24 years broad age group. Schizophrenia, unspecified (25.3%) was the leading cause of Out-Patient mental Health consultation followed by Disturbance of activity and attention (9.6%) and the third was Depressive episode, unspecified (8.7%). All the top ten mental consultations in the 15-24 broad age groups constituted 77.3% of all Out-Patient consultations in this age group.

Figure 4: The ten leading Out-patient mental health disorders by 15-24 broad age groups, 2015




Figure 5 shows the leading Out-Patient mental health consultation by 25-44 Years broad age group category. Schizophrenia, Unspecified (45.9%) was the leading mental health consultation, the second was Depressive, unspecified (11.6%), and the third was Epilepsy, unspecified at 7.2%. All the top ten mental consultations among 25-44 broad age group constitute 86.9% of all Out-Patient mental health consultations in this age group. Other leading causes of outpatient mental health consultations among this age group are shown below.

Figure 5: The ten leading Out-Patient Mental Health Consultations by 25-44 Years age groups, 2015





Figure 6 shows the leading Out-Patient mental health consultation by 45+ Years broad age group category. Similarly, to age group 25-44 years Schizophrenia, Unspecified (53.0%) was the leading mental health consultation followed by Depressive, unspecified (14.7%). The third leading Out-Patient mental health consultation was Unspecified Dementia with 7.2%. Epilepsy Unspecified was the third in the 15-44 age group and is the fourth in the 45+ age group. All the top ten mental consultations among 45+ broad age group constitute 77.1% of all Out-Patient consultations in this age group. Other leading causes of death among this age group are shown below.

Figure 6: The ten leading Out-Patient mental health disorders by 45+ Years broad age groups, 2015



Annex 1: The ten leading Out-Patient mental health disorders by broad age groups, 2015

| ICD CODE | Disease | 0-14 Years | | | 15-24 Years | | | 25-44 Years | | | 45+ Years | | |
|--------------|--|------------|--------------|------------|-------------|--------------|------------|-------------|---------------|------------|-----------|---------------|------------|
| | | Rank | No. | % | Rank | No. | % | Rank | No. | % | Rank | No. | % |
| F90.0 | Disturbance of activity and attention | 1 | 263 | 24.6 | 2 | 528 | 9.7 | - | - | - | - | - | - |
| G40.9 | Epilepsy, unspecified | 2 | 231 | 21.6 | - | - | - | 3 | 1,479 | 7.2 | 4 | 783 | 5.3 |
| F90.9 | Hyperkinetic disorder, unspecified | 3 | 93 | 8.69 | - | - | - | - | - | - | - | - | - |
| F79.9 | Unspecified mental retardation without mention of impairment of behaviour | 4 | 90 | 8.41 | 7 | 276 | 5.3 | 9 | 268 | 1.3 | - | - | - |
| Z04.9 | Examination and observation for unspecified reason | 5 | 34 | 3.18 | 10 | 132 | 2.4 | - | - | - | 10 | 110 | 0.7 |
| F23.9 | Acute and transient psychotic disorder, unspecified | 6 | 31 | 2.9 | 4 | 418 | 7.7 | 6 | 742 | 3.6 | 7 | 276 | 1.9 |
| F32.9 | Depressive episode, unspecified | 7 | 26 | 2.43 | 3 | 475 | 8.7 | 2 | 2,378 | 11.6 | 2 | 2,190 | 14.7 |
| F91.9 | Conduct disorder, unspecified | 8 | 24 | 2.24 | - | - | - | - | - | - | - | - | - |
| F20.9 | Schizophrenia, unspecified | 9 | 21 | 1.96 | 1 | 1,378 | 25.3 | 1 | 9,447 | 45.9 | 1 | 7,906 | 53.1 |
| F43.2 | Adjustment disorders | 10 | 16 | 1.5 | - | - | - | - | - | - | - | - | - |
| F31.9 | Bipolar affective disorder, unspecified | - | - | - | 5 | 290 | 5.3 | 5 | 1,298 | 6.3 | 6 | 354 | 2.4 |
| F12.2 | Mental and behavioural disorders due to use of cannabinoids, dependence syndrome | - | - | - | 6 | 287 | 5.3 | 7 | 322 | 1.6 | - | - | - |
| F12.1 | Mental and behavioural disorders due to use of cannabinoids, harmful use | - | - | - | 8 | 264 | 4.9 | 8 | 283 | 1.4 | - | - | - |
| F25.9 | Schizoaffective disorder, unspecified | - | - | - | 9 | 172 | 3.2 | 4 | 1,413 | 6.9 | 5 | 759 | 5.1 |
| B22.0 | HIV disease resulting in encephalopathy | - | - | - | - | - | - | 10 | 234 | 1.1 | - | - | - |
| F03 | Unspecified dementia | - | - | - | - | - | - | - | - | - | 3 | 1,073 | 7.2 |
| F29 | Unspecified nonorganic psychosis | - | - | - | - | - | - | - | - | - | 8 | 165 | 1.1 |
| F12.1 | Mental and behavioural disorders due to use of alcohol, harmful use | - | - | - | - | - | - | - | - | - | 9 | 116 | 0.8 |
| | Others | | 241 | 22.5 | | 1,221 | 22.4 | | 2,697 | 13.1 | | 1,165 | 7.9 |
| Total | | | 1,070 | 100 | | 5,441 | 100 | | 20,561 | 100 | | 14,897 | 100 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat)

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|------------------|---|-----------|-----------|------------|------------|----------|------------|----------|-----------|------------|------------|----------|------------|--------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F00-09 | Organic ,Including Symptomatic, Mental Disorders | | | | | | | | | | | | | |
| F00.9 | Dementia in Alzheimer's disease, unspecified (G30.9+) | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F01.9 | Vascular dementia, unspecified | 0 | 0 | 1 | 2 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 1 | 4 |
| F03 | Unspecified dementia | 0 | 1 | 7 | 715 | 3 | 726 | 2 | 3 | 14 | 358 | 2 | 379 | 1,105 |
| F04 | Organic amnesic syndrome, not induced by alcohol and other psychoactive substances | 0 | 0 | 3 | 2 | 0 | 5 | 0 | 1 | 1 | 3 | 0 | 5 | 10 |
| F05.9 | Delirium, unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| F06.0 | Organic hallucinosis | 1 | 0 | 4 | 2 | 0 | 7 | 0 | 0 | 3 | 0 | 0 | 3 | 10 |
| F06.2 | Organic delusional [schizophrenia-like] disorder | 0 | 1 | 14 | 8 | 0 | 23 | 0 | 0 | 12 | 4 | 0 | 16 | 39 |
| F06.3 | Organic mood [affective] disorders | 2 | 1 | 13 | 2 | 0 | 18 | 0 | 2 | 9 | 3 | 0 | 14 | 32 |
| F06.4 | Organic anxiety disorder | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| F06.7 | Mild cognitive disorder | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F06.8 | Other specified mental disorders due to brain damage and dysfunction and to physical disease | 1 | 4 | 14 | 5 | 0 | 24 | 1 | 0 | 8 | 7 | 0 | 16 | 40 |
| F06.9 | Unspecified mental disorder due to brain damage and dysfunction and to physical disease | 2 | 4 | 74 | 34 | 0 | 114 | 4 | 6 | 41 | 30 | 0 | 81 | 195 |
| F09 | Unspecified organic or symptomatic mental disorder | 4 | 2 | 33 | 21 | 0 | 60 | 1 | 1 | 11 | 6 | 0 | 19 | 79 |
| Sub Total | | 10 | 13 | 164 | 796 | 3 | 986 | 8 | 13 | 101 | 412 | 2 | 536 | 1,522 |
| F10-F19 | Mental and behavioural disorders due to psychoactive substance | | | | | | | | | | | | | |
| F10.0 | Mental and behavioural disorders due to use of alcohol, acute intoxication | 0 | 0 | 4 | 6 | 0 | 10 | 0 | 5 | 20 | 17 | 1 | 43 | 53 |
| F10.1 | Mental and behavioural disorders due to use of alcohol, harmful use | 0 | 1 | 13 | 21 | 0 | 35 | 0 | 52 | 154 | 95 | 0 | 301 | 336 |
| F10.2 | Mental and behavioural disorders due to use of alcohol, dependence syndrome | 0 | 0 | 1 | 3 | 0 | 4 | 0 | 2 | 5 | 7 | 0 | 14 | 18 |
| F10.3 | Mental and behavioural disorders due to use of alcohol, withdrawal state | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F10.4 | Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| F10.5 | Mental and behavioural disorders due to use of alcohol, psychotic disorder | 0 | 2 | 3 | 10 | 0 | 15 | 0 | 15 | 60 | 37 | 1 | 113 | 128 |
| F10.7 | Mental and behavioural disorders due to use of alcohol, residual and late-onset psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| F10.9 | Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 7 | 6 | 0 | 17 | 18 |
| F12.0 | Mental and behavioural disorders due to use of cannabinoids, acute intoxication | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 3 | 3 |
| F12.1 | Mental and behavioural disorders due to use of cannabinoids, harmful use | 0 | 7 | 9 | 1 | 0 | 17 | 4 | 257 | 274 | 11 | 0 | 546 | 563 |
| F12.2 | Mental and behavioural disorders due to use of cannabinoids, dependence syndrome | 0 | 13 | 13 | 0 | 0 | 26 | 5 | 274 | 309 | 20 | 1 | 609 | 635 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|------------------|--|----------|-----------|-----------|-----------|----------|------------|-----------|------------|------------|------------|----------|--------------|--------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F12.3 | Mental and behavioural disorders due to use of cannabinoids, withdrawal state | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F12.5 | Mental and behavioural disorders due to use of cannabinoids, psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 3 | 0 | 0 | 11 | 11 |
| F12.9 | Mental and behavioural disorders due to use of cannabinoids, unspecified mental and behavioural disorder | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10 | 15 | 4 | 0 | 30 | 30 |
| F14.1 | Mental and behavioural disorders due to use of cocaine, harmful use | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F14.2 | Mental and behavioural disorders due to use of cocaine, dependence syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F15.0 | Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| F18.8 | Mental and behavioural disorders due to use of volatile solvents, other mental and behavioural disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| F19.0 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, acute intoxication | 0 | 2 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F19.1 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use | 0 | 5 | 2 | 0 | 0 | 7 | 0 | 8 | 24 | 0 | 0 | 32 | 39 |
| F19.2 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome | 0 | 1 | 2 | 0 | 0 | 3 | 0 | 3 | 17 | 0 | 0 | 20 | 23 |
| F19.5 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| F19.9 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, unspecified mental and behaviour | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 26 | 25 | 3 | 0 | 54 | 56 |
| Sub Total | | 0 | 32 | 50 | 43 | 0 | 125 | 10 | 668 | 917 | 202 | 3 | 1,800 | 1,925 |
| F20-F29 | Schizophrenia, Schizotypal and delusional disorders | | | | | | | | | | | | | |
| F20.0 | Paranoid schizophrenia | 0 | 0 | 8 | 7 | 0 | 15 | 1 | 0 | 12 | 8 | 0 | 21 | 36 |
| F20.1 | Hebephrenic schizophrenia | 0 | 0 | 4 | 3 | 0 | 7 | 0 | 1 | 9 | 3 | 0 | 13 | 20 |
| F20.2 | Catatonic schizophrenia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| F20.5 | Residual schizophrenia | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 3 |
| F20.6 | Simple schizophrenia | 0 | 0 | 0 | 4 | 0 | 4 | 0 | 0 | 1 | 2 | 0 | 3 | 7 |
| F20.8 | Other schizophrenia | 0 | 0 | 2 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F20.9 | Schizophrenia, unspecified | 8 | 370 | 2,778 | 4,231 | 20 | 7,406 | 13 | 1,008 | 6,669 | 3,675 | 21 | 11,386 | 18,794 |
| F21 | Schizotypal disorder | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 2 | 4 |
| F22.0 | Delusional disorder | 1 | 3 | 24 | 13 | 0 | 41 | 0 | 5 | 36 | 14 | 0 | 55 | 96 |
| F22.9 | Persistent delusional disorder, unspecified | 0 | 0 | 7 | 3 | 0 | 10 | 0 | 2 | 8 | 0 | 0 | 10 | 20 |
| F23.0 | Acute polymorphic psychotic disorder without symptoms of schizophrenia | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 2 | 4 |
| F23.1 | Acute polymorphic psychotic disorder with symptoms of schizophrenia | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F23.2 | Acute schizophrenia-like psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | 3 |
| F23.3 | Other acute predominantly delusional psychotic disorders | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 2 | 4 |
| F23.8 | Other acute and transient psychotic disorders | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F23.9 | Acute and transient psychotic disorder, unspecified | 13 | 171 | 349 | 147 | 1 | 681 | 18 | 247 | 393 | 129 | 3 | 790 | 1,472 |
| F24 | Induced delusional disorder | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 13 | 3 | 0 | 16 | 18 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|------------------|--|-----------|------------|--------------|--------------|-----------|--------------|-----------|--------------|--------------|--------------|-----------|---------------|---------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F25.0 | Schizoaffective disorder, manic type | 0 | 1 | 2 | 4 | 0 | 7 | 0 | 0 | 4 | 1 | 0 | 5 | 12 |
| F25.1 | Schizoaffective disorder, depressive type | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 | 3 |
| F25.2 | Schizoaffective disorder, mixed type | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F25.8 | Other schizoaffective disorders | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F25.9 | Schizoaffective disorder, unspecified | 1 | 81 | 729 | 535 | 4 | 1,350 | 0 | 91 | 684 | 224 | 1 | 1,000 | 2,350 |
| F28 | Other nonorganic psychotic disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| F29 | Unspecified nonorganic psychosis | 1 | 40 | 84 | 116 | 1 | 242 | 4 | 57 | 103 | 49 | 0 | 213 | 456 |
| Sub Total | | 25 | 669 | 3,994 | 5,067 | 26 | 9,780 | 36 | 1,415 | 7,939 | 4,113 | 25 | 13,528 | 23,312 |
| F30-F39 | Mood(Affective) Disorders | | | | | | | | | | | | | |
| F30.0 | Hypomania | 0 | 0 | 12 | 6 | 0 | 18 | 0 | 1 | 8 | 0 | 0 | 9 | 27 |
| F30.2 | Mania with psychotic symptoms | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F30.9 | Manic episode, unspecified | 0 | 17 | 54 | 39 | 0 | 110 | 0 | 10 | 37 | 6 | 0 | 53 | 163 |
| F31.0 | Bipolar affective disorder, current episode hypomanic | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 3 | 1 | 0 | 4 | 6 |
| F31.1 | Bipolar affective disorder, current episode manic without psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 |
| F31.2 | Bipolar affective disorder, current episode manic with psychotic symptoms | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.6 | Bipolar affective disorder, current episode mixed | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.8 | Other bipolar affective disorders | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.9 | Bipolar affective disorder, unspecified | 4 | 159 | 730 | 235 | 0 | 1,128 | 2 | 131 | 568 | 119 | 0 | 820 | 1,948 |
| F32.0 | Mild depressive episode | 0 | 2 | 10 | 4 | 0 | 16 | 0 | 2 | 2 | 3 | 0 | 7 | 23 |
| F32.1 | Moderate depressive episode | 0 | 1 | 1 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F32.2 | Severe depressive episode without psychotic symptoms | 0 | 0 | 1 | 3 | 0 | 4 | 0 | 0 | 0 | 1 | 0 | 1 | 5 |
| F32.3 | Severe depressive episode with psychotic symptoms | 0 | 4 | 11 | 24 | 0 | 39 | 0 | 2 | 3 | 1 | 0 | 6 | 45 |
| F32.8 | Other depressive episodes | 0 | 0 | 3 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| F32.9 | Depressive episode, unspecified | 12 | 268 | 1,606 | 1,923 | 4 | 3,813 | 14 | 207 | 772 | 267 | 0 | 1,260 | 5,073 |
| F33.0 | Recurrent depressive disorder, current episode mild | 0 | 0 | 2 | 1 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 1 | 4 |
| F33.2 | Recurrent depressive disorder, current episode severe without psychotic symptoms | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F33.3 | Recurrent depressive disorder, current episode severe with psychotic symptoms | 0 | 0 | 3 | 13 | 0 | 16 | 0 | 0 | 1 | 2 | 0 | 3 | 19 |
| F33.9 | Recurrent depressive disorder, unspecified | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| F34.0 | Cyclothymia | 0 | 0 | 4 | 0 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 1 | 5 |
| F34.1 | Dysthymia | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| F34.9 | Persistent mood [affective] disorder, unspecified | 0 | 1 | 4 | 1 | 0 | 6 | 0 | 0 | 2 | 0 | 0 | 2 | 8 |
| F38.1 | Other recurrent mood [affective] disorders | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F38.8 | Other specified mood [affective] disorders | 0 | 0 | 1 | 5 | 0 | 6 | 0 | 0 | 0 | 1 | 0 | 1 | 7 |
| F39 | Unspecified mood [affective] disorder | 0 | 5 | 10 | 5 | 0 | 20 | 0 | 1 | 1 | 0 | 0 | 2 | 22 |
| Sub Total | | 16 | 458 | 2,459 | 2,264 | 4 | 5,201 | 16 | 358 | 1,398 | 402 | 0 | 2,174 | 7,375 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|------------------|--|--------|-------|-------|-----|-----|-----------|------|-------|-------|-----|-----|-----------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F40-F48 | Neurotic, Stress related and somatoform disorders | | | | | | | | | | | | | |
| F40.0 | Agoraphobia | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F40.1 | Social phobias | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| F40.9 | Phobic anxiety disorder, unspecified | 2 | 4 | 9 | 1 | 0 | 16 | 0 | 6 | 4 | 6 | 0 | 16 | 32 |
| F41.0 | Panic disorder [episodic paroxysmal anxiety] | 0 | 1 | 11 | 3 | 0 | 15 | 1 | 0 | 11 | 1 | 0 | 13 | 28 |
| F41.1 | Generalised anxiety disorder | 0 | 3 | 13 | 4 | 0 | 20 | 0 | 1 | 11 | 5 | 0 | 17 | 37 |
| F41.2 | Mixed anxiety and depressive disorder | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |
| F41.3 | Other mixed anxiety disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F41.8 | Other specified anxiety disorders | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F41.9 | Anxiety disorder, unspecified | 4 | 39 | 118 | 75 | 0 | 236 | 6 | 31 | 65 | 16 | 0 | 118 | 354 |
| F42.0 | Predominantly obsessional thoughts or ruminations | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F42.2 | Mixed obsessional thoughts and acts | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| F42.9 | Obsessive-compulsive disorder, unspecified | 3 | 2 | 4 | 0 | 0 | 9 | 0 | 1 | 0 | 1 | 0 | 2 | 11 |
| F43.0 | Acute stress reaction | 3 | 48 | 96 | 42 | 0 | 189 | 8 | 21 | 51 | 27 | 0 | 107 | 296 |
| F43.1 | Post-traumatic stress disorder | 7 | 12 | 42 | 9 | 0 | 70 | 1 | 12 | 23 | 2 | 0 | 38 | 108 |
| F43.2 | Adjustment disorders | 7 | 77 | 150 | 57 | 0 | 291 | 9 | 33 | 75 | 26 | 0 | 143 | 434 |
| F43.8 | Other reactions to severe stress | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |
| F43.9 | Reaction to severe stress, unspecified | 5 | 32 | 76 | 74 | 0 | 187 | 1 | 11 | 35 | 16 | 0 | 63 | 250 |
| F44.0 | Dissociative amnesia | 0 | 4 | 1 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| F44.7 | Mixed dissociative [conversion] disorders | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F44.8 | Other dissociative [conversion] disorders | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 2 | 0 | 1 | 0 | 4 | 6 |
| F44.9 | Dissociative [conversion] disorder, unspecified | 4 | 8 | 13 | 0 | 0 | 25 | 1 | 2 | 2 | 0 | 0 | 5 | 30 |
| F45.0 | Somatisation disorder | 1 | 5 | 4 | 0 | 0 | 10 | 0 | 0 | 2 | 1 | 0 | 3 | 13 |
| F45.2 | Hypochondriacally disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 0 | 6 | 6 |
| F45.8 | Other somatoform disorders | 0 | 1 | 2 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F45.9 | Somatoform disorder, unspecified | 7 | 15 | 26 | 14 | 0 | 62 | 0 | 4 | 20 | 7 | 0 | 31 | 93 |
| F48.1 | Depersonalisation-derealisation syndrome | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F48.9 | Neurotic disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 2 |
| Sub Total | | 43 | 257 | 569 | 281 | 0 | 1,150 | 29 | 126 | 307 | 111 | 0 | 573 | 1,723 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|------------------|---|----------|-----------|-----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|-----------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F50-F59 | Behavioural syndromes associated with physiological disturbances | | | | | | | | | | | | | |
| F50.0 | Anorexia nervosa | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F50.1 | Atypical anorexia nervosa | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F50.8 | Other eating disorders | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F51.0 | Nonorganic insomnia | 1 | 0 | 3 | 8 | 0 | 12 | 0 | 1 | 1 | 1 | 0 | 3 | 15 |
| F51.3 | Sleepwalking [somnambulism] | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 4 | 0 | 0 | 4 | 5 |
| F51.5 | Nightmares | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| F51.9 | Nonorganic sleep disorder, unspecified | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 5 | 2 | 0 | 8 | 10 |
| F52.0 | Lack or loss of sexual desire | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.1 | Sexual aversion and lack of sexual enjoyment | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.2 | Failure of genital response | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 |
| F52.3 | Orgasmic dysfunction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F52.4 | Premature ejaculation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F52.8 | Other sexual dysfunction, not caused by organic disorder or disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| F52.9 | Unspecified sexual dysfunction, not caused by organic disorder or disease | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 2 | 3 |
| F53.0 | Mild mental and behavioural disorders associated with the puerperium, not elsewhere classified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F53.1 | Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified | 0 | 24 | 31 | 0 | 0 | 55 | 0 | 0 | 2 | 1 | 0 | 3 | 58 |
| F53.9 | Puerperal mental disorder, unspecified | 0 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F59 | Unspecified behavioural syndromes associated with physiological disturbances and physical factors | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Sub Total | | 1 | 28 | 39 | 12 | 0 | 80 | 0 | 4 | 17 | 6 | 0 | 27 | 107 |
| F60-F69 | Disorders of adult personality and behaviour | | | | | | | | | | | | | |
| F60.0 | Paranoid personality disorder | 0 | 1 | 2 | 0 | 0 | 3 | 1 | 0 | 1 | 0 | 0 | 2 | 5 |
| F60.2 | Dissocial personality disorder | 0 | 1 | 2 | 0 | 0 | 3 | 1 | 5 | 10 | 0 | 0 | 16 | 19 |
| F60.3 | Emotionally unstable personality disorder | 0 | 3 | 1 | 1 | 0 | 5 | 0 | 3 | 6 | 1 | 0 | 10 | 15 |
| F60.4 | Histrionic personality disorder | 1 | 1 | 4 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| F60.9 | Personality disorder, unspecified | 0 | 9 | 7 | 0 | 0 | 16 | 0 | 8 | 11 | 0 | 0 | 19 | 35 |
| F62.9 | Enduring personality change, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F63.0 | Pathological gambling | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F63.2 | Pathological stealing [kleptomania] | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 8 | 0 | 0 | 8 | 10 |
| F63.8 | Other habit and impulse disorders | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 3 |
| F63.9 | Habit and impulse disorder, unspecified | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| F68.8 | Other specified disorders of adult personality and behaviour | 0 | 10 | 7 | 1 | 0 | 18 | 0 | 1 | 7 | 0 | 0 | 8 | 26 |
| Sub Total | | 2 | 27 | 25 | 2 | 0 | 56 | 2 | 18 | 46 | 1 | 0 | 67 | 123 |

**Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat
Cont...**

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|---|--|-----------|------------|------------|-----------|----------|------------|-----------|------------|------------|-----------|----------|------------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F70-F79 Mental Retardation | | | | | | | | | | | | | | |
| F70.0 | Mild mental retardation with the statement of no, or minimal, impairment of behaviour | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F70.9 | Mild mental retardation without mention of impairment of behaviour | 1 | 9 | 8 | 0 | 0 | 18 | 4 | 6 | 2 | 1 | 0 | 13 | 31 |
| F71.9 | Moderate mental retardation without mention of impairment of behaviour | 2 | 4 | 1 | 0 | 0 | 7 | 1 | 4 | 0 | 0 | 0 | 5 | 12 |
| F72.9 | Severe mental retardation without mention of impairment of behaviour | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F78.9 | Other mental retardation without mention of impairment of behaviour | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.0 | Unspecified mental retardation with the statement of no, or minimal, impairment of behaviour | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.8 | Unspecified mental retardation, other impairments of behaviour | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| F79.9 | Unspecified mental retardation without mention of impairment of behaviour | 33 | 107 | 149 | 42 | 0 | 331 | 57 | 169 | 119 | 17 | 1 | 363 | 694 |
| Sub Total | | 38 | 120 | 159 | 43 | 0 | 360 | 63 | 179 | 121 | 18 | 1 | 382 | 742 |
| F80-F89 Disorders of Psychological Development | | | | | | | | | | | | | | |
| F80.0 | Specific speech articulation disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| F80.9 | Developmental disorder of speech and language, unspecified | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| F81.0 | Specific reading disorder | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 2 | 3 |
| F81.9 | Developmental disorder of scholastic skills, unspecified | 3 | 2 | 2 | 0 | 0 | 7 | 6 | 3 | 2 | 0 | 0 | 11 | 18 |
| F82 | Specific developmental disorder of motor function | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 2 |
| F84.0 | Childhood autism | 6 | 1 | 0 | 0 | 0 | 7 | 10 | 5 | 2 | 10 | 0 | 27 | 34 |
| F84.9 | Pervasive developmental disorder, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| F89 | Unspecified disorder of psychological development | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Sub Total | | 11 | 5 | 2 | 0 | 0 | 18 | 20 | 8 | 6 | 11 | 0 | 45 | 63 |
| F90-F98 Behaviour and emotional disorders with onset usually occurring in childhood and adolescent | | | | | | | | | | | | | | |
| F90.0 | Disturbance of activity and attention | 55 | 14 | 2 | 0 | 0 | 71 | 208 | 34 | 5 | 2 | 0 | 249 | 320 |
| F90.1 | Hyperkinetic conduct disorder | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 2 |
| F90.9 | Hyperkinetic disorder, unspecified | 13 | 5 | 1 | 0 | 0 | 19 | 80 | 13 | 3 | 1 | 0 | 97 | 116 |
| F91.0 | Conduct disorder confined to the family context | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| F91.1 | Unsocialised conduct disorder | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F91.3 | Oppositional defiant disorder | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F91.9 | Conduct disorder, unspecified | 3 | 11 | 2 | 0 | 0 | 16 | 21 | 14 | 6 | 0 | 0 | 41 | 57 |
| F92.0 | Depressive conduct disorder | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 2 |
| F92.9 | Mixed disorder of conduct and emotions, unspecified | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |
| F93.1 | Phobic anxiety disorder of childhood | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|------------------|--|-----------|-----------|-----------|-----------|----------|------------|------------|-----------|-----------|----------|----------|------------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| F93.9 | Childhood emotional disorder, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| F94.0 | Elective mutism | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| F94.2 | Disinhibited attachment disorder of childhood | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 2 |
| F95.2 | Combined vocal and multiple motor tic disorder [de la Tourette] | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 | 4 |
| F95.9 | Tic disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| F98.0 | Nonorganic enuresis | 3 | 1 | 0 | 0 | 0 | 4 | 6 | 4 | 0 | 0 | 0 | 10 | 14 |
| F98.1 | Nonorganic encopresis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| F98.9 | Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 |
| Sub Total | | 75 | 33 | 8 | 1 | 0 | 117 | 321 | 67 | 22 | 5 | 0 | 415 | 532 |
| F99 | Unspecified mental disorder | | | | | | | | | | | | | |
| F99 | Mental disorder, not otherwise specified | 4 | 8 | 20 | 14 | 0 | 46 | 4 | 12 | 14 | 5 | 0 | 35 | 81 |
| Sub Total | | 4 | 8 | 20 | 14 | 0 | 46 | 4 | 12 | 14 | 5 | 0 | 35 | 81 |
| | Others | | | | | | | | | | | | | |
| B20.9 | HIV disease resulting in unspecified infectious or parasitic disease | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 2 | 4 |
| B22.0 | HIV disease resulting in encephalopathy | 0 | 4 | 172 | 59 | 0 | 235 | 1 | 6 | 62 | 31 | 0 | 100 | 336 |
| B33.3 | Retrovirus infections, not elsewhere classified | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| C37 | Malignant neoplasm of thymus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| C50.9 | Malignant neoplasm of breast, unspecified part | 0 | 0 | 1 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| C68.0 | Malignant neoplasm of urethra | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C80 | Malignant neoplasm without specification of site | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C85.9 | Non-Hodgkin's lymphoma, unspecified type | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| D48.9 | Neoplasm of uncertain or unknown behaviour, unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| E14.9 | Unspecified diabetes mellitus, without complications | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 2 | 3 |
| E20.9 | Hyperparathyroidism, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| E22.0 | Acromegaly and pituitary gigantism | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| G04.9 | Encephalitis, myelitis and encephalomyelitis, unspecified | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G20 | Parkinson's disease | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 2 | 4 |
| G24.0 | Drug-induced dystonia | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G24.9 | Dystonia, unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G25.9 | Extrapyramidal and movement disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| G30.9 | Alzheimer's disease, unspecified | 1 | 0 | 0 | 4 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| G40.0 | Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|----------|--|--------|-------|-------|-----|-----|-----------|------|-------|-------|-----|-----|-----------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| G40.1 | Localisation-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures | 0 | 1 | 2 | 0 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 1 | 4 |
| G40.4 | Other generalised epilepsy and epileptic syndromes | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| G40.5 | Special epileptic syndromes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| G40.8 | Other epilepsy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 |
| G40.9 | Epilepsy, unspecified | 111 | 199 | 536 | 341 | 1 | 1,188 | 120 | 329 | 943 | 442 | 3 | 1,837 | 3,027 |
| G41.0 | Grand mal status epilepticus | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G41.9 | Status epilepticus, unspecified | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| G43.9 | Migraine, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| G45.9 | Transient cerebral ischaemic attack, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| G47.0 | Disorders of initiating and maintaining sleep [insomnias] | 0 | 3 | 1 | 3 | 1 | 8 | 0 | 1 | 1 | 0 | 0 | 2 | 10 |
| G47.1 | Disorders of excessive somnolence [hypersomnia] | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G47.2 | Disorders of the sleep-wake schedule | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G47.4 | Narcolepsy and cataplexy | 1 | 7 | 1 | 3 | 0 | 12 | 3 | 6 | 4 | 0 | 0 | 13 | 25 |
| G47.9 | Sleep disorder, unspecified | 1 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 2 | 4 |
| G80.9 | Cerebral palsy, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 3 | 3 |
| G82.2 | Paraplegia, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G90.9 | Disorder of autonomic nervous system, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| G93.4 | Encephalopathy, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G93.9 | Disorder of brain, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| H25.9 | Senile cataract, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| I10 | Essential (primary) hypertension | 0 | 0 | 3 | 5 | 0 | 8 | 0 | 0 | 0 | 2 | 0 | 2 | 10 |
| I42.8 | Other cardiomyopathies | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| I47.9 | Paroxysmal tachycardia, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| I49.9 | Cardiac arrhythmia, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| I67.4 | Hypertensive encephalopathy | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| J80 | Adult respiratory distress syndrome | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| K73.9 | Chronic hepatitis, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| M13.9 | Arthritis, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| M43.6 | Torticollis | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M53.8 | Other specified dorsopathies in spine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| M54.5 | Low back pain | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |
| M54.8 | Other dorsalgia in spine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| M79.6 | Pain in limb | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|--------------|--|--------|-------|-------|-----|-----|-----------|------|-------|-------|-----|-----|-----------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| N18.9 | Chronic renal failure, unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| N89.9 | Noninflammatory disorder of vagina, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| O03.9 | Spontaneous abortion, complete or unspecified, without complication | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| O60.1 | Preterm labour with preterm delivery | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Q85.0 | Neurofibromatosis (non-malignant) | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R06.0 | Dyspnoea | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R15 | Faecal incontinence | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 2 |
| R29.8 | Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 3 |
| R32 | Unspecified urinary incontinence | 4 | 1 | 0 | 0 | 0 | 5 | 2 | 1 | 0 | 0 | 0 | 3 | 8 |
| R33 | Retention of urine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| R40.0 | Somnolence | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | 3 |
| R41.0 | Disorientation, unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 0 | 0 | 0 | 4 | 5 |
| R41.3 | Other amnesia | 2 | 2 | 1 | 1 | 0 | 6 | 0 | 0 | 1 | 0 | 0 | 1 | 7 |
| R41.8 | Other and unspecified symptoms and signs involving cognitive functions and awareness | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| R44.3 | Hallucinations, unspecified | 1 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R45.4 | Irritability and anger | 0 | 1 | 5 | 0 | 0 | 6 | 1 | 6 | 8 | 1 | 0 | 16 | 22 |
| R45.7 | State of emotional shock and stress, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R45.8 | Other symptoms and signs involving emotional state | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 |
| R47.0 | Dysphasia and aphasia | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R47.8 | Other and unspecified speech disturbances | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R49.1 | Aphonia | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R49.8 | Other and unspecified voice disturbances | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R51 | Headache | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R54 | Senility | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R55 | Syncope and collapse | 0 | 3 | 1 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| R56.0 | Febrile convulsions | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R56.8 | Other and unspecified convulsions | 2 | 2 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| R62.8 | Other lack of expected normal physiological development | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 3 |
| R62.9 | Lack of expected normal physiological development, unspecified | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 2 |
| R63.4 | Abnormal weight loss | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R68.8 | Other specified general symptoms and signs | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R69 | Unknown and unspecified causes of morbidity | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| S06.0 | Concussion | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total |
|----------|--|--------|-------|-------|-----|-----|-----------|------|-------|-------|-----|-----|-----------|-------------|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | |
| S09.9 | Unspecified injury of head | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| S88.9 | Traumatic amputation of lower leg, level unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 2 |
| T09.3 | Injury of spinal cord, level unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T09.4 | Injury of unspecified nerve, spinal nerve root and plexus of trunk | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| T14.2 | Fracture of unspecified body region | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T14.7 | Crushing injury and traumatic amputation of unspecified body region | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| T14.9 | Injury, unspecified | 0 | 3 | 1 | 2 | 0 | 6 | 0 | 2 | 0 | 0 | 0 | 2 | 8 |
| T37.5 | Antiviral drugs | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| T50.9 | Other and unspecified drugs, medications and biological substances | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T74.2 | Sexual abuse | 6 | 13 | 5 | 2 | 0 | 26 | 7 | 3 | 0 | 0 | 0 | 10 | 36 |
| T74.3 | Psychological abuse | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T74.9 | Maltreatment syndrome, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X02 | Exposure to controlled fire in building or structure | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X06.0 | Exposure to ignition or melting of other clothing and apparel - Home | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X32.9 | Exposure to sunlight - Unspecified place | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| X65 | Intentional self-poisoning by and exposure to alcohol | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| X69 | Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| X84 | Intentional self-harm by unspecified means | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| Y05.9 | Sexual assault by bodily force - Unspecified place | 1 | 3 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Z00.0 | General medical examination | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Z01.0 | Examination of eyes and vision | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z03.2 | Observation for suspected mental and behavioural disorders | 0 | 1 | 2 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 4 |
| Z03.9 | Observation for suspected disease or condition, unspecified | 0 | 1 | 2 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Z04.1 | Examination and observation following transport accident | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z04.4 | Examination and observation following alleged rape and seduction | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 2 |
| Z04.6 | General psychiatric examination, requested by authority | 0 | 1 | 1 | 1 | 0 | 3 | 2 | 1 | 0 | 1 | 0 | 4 | 7 |
| Z04.8 | Examination and observation for other specified reasons | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z04.9 | Examination and observation for unspecified reason | 13 | 78 | 83 | 61 | 1 | 236 | 21 | 54 | 126 | 49 | 1 | 251 | 487 |
| Z13.3 | Special screening examination for mental and behavioural disorders | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z20.9 | Contact with and exposure to unspecified communicable disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z34.9 | Supervision of normal pregnancy, unspecified | 0 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Z43.3 | Attention to colostomy | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

Annex 2: Mental Health Out-Patient Attendances by Diagnosis Age Group and Sex (New and Repeat Cont...

| ICD Code | Diagnosis | Female | | | | | Sub Total | Male | | | | | Sub Total | Grand Total | |
|--------------------|--|------------|--------------|--------------|--------------|-----------|---------------|------------|--------------|---------------|--------------|-----------|---------------|---------------|---|
| | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | 0-14 | 15-24 | 25-44 | 45+ | N/S | | | |
| Z46.8 | Fitting and adjustment of other specified devices | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z55.8 | Other problems related to education and literacy | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z56.3 | Stressful work schedule | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z56.6 | Other physical and mental strain related to work | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 | |
| Z60.8 | Other problems related to social environment | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z60.9 | Problem related to social environment, unspecified | 0 | 1 | 6 | 1 | 0 | 8 | 0 | 2 | 1 | 2 | 0 | 5 | 13 | |
| Z61.0 | Loss of love relationship in childhood | 0 | 1 | 1 | 1 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 4 | |
| Z61.1 | Removal from home in childhood | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z61.9 | Problems related to negative life events in childhood, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z63.0 | Problems in relationship with spouse or partner | 0 | 1 | 7 | 1 | 0 | 9 | 0 | 0 | 3 | 0 | 0 | 3 | 12 | |
| Z63.4 | Disappearance and death of family member | 0 | 2 | 0 | 2 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 1 | 5 | |
| Z63.5 | Disruption of family by separation and divorce | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z63.8 | Other specified problems related to primary support group | 0 | 2 | 4 | 1 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | |
| Z63.9 | Problem related to primary support group, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 2 | 3 | |
| Z65.8 | Other specified problems related to psychosocial circumstances | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z65.9 | Problem related to unspecified psychosocial circumstances | 0 | 2 | 2 | 1 | 0 | 5 | 0 | 2 | 2 | 0 | 0 | 4 | 9 | |
| Z71.1 | Person with feared complaint in whom no diagnosis is made | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | |
| Z71.7 | Human immunodeficiency virus [HIV] counselling | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z71.9 | Counselling, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z72.8 | Other problems related to lifestyle | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 3 | 4 | |
| Z73.3 | Stress, not elsewhere classified | 0 | 9 | 36 | 16 | 0 | 61 | 0 | 6 | 14 | 5 | 0 | 25 | 86 | |
| Z73.9 | Problem related to life-management difficulty, unspecified | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Z76.5 | Malingering [conscious simulation] | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | |
| Z91.1 | Personal history of noncompliance with medical treatment and regimen | 1 | 2 | 1 | 0 | 0 | 4 | 0 | 0 | 0 | 1 | 0 | 1 | 5 | |
| Z91.5 | Personal history of self-harm | 3 | 90 | 53 | 0 | 0 | 146 | 1 | 27 | 29 | 11 | 0 | 68 | 214 | |
| Z91.8 | Personal history of other specified risk-factors, not elsewhere classified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Sub Total | | 164 | 458 | 961 | 529 | 4 | 2,116 | 172 | 465 | 1,223 | 559 | 4 | 2,423 | 4,542 | |
| Grand Total | | 389 | 2,108 | 8,450 | 9,052 | 37 | 20,035 | 681 | 3,333 | 12,111 | 5,845 | 35 | 22,005 | 42,047 | |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District

| ICD10 Code | Diagnosis | Botlwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukunisi | Kgalleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamitland | North East | Palapye | Selibi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|--|-----------|----------|--------------|-----------|-------------|------------|----------|----------|----------|-----------|--------------|--------------|------------|-----------|------------|------------|------------|-----------|---------------|-----------|------------|------------|-----------|--------------|
| F00-09 | Organic, including Symptomatic, Mental Disorders | | | | | | | | | | | | | | | | | | | | | | | | |
| F00.9 | Dementia in Alzheimer's disease, unspecified (G30.9+) | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| F01.9 | Vascular dementia, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 4 |
| F03 | Unspecified dementia | 27 | 4 | 0 | 12 | 244 | 102 | 0 | 9 | 0 | 29 | 61 | 16 | 163 | 54 | 96 | 0 | 41 | 19 | 44 | 16 | 67 | 82 | 19 | 1,105 |
| F04 | Organic amnesic syndrome, not induced by alcohol and other psychoactive substances | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 10 |
| F05.9 | Delirium, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F06.0 | Organic hallucinosis | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| F06.2 | Organic delusional [schizophrenia-like] disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 36 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 |
| F06.3 | Organic mood [affective] disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 3 | 9 | 0 | 1 | 0 | 0 | 0 | 1 | 10 | 1 | 32 |
| F06.4 | Organic anxiety disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| F06.7 | Mild cognitive disorder | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F06.8 | Other specified mental disorders due to brain damage and dysfunction and to physical disease | 0 | 0 | 0 | 0 | 17 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 40 |
| F06.9 | Unspecified mental disorder due to brain damage and dysfunction and to physical disease | 0 | 2 | 0 | 3 | 80 | 56 | 0 | 0 | 0 | 2 | 1 | 0 | 27 | 5 | 2 | 0 | 1 | 0 | 2 | 0 | 3 | 6 | 4 | 194 |
| F09 | Unspecified organic or symptomatic mental disorder | 0 | 0 | 0 | 1 | 7 | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 30 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 23 | 1 | 79 |
| F6.9 | Unspecified mental disorder due to brain damage and dysfunction and to physical disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Sub Total | | 35 | 7 | 0 | 17 | 350 | 166 | 0 | 9 | 1 | 34 | 64 | 18 | 273 | 74 | 114 | 1 | 43 | 20 | 46 | 16 | 83 | 121 | 30 | 1,522 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District cont...

| ICD10 Code | Diagnosis | Boblwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Machalape | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tutume | Total |
|------------------|--|-----------|-----------|--------------|-----------|-------------|------------|----------|-----------|----------|-----------|--------------|--------------|------------|------------|-----------|------------|------------|-----------|---------------|-----------|------------|-----------|-----------|--------------|
| F15.0 | Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F18.8 | Mental and behavioural disorders due to use of volatile solvents, other mental and behavioural disorders | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F19.0 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, acute intoxication | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F19.1 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 8 | 1 | 0 | 18 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 1 | 1 | 1 | 39 |
| F19.2 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 23 |
| F19.5 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F19.9 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, unspecified mental and beh | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 9 | 10 | 0 | 4 | 8 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 16 | 1 | 2 | 56 |
| Sub Total | | 29 | 34 | 0 | 34 | 465 | 402 | 5 | 20 | 0 | 98 | 42 | 20 | 324 | 147 | 31 | 1 | 2 | 18 | 46 | 22 | 82 | 89 | 14 | 1,925 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Botlwa | Botlfi | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahlapye | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|--|------------|------------|--------------|------------|--------------|--------------|-----------|------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|------------|------------|---------------|------------|------------|--------------|------------|---------------|
| F20-F29 | Schizophrenia, Schizoaffective and delusional disorders | | | | | | | | | | | | | | | | | | | | | | | | |
| F20.0 | Paranoid schizophrenia | 0 | 1 | 0 | 0 | 7 | 2 | 0 | 0 | 0 | 7 | 1 | 0 | 3 | 5 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 4 | 0 | 36 |
| F20.1 | Hebephrenic schizophrenia | 0 | 8 | 0 | 0 | 5 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 20 |
| F20.2 | Catatonic schizophrenia | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F20.5 | Residual schizophrenia | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F20.6 | Simple schizophrenia | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 7 |
| F20.8 | Other schizophrenia | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| F20.9 | Schizophrenia, unspecified | 252 | 196 | 15 | 275 | 2,889 | 3,149 | 19 | 533 | 169 | 855 | 1,418 | 494 | 2,320 | 782 | 1,065 | 38 | 394 | 372 | 698 | 158 | 651 | 1,895 | 157 | 18,794 |
| F21 | Schizotypal disorder | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| F22.0 | Delusional disorder | 0 | 1 | 0 | 0 | 31 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 28 | 1 | 1 | 0 | 0 | 0 | 8 | 0 | 17 | 0 | 6 | 96 |
| F22.9 | Persistent delusional disorder, unspecified | 0 | 1 | 0 | 0 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| F23.0 | Acute polymorphic psychotic disorder without symptoms of schizophrenia | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 |
| F23.1 | Acute polymorphic psychotic disorder with symptoms of schizophrenia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F23.2 | Acute schizophrenia-like psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F23.3 | Other acute predominantly delusional psychotic disorders | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| F23.8 | Other acute and transient psychotic disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| F23.9 | Acute and transient psychotic disorder, unspecified | 4 | 33 | 0 | 25 | 564 | 1,69 | 1 | 16 | 3 | 48 | 28 | 31 | 214 | 142 | 1,6 | 7 | 12 | 11 | 77 | 16 | 5 | 24 | 26 | 1,472 |
| F24 | Induced delusional disorder | 0 | 0 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| F25.0 | Schizoaffective disorder, manic type | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 12 |
| F25.1 | Schizoaffective disorder, depressive type | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| F25.2 | Schizoaffective disorder, mixed type | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F25.8 | Other schizoaffective disorders | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F25.9 | Schizoaffective disorder, unspecified | 14 | 16 | 0 | 29 | 680 | 309 | 0 | 31 | 2 | 149 | 125 | 28 | 327 | 139 | 93 | 3 | 29 | 26 | 126 | 12 | 80 | 97 | 35 | 2,350 |
| F28 | Other nonorganic psychotic disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F29 | Unspecified nonorganic psychosis | 39 | 0 | 2 | 0 | 5 | 284 | 0 | 3 | 8 | 0 | 75 | 21 | 4 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 8 | 3 | 456 |
| Sub Total | | 309 | 256 | 17 | 329 | 4,216 | 3,929 | 20 | 585 | 182 | 1,064 | 1,651 | 577 | 2,911 | 1,071 | 1,177 | 48 | 437 | 412 | 913 | 191 | 757 | 2,033 | 227 | 23,312 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Botlwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Machapye | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|----------------|--|--------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|----------|---------|------------|------------|---------|---------------|--------|------------|----------|-------|-------|
| F30-F39 | Mood(Affective) Disorders | | | | | | | | | | | | | | | | | | | | | | | | |
| F30.0 | Hypomania | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 5 | 0 | 0 | 2 | 0 | 0 | 7 | 0 | 27 |
| F30.2 | Mania with psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F30.9 | Manic episode, unspecified | 3 | 1 | 0 | 1 | 43 | 47 | 0 | 3 | 0 | 9 | 10 | 3 | 7 | 0 | 8 | 0 | 1 | 2 | 2 | 0 | 0 | 17 | 6 | 163 |
| F31.0 | Bipolar affective disorder, current episode hypomanic | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| F31.1 | Bipolar affective disorder, current episode manic without psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F31.2 | Bipolar affective disorder, current episode manic with psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.6 | Bipolar affective disorder, current episode mixed | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.8 | Other bipolar affective disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.9 | Bipolar affective disorder, unspecified | 6 | 4 | 0 | 32 | 600 | 470 | 1 | 5 | 0 | 52 | 57 | 7 | 447 | 69 | 9 | 1 | 18 | 0 | 30 | 6 | 75 | 56 | 3 | 1,948 |
| F32.0 | Mild depressive episode | 0 | 3 | 0 | 0 | 10 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 23 |
| F32.1 | Moderate depressive episode | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| F32.2 | Severe depressive episode without psychotic symptoms | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| F32.3 | Severe depressive episode with psychotic symptoms | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 35 | 0 | 2 | 45 |
| F32.8 | Other depressive episodes | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| F32.9 | Depressive episode, unspecified | 31 | 28 | 0 | 87 | 1,303 | 596 | 0 | 65 | 15 | 89 | 175 | 39 | 747 | 310 | 322 | 3 | 62 | 74 | 209 | 28 | 506 | 358 | 26 | 5,073 |
| F33.0 | Recurrent depressive disorder, current episode mild | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 4 |
| F33.2 | Recurrent depressive disorder, current episode severe without psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F33.3 | Recurrent depressive disorder, current episode severe with psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 19 |
| F33.9 | Recurrent depressive disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Bobirwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|---|---------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|-----------|---------|----------|------------|---------|---------------|--------|------------|----------|-------|-------|
| F34.0 | Cyclothymia | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| F34.1 | Dysthymia | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| F34.9 | Persistent mood [affective] disorder, unspecified | 4 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 |
| F38.1 | Other recurrent mood [affective] disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F38.8 | Other specified mood [affective] disorders | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| F39 | Unspecified mood [affective] disorder | 3 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 0 | 1 | 6 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 22 |
| Sub Total | | 50 | 40 | 0 | 120 | 1,989 | 1,126 | 1 | 74 | 16 | 151 | 243 | 56 | 1,220 | 381 | 345 | 4 | 81 | 78 | 242 | 34 | 644 | 440 | 40 | 7,375 |
| F40-F48 | Neurotic,Stress related and somatoform disorders | | | | | | | | | | | | | | | | | | | | | | | | |
| F40.0 | Agoraphobia | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F40.1 | Social phobias | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F40.9 | Phobic anxiety disorder, unspecified | 1 | 1 | 0 | 2 | 4 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 8 | 2 | 0 | 0 | 0 | 0 | 3 | 1 | 5 | 0 | 0 | 32 |
| F41.0 | Panic disorder [episodic paroxysmal anxiety] | 0 | 1 | 0 | 0 | 14 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 2 | 0 | 2 | 0 | 1 | 0 | 0 | 28 |
| F41.1 | Generalised anxiety disorder | 0 | 0 | 0 | 7 | 20 | 1 | 0 | 0 | 0 | 0 | 1 | 4 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 37 |
| F41.2 | Mixed anxiety and depressive disorder | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| F41.3 | Other mixed anxiety disorders | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F41.8 | Other specified anxiety disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F41.9 | Anxiety disorder, unspecified | 4 | 1 | 0 | 8 | 72 | 67 | 3 | 0 | 0 | 2 | 7 | 12 | 21 | 1 | 87 | 0 | 3 | 1 | 22 | 0 | 30 | 13 | 0 | 354 |
| F42.0 | Predominantly obsessional thoughts or ruminations | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F42.2 | Mixed obsessional thoughts and acts | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F42.9 | Obsessive-compulsive disorder, unspecified | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 11 |
| F43.0 | Acute stress reaction | 8 | 12 | 0 | 18 | 28 | 19 | 0 | 0 | 0 | 2 | 0 | 3 | 82 | 26 | 11 | 0 | 19 | 9 | 11 | 2 | 24 | 20 | 2 | 296 |
| F43.1 | Post-traumatic stress disorder | 0 | 0 | 0 | 13 | 15 | 18 | 0 | 0 | 0 | 0 | 0 | 4 | 29 | 1 | 9 | 0 | 1 | 0 | 2 | 0 | 10 | 6 | 0 | 108 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Bobirwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|---|-----------|-----------|--------------|-----------|-------------|------------|----------|----------|----------|-----------|--------------|--------------|------------|-----------|------------|------------|------------|-----------|---------------|----------|------------|-----------|----------|--------------|
| F43.2 | Adjustment disorders | 0 | 4 | 0 | 34 | 15 | 115 | 0 | 0 | 0 | 7 | 1 | 0 | 213 | 8 | 11 | 0 | 0 | 0 | 9 | 0 | 12 | 4 | 1 | 434 |
| F43.8 | Other reactions to severe stress | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F43.9 | Reaction to severe stress, unspecified | 2 | 3 | 0 | 3 | 6 | 12 | 0 | 0 | 0 | 10 | 1 | 9 | 50 | 11 | 100 | 0 | 16 | 1 | 7 | 1 | 7 | 11 | 0 | 250 |
| F44.0 | Dissociative amnesia | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 5 |
| F44.7 | Mixed dissociative [conversion] disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F44.8 | Other dissociative [conversion] disorders | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 6 |
| F44.9 | Dissociative [conversion] disorder, unspecified | 0 | 0 | 0 | 3 | 5 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 0 | 30 |
| F45.0 | Somatization disorder | 0 | 0 | 0 | 3 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 13 |
| F45.2 | Hypochondriacal disorder | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| F45.8 | Other somatoform disorders | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F45.9 | Somatoform disorder, unspecified | 0 | 1 | 0 | 6 | 5 | 20 | 0 | 0 | 1 | 2 | 0 | 0 | 30 | 3 | 8 | 0 | 1 | 0 | 0 | 1 | 4 | 10 | 1 | 93 |
| F48.1 | Depersonalisation-derealisation syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F48.9 | Neurotic disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Sub Total | | 20 | 23 | 0 | 97 | 189 | 279 | 3 | 2 | 0 | 24 | 12 | 32 | 457 | 54 | 234 | 0 | 45 | 11 | 61 | 7 | 98 | 70 | 5 | 1,723 |
| F50-F59 | Behavioural syndromes associated with physiological disturbances | | | | | | | | | | | | | | | | | | | | | | | | |
| F50.0 | Anorexia nervosa | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F50.1 | Atypical anorexia nervosa | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F50.8 | Other eating disorders | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F51.0 | Nonorganic insomnia | 0 | 0 | 0 | 0 | 8 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| F51.3 | Sleepwalking [somnambulism] | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| F51.5 | Nightmares | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F51.9 | Nonorganic sleep disorder, unspecified | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| F52.0 | Lack or loss of sexual desire | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.1 | Sexual aversion and lack of sexual enjoyment | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.2 | Failure of genital response | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F52.3 | Orgasmic dysfunction | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| F52.4 | Premature ejaculation | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.8 | Other sexual dysfunction, not caused by organic disorder or disease | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Bobirwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamlland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|---|----------|----------|--------------|----------|-------------|-----------|----------|----------|----------|----------|--------------|--------------|-----------|-----------|----------|-----------|------------|----------|---------------|----------|------------|-----------|----------|------------|
| F52.9 | Unspecified sexual dysfunction, not caused by organic disorder or disease | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F53.0 | Mild mental and behavioural disorders associated with the puerperium, not elsewhere classified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F53.1 | Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified | 1 | 2 | 0 | 6 | 9 | 4 | 0 | 2 | 0 | 0 | 6 | 0 | 12 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 12 | 0 | 58 |
| F53.9 | Puerperal mental disorder, unspecified | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| F59 | Unspecified behavioural syndromes associated with physiological disturbances and physical factors | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Sub Total | | 1 | 2 | 0 | 8 | 29 | 17 | 0 | 2 | 0 | 0 | 7 | 0 | 20 | 3 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 14 | 0 | 107 |
| F60-F69 | Disorders of adult personality and behaviour | | | | | | | | | | | | | | | | | | | | | | | | |
| F60.0 | Paranoid personality disorder | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 5 |
| F60.2 | Dissocial personality disorder | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 19 |
| F60.3 | Emotionally unstable personality disorder | 0 | 0 | 0 | 2 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 15 |
| F60.4 | Histrionic personality disorder | 0 | 0 | 0 | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| F60.9 | Personality disorder, unspecified | 0 | 1 | 0 | 0 | 8 | 18 | 0 | 0 | 0 | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 35 |
| F62.9 | Enduring personality change, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F63.0 | Pathological gambling | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F63.2 | Pathological stealing [Kleptomania] | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| F63.8 | Other habit and impulse disorders | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F63.9 | Habit and impulse disorder, unspecified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F68.8 | Other specified disorders of adult personality and behaviour | 0 | 0 | 0 | 0 | 0 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 |
| Sub Total | | 0 | 1 | 0 | 5 | 24 | 55 | 0 | 0 | 0 | 4 | 0 | 0 | 24 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 | 2 | 123 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Bobirwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|--|----------|-----------|--------------|----------|-------------|-----------|----------|----------|----------|-----------|--------------|--------------|------------|-----------|-----------|------------|------------|-----------|---------------|----------|------------|-----------|-----------|------------|
| F70-F79 | Mental Retardation | | | | | | | | | | | | | | | | | | | | | | | | |
| F70.0 | Mild mental retardation with the statement of no, or minimal, impairment of behaviour | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| F70.9 | Mild mental retardation without mention of impairment of behaviour | 0 | 2 | 0 | 1 | 3 | 2 | 0 | 0 | 1 | 0 | 3 | 0 | 8 | 3 | 1 | 0 | 2 | 0 | 2 | 1 | 0 | 2 | 0 | 31 |
| F71.9 | Moderate mental retardation without mention of impairment of behaviour | 0 | 3 | 0 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| F72.9 | Severe mental retardation without mention of impairment of behaviour | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F78.9 | Other mental retardation without mention of impairment of behaviour | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.0 | Unspecified mental retardation with the statement of no, or minimal, impairment of behaviour | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.8 | Unspecified mental retardation, other impairments of behaviour | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.9 | Unspecified mental retardation without mention of impairment of behaviour | 8 | 11 | 0 | 5 | 216 | 41 | 0 | 4 | 2 | 19 | 16 | 29 | 105 | 36 | 18 | 2 | 26 | 18 | 18 | 5 | 32 | 67 | 16 | 694 |
| Sub Total | | 8 | 16 | 0 | 7 | 226 | 44 | 0 | 4 | 3 | 19 | 20 | 29 | 115 | 40 | 19 | 2 | 28 | 18 | 20 | 6 | 33 | 69 | 16 | 742 |
| F80-F89 | Disorders of Psychological Development | | | | | | | | | | | | | | | | | | | | | | | | |
| F80.0 | Specific speech articulation disorder | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F80.9 | Developmental disorder of speech and language, unspecified | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F81.0 | Specific reading disorder | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F81.9 | Developmental disorder of scholastic skills, unspecified | 1 | 1 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| F82 | Specific developmental disorder of motor function | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F84.0 | Childhood autism | 0 | 0 | 0 | 0 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 10 | 0 | 34 |
| F84.9 | Pervasive developmental disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| F89 | Unspecified disorder of psychological development | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Sub Total | | 2 | 1 | 0 | 0 | 4 | 16 | 1 | 0 | 0 | 0 | 0 | 1 | 15 | 0 | 2 | 0 | 8 | 0 | 1 | 1 | 0 | 11 | 0 | 63 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Botlwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | Goodhope | Hukunisi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamitland | North East | Palapye | Selibi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------------|---|----------|----------|--------------|----------|-------------|-----------|----------|----------|----------|----------|--------------|--------------|------------|-----------|-----------|------------|------------|----------|---------------|----------|------------|----------|------------|-------|
| F90-F98 | Behaviour and emotional disorders with onset usually occurring in childhood and adolescent | | | | | | | | | | | | | | | | | | | | | | | | |
| F90.0 | Disturbance of activity and attention | 0 | 2 | 0 | 7 | 103 | 16 | 0 | 2 | 0 | 5 | 1 | 0 | 133 | 26 | 2 | 1 | 0 | 0 | 10 | 3 | 0 | 9 | 0 | 320 |
| F90.1 | Hyperkinetic conduct disorder | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F90.9 | Hyperkinetic disorder, unspecified | 0 | 1 | 0 | 1 | 66 | 3 | 0 | 0 | 0 | 1 | 2 | 1 | 27 | 7 | 0 | 0 | 2 | 0 | 5 | 0 | 0 | 0 | 0 | 116 |
| F91.0 | Conduct disorder confined to the family context | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F91.1 | Unsocialised conduct disorder | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F91.3 | Oppositional defiant disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F91.9 | Conduct disorder, unspecified | 0 | 0 | 0 | 0 | 13 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 5 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 57 |
| F92.0 | Depressive conduct disorder | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F92.9 | Mixed disorder of conduct and emotions, unspecified | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F93.1 | Phobic anxiety disorder of childhood | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 |
| F93.9 | Childhood emotional disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F94.0 | Elective mutism | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F94.2 | Disinhibited attachment disorder of childhood | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| F95.2 | Combined vocal and multiple motor tic disorder [de la Tourette] | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| F95.9 | Tic disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| F98.0 | Nonorganic enuresis | 3 | 0 | 0 | 0 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 14 |
| F98.1 | Nonorganic encopresis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| F98.9 | Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Sub Total | | 6 | 3 | 0 | 8 | 192 | 43 | 0 | 2 | 0 | 6 | 6 | 1 | 183 | 39 | 2 | 1 | 4 | 3 | 17 | 4 | 10 | 0 | 532 | |
| F99 | Mental disorder, not otherwise specified | 1 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 15 | 1 | 43 | 0 | 15 | 0 | 0 | 0 | 1 | 0 | 81 | |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Botlwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | Goodhope | Hukunisi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamland | North East | Palapye | Selibi Phikwe | Serowe | South East | Southern | Tlume | Total |
|---------------|--|--------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|-----------|---------|----------|------------|---------|---------------|--------|------------|----------|-------|-------|
| Others | | | | | | | | | | | | | | | | | | | | | | | | | |
| B20.9 | HIV disease resulting in unspecified infectious or parasitic disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| B22.0 | HIV disease resulting in encephalopathy | 18 | 6 | 0 | 0 | 5 | 4 | 0 | 1 | 0 | 22 | 71 | 5 | 21 | 68 | 33 | 0 | 17 | 14 | 22 | 2 | 4 | 14 | 9 | 336 |
| B33.3 | Retrovirus infections, not elsewhere classified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| C37 | Malignant neoplasm of thymus | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C50.9 | Malignant neoplasm of breast, unspecified part | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| C58 | Malignant neoplasm of placenta | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C68.0 | Malignant neoplasm of urethra | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C80 | Malignant neoplasm without specification of site | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C85.9 | Non-Hodgkin's lymphoma, unspecified type | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| D48.9 | Neoplasm of uncertain or unknown behaviour, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| E14.9 | Unspecified diabetes mellitus, without complications | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| E20.9 | Hypoparathyroidism, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| E22.0 | Acromegaly and pituitary gigantism | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G04.9 | Encephalitis, myelitis and encephalomyelitis, unspecified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G20 | Parkinson's disease | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 |
| G24.0 | Drug-induced dystonia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G24.9 | Dystonia, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G25.9 | Extrapyramidal and movement disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| G30.9 | Alzheimer's disease, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| G40.0 | Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G40.1 | Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| G40.4 | Other generalised epilepsy and epileptic syndromes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G40.5 | Special epileptic syndromes | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Boblwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahlapybe | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------|---|--------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|-----------|---------|------------|------------|---------|---------------|--------|------------|----------|-------|-------|
| G40.8 | Other epilepsy | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| G40.9 | Epilepsy, unspecified | 77 | 12 | 0 | 62 | 641 | 75 | 1 | 165 | 101 | 121 | 109 | 45 | 493 | 75 | 212 | 1 | 174 | 105 | 93 | 10 | 261 | 186 | 8 | 3,027 |
| G41.0 | Grand mal status epilepticus | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G41.9 | Status epilepticus, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| G43.9 | Migraine, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| G45.9 | Transient cerebral ischaemic attack, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| G47.0 | Disorders of initiating and maintaining sleep [insomnias] | 0 | 0 | 0 | 0 | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| G47.1 | Disorders of excessive somnolence [hypersomnias] | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G47.2 | Disorders of the sleep-wake schedule | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G47.4 | Narcolepsy and cataplexy | 4 | 0 | 0 | 0 | 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 25 |
| G47.9 | Sleep disorder, unspecified | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| G80.9 | Cerebral palsy, unspecified | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| G82.2 | Paraplegia, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G90.9 | Disorder of autonomic nervous system, unspecified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G93.4 | Encephalopathy, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G93.9 | Disorder of brain, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| H25.9 | Senile cataract, unspecified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| I10 | Essential (primary) hypertension | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 10 |
| I42.8 | Other cardiomyopathies | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| I47.9 | Paroxysmal tachycardia, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| I49.9 | Cardiac arrhythmia, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| I67.4 | Hypertensive encephalopathy | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| J80 | Adult respiratory distress syndrome | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| K73.9 | Chronic hepatitis, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M13.9 | Arthritis, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M43.6 | Torticollis | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M53.8 | Other specified dorsopathies in spine | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M54.5 | Low back pain | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Boblwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahalapye | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------|--|--------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|-----------|---------|------------|------------|---------|---------------|--------|------------|----------|-------|-------|
| M54.8 | Other dorsalgia in spine | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M79.6 | Pain in limb | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| N18.9 | Chronic renal failure, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| N89.9 | Non - inflammatory disorder of vagina, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| O03.9 | Spontaneous abortion, complete or unspecified, without complication | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| O60.1 | Preterm labour with preterm delivery | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G85.0 | Neurofibromatosis (non -malignant) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R06.0 | Dyspnoea | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R15 | Faecal incontinence | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R29.8 | Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| R32 | Unspecified urinary incontinence | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| R33 | Retention of urine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R40.0 | Somnolence | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| R41.0 | Disorientation, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| R41.3 | Other amnesia | 1 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| R41.8 | Other and unspecified symptoms and signs involving cognitive functions and awareness | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R44.3 | Hallucinations, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R45.4 | Irritability and anger | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| R45.7 | State of emotional shock and stress, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R45.8 | Other symptoms and signs involving emotional state | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R47.0 | Dysphasia and aphasia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| R47.8 | Other and unspecified speech disturbances | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R49.1 | Aphonia | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R49.8 | Other and unspecified voice disturbances | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R51 | Headache | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Bobirwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahlapye | Moshupa | Ngamitland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------|--|---------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|----------|---------|------------|------------|---------|---------------|--------|------------|----------|-------|-------|
| R54 | Senility | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R55 | Syncope and collapse | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| R56.0 | Febrile convulsions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R56.8 | Other and unspecified convulsions | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| R62.8 | Other lack of expected normal physiological development | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| R62.9 | Lack of expected normal physiological development, unspecified | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R63.4 | Abnormal weight loss | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R68.8 | Other specified general symptoms and signs | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| R69 | Unknown and unspecified causes of morbidity | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| S06.0 | Concussion | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| S09.9 | Unspecified injury of head | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| S88.9 | Traumatic amputation of lower leg, level unspecified | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| T09.3 | Injury of spinal cord, level unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T09.4 | Injury of unspecified nerve, spinal nerve root and plexus of trunk | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T14.2 | Fracture of unspecified body region | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T14.7 | Crushing injury and traumatic amputation of unspecified body region | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T14.9 | Injury, unspecified | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| T37.5 | Antiviral drugs | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T50.9 | Other and unspecified drugs, medicaments and biological substances | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| T74.2 | Sexual abuse | 0 | 0 | 0 | 0 | 0 | 35 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 36 |
| T74.3 | Psychological abuse | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T74.9 | Maltreatment syndrome, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X02 | Exposure to controlled fire in building or structure | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X06.0 | Exposure to ignition or melting of other clothing and apparel - Home | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| X32.9 | Exposure to sunlight - Unspecified place | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |

Annex 3: Mental Health Out-Patient Attendances by Diagnosis and Health District Cont..

| ICD10 Code | Diagnosis | Bobirwa | Boteti | Charles Hill | Chobe | Francistown | Gaborone | Gantsi | GoodHope | Hukuntsi | Kgatleng | Kweneng East | Kweneng West | Lobatse | Mahlapye | Moshupa | Ngamland | North East | Palapye | Selebi Phikwe | Serowe | South East | Southern | Tlume | Total |
|------------|--|---------|--------|--------------|-------|-------------|----------|--------|----------|----------|----------|--------------|--------------|---------|----------|---------|----------|------------|---------|---------------|--------|------------|----------|-------|-------|
| X32.9 | Exposure to sunlight - Unspecified place | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| X65 | Intentional self-poisoning by and exposure to alcohol | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X69 | Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X84 | Intentional self-harm by unspecified means | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Y05 | Sexual assault by bodily force | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Z00.0 | General medical examination | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z01.0 | Examination of eyes and vision | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z03.2 | Observation for suspected mental and behavioural disorders | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Z03.9 | Observation for suspected disease or condition, unspecified | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Z04.1 | Examination and observation following transport accident | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z04.4 | Examination and observation following alleged rape and seduction | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z04.6 | General psychiatric examination, requested by authority | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 |
| Z04.8 | Examination and observation for other specified reasons | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z04.9 | Examination and observation for unspecified reason | 0 | 5 | 0 | 0 | 97 | 269 | 0 | 0 | 0 | 29 | 11 | 3 | 16 | 4 | 4 | 1 | 2 | 2 | 9 | 1 | 6 | 25 | 3 | 487 |
| Z13.3 | Special screening examination for mental and behavioural disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z20.9 | Contact with and exposure to unspecified communicable disease | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z34.9 | Supervision of normal pregnancy, unspecified | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Z43.3 | Attention to colostomy | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z46.8 | Fitting and adjustment of other specified devices | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z55.8 | Other problems related to education and literacy | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z56.3 | Stressful work schedule | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------------|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| F00-09 | Organic ,Including Symptomatic, Mental Disorders | | | | | | | | | | | | | |
| F00.9 | Dementia in Alzheimer's disease, unspecified (G30.9+) | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F01.9 | Vascular dementia, unspecified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 4 |
| F03 | Unspecified dementia | 100 | 89 | 104 | 87 | 99 | 81 | 85 | 94 | 95 | 91 | 92 | 88 | 1105 |
| F04 | Organic amnesic syndrome, not induced by alcohol and other psychoactive substances | 1 | 1 | 0 | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| F05.9 | Delirium, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| F06.0 | Organic hallucinosis | 0 | 1 | 0 | 3 | 0 | 1 | 0 | 0 | 2 | 0 | 3 | 0 | 10 |
| F06.2 | Organic delusional [schizophrenia-like] disorder | 0 | 0 | 3 | 1 | 3 | 8 | 7 | 1 | 3 | 6 | 0 | 7 | 39 |
| F06.3 | Organic mood [affective] disorders | 1 | 2 | 6 | 4 | 2 | 1 | 0 | 5 | 1 | 4 | 5 | 1 | 32 |
| F06.4 | Organic anxiety disorder | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 |
| F06.7 | Mild cognitive disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| F06.8 | Other specified mental disorders due to brain damage and dysfunction and to physical disease | 2 | 5 | 2 | 0 | 3 | 3 | 0 | 1 | 21 | 1 | 0 | 2 | 40 |
| F06.9 | Unspecified mental disorder due to brain damage and dysfunction and to physical disease | 15 | 13 | 11 | 18 | 16 | 14 | 17 | 19 | 6 | 27 | 18 | 20 | 194 |
| F09 | Unspecified organic or symptomatic mental disorder | 8 | 11 | 8 | 1 | 11 | 7 | 1 | 4 | 3 | 8 | 11 | 6 | 79 |
| F6.9 | Unspecified mental disorder due to brain damage and dysfunction and to physical disease | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Sub Total | | 129 | 124 | 134 | 119 | 138 | 115 | 111 | 125 | 131 | 139 | 130 | 127 | 1522 |
| F10-F19 | Mental and behavioural disorders due to psychoactive substance | | | | | | | | | | | | | |
| F10.0 | Mental and behavioural disorders due to use of alcohol, acute intoxication | 3 | 0 | 0 | 6 | 7 | 4 | 3 | 0 | 28 | 2 | 0 | 0 | 53 |
| F10.1 | Mental and behavioural disorders due to use of alcohol, harmful use | 16 | 41 | 24 | 20 | 32 | 24 | 49 | 36 | 19 | 13 | 25 | 37 | 336 |
| F10.2 | Mental and behavioural disorders due to use of alcohol, dependence syndrome | 3 | 1 | 2 | 2 | 0 | 3 | 0 | 1 | 1 | 2 | 3 | 0 | 18 |
| F10.3 | Mental and behavioural disorders due to use of alcohol, withdrawal state | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| F10.4 | Mental and behavioural disorders due to use of alcohol, withdrawal state with delirium | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F10.5 | Mental and behavioural disorders due to use of alcohol, psychotic disorder | 9 | 5 | 13 | 4 | 7 | 6 | 1 | 20 | 13 | 32 | 12 | 6 | 128 |
| F10.7 | Mental and behavioural disorders due to use of alcohol, residual and late-onset psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| F10.9 | Mental and behavioural disorders due to use of alcohol, unspecified mental and behavioural disorder | 11 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 18 |
| F12.0 | Mental and behavioural disorders due to use of cannabinoids, acute intoxication | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| F12.1 | Mental and behavioural disorders due to use of cannabinoids, harmful use | 22 | 51 | 60 | 50 | 87 | 89 | 1 | 41 | 52 | 55 | 26 | 29 | 563 |
| F12.2 | Mental and behavioural disorders due to use of cannabinoids, dependence syndrome | 98 | 56 | 31 | 18 | 9 | 9 | 110 | 48 | 59 | 66 | 68 | 63 | 635 |
| F12.3 | Mental and behavioural disorders due to use of cannabinoids, withdrawal state | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F12.5 | Mental and behavioural disorders due to use of cannabinoids, psychotic disorder | 3 | 0 | 0 | 0 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 11 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|--|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| F12.9 | Mental and behavioural disorders due to use of cannabinoids, unspecified mental and behavioural disorder | 6 | 0 | 1 | 7 | 0 | 1 | 2 | 4 | 1 | 4 | 0 | 4 | 30 |
| F14.1 | Mental and behavioural disorders due to use of cocaine, harmful use | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F14.2 | Mental and behavioural disorders due to use of cocaine, dependence syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| F15.0 | Mental and behavioural disorders due to use of other stimulants including caffeine, acute intoxication | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F18.8 | Mental and behavioural disorders due to use of volatile solvents, other mental and behavioural disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F19.0 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, acute intoxication | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F19.1 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, harmful use | 3 | 1 | 2 | 0 | 3 | 0 | 6 | 10 | 1 | 7 | 2 | 4 | 39 |
| F19.2 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, dependence syndrome | 0 | 0 | 3 | 0 | 2 | 3 | 1 | 1 | 3 | 0 | 8 | 2 | 23 |
| F19.5 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, psychotic disorder | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F19.9 | Mental and behavioural disorders due to multiple drug use and use of psychoactive substances, unspecified mental and beh | 0 | 8 | 0 | 10 | 28 | 0 | 0 | 1 | 5 | 3 | 1 | 0 | 56 |
| Sub Total | | 174 | 168 | 137 | 120 | 176 | 147 | 173 | 167 | 185 | 186 | 147 | 145 | 1925 |
| F20-F29 Schizophrenia, Schizotol and delusional disorders | | | | | | | | | | | | | | |
| F20.0 | Paranoid schizophrenia | 13 | 0 | 2 | 1 | 0 | 0 | 3 | 1 | 0 | 13 | 0 | 3 | 36 |
| F20.1 | Hebephrenic schizophrenia | 7 | 1 | 1 | 0 | 1 | 0 | 1 | 4 | 1 | 2 | 2 | 0 | 20 |
| F20.2 | Catatonic schizophrenia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| F20.5 | Residual schizophrenia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 3 |
| F20.6 | Simple schizophrenia | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 0 | 2 | 0 | 7 |
| F20.8 | Other schizophrenia | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F20.9 | Schizophrenia, unspecified | 1713 | 1465 | 1524 | 1533 | 1702 | 1539 | 1504 | 1564 | 1549 | 1539 | 1617 | 1545 | 18794 |
| F21 | Schizotypal disorder | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 4 |
| F22.0 | Delusional disorder | 0 | 12 | 7 | 13 | 9 | 9 | 17 | 4 | 9 | 4 | 6 | 6 | 96 |
| F22.9 | Persistent delusional disorder, unspecified | 0 | 1 | 1 | 2 | 1 | 2 | 3 | 2 | 1 | 1 | 4 | 2 | 20 |
| F23.0 | Acute polymorphic psychotic disorder without symptoms of schizophrenia | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 |
| F23.1 | Acute polymorphic psychotic disorder with symptoms of schizophrenia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F23.2 | Acute schizophrenia-like psychotic disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| F23.3 | Other acute predominantly delusional psychotic disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 1 | 4 |
| F23.8 | Other acute and transient psychotic disorders | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F23.9 | Acute and transient psychotic disorder, unspecified | 133 | 129 | 111 | 114 | 119 | 124 | 119 | 134 | 140 | 112 | 112 | 125 | 1472 |
| F24 | Induced delusional disorder | 2 | 0 | 0 | 2 | 1 | 1 | 0 | 1 | 1 | 7 | 0 | 3 | 18 |
| F25.0 | Schizoaffective disorder, manic type | 3 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 2 | 2 | 1 | 0 | 12 |
| F25.1 | Schizoaffective disorder, depressive type | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 3 |
| F25.2 | Schizoaffective disorder, mixed type | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F25.8 | Other schizoaffective disorders | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F25.9 | Schizoaffective disorder, unspecified | 173 | 156 | 188 | 180 | 202 | 193 | 196 | 212 | 223 | 214 | 205 | 208 | 2350 |
| F28 | Other nonorganic psychotic disorders | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F29 | Unspecified nonorganic psychosis | 31 | 30 | 28 | 32 | 34 | 34 | 43 | 52 | 35 | 40 | 52 | 45 | 456 |
| Sub Total | | 2082 | 1795 | 1864 | 1879 | 2070 | 1902 | 1892 | 1981 | 1963 | 1941 | 2002 | 1941 | 23312 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------------|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| F30-F39 | Mood(Affective) Disorders | | | | | | | | | | | | | |
| F30.0 | Hypomania | 4 | 3 | 3 | 1 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 3 | 27 |
| F30.2 | Mania with psychotic symptoms | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F30.9 | Manic episode, unspecified | 25 | 18 | 12 | 15 | 11 | 13 | 8 | 17 | 5 | 12 | 14 | 13 | 163 |
| F31.0 | Bipolar affective disorder, current episode hypomanic | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| F31.1 | Bipolar affective disorder, current episode manic without psychotic symptoms | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F31.2 | Bipolar affective disorder, current episode manic with psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.6 | Bipolar affective disorder, current episode mixed | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.8 | Other bipolar affective disorders | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F31.9 | Bipolar affective disorder, unspecified | 142 | 167 | 182 | 158 | 179 | 162 | 171 | 164 | 152 | 170 | 153 | 148 | 1948 |
| F32.0 | Mild depressive episode | 6 | 0 | 2 | 2 | 1 | 2 | 1 | 0 | 1 | 4 | 4 | 0 | 23 |
| F32.1 | Moderate depressive episode | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| F32.2 | Severe depressive episode without psychotic symptoms | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 5 |
| F32.3 | Severe depressive episode with psychotic symptoms | 9 | 8 | 2 | 0 | 6 | 0 | 4 | 2 | 0 | 5 | 5 | 4 | 45 |
| F32.8 | Other depressive episodes | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| F32.9 | Depressive episode, unspecified | 398 | 412 | 447 | 392 | 452 | 400 | 415 | 420 | 440 | 432 | 469 | 396 | 5073 |
| F33.0 | Recurrent depressive disorder, current episode mild | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 4 |
| F33.2 | Recurrent depressive disorder, current episode severe without psychotic symptoms | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F33.3 | Recurrent depressive disorder, current episode severe with psychotic symptoms | 0 | 0 | 2 | 6 | 1 | 0 | 0 | 6 | 4 | 0 | 0 | 0 | 19 |
| F33.9 | Recurrent depressive disorder, unspecified | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| F34.0 | Cyclothymia | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 5 |
| F34.1 | Dysthymia | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| F34.9 | Persistent mood [affective] disorder, unspecified | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 8 |
| F38.1 | Other recurrent mood [affective] disorders | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F38.8 | Other specified mood [affective] disorders | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 7 |
| F39 | Unspecified mood [affective] disorder | 2 | 2 | 0 | 0 | 4 | 4 | 2 | 5 | 2 | 0 | 1 | 0 | 22 |
| Sub Total | | 596 | 611 | 655 | 582 | 665 | 587 | 608 | 621 | 607 | 627 | 649 | 567 | 7375 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------------|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| F40-F48 | Neurotic, Stress related and somatoform disorders | | | | | | | | | | | | | |
| F40.0 | Agoraphobia | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F40.1 | Social phobias | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| F40.9 | Phobic anxiety disorder, unspecified | 4 | 3 | 1 | 2 | 1 | 1 | 5 | 8 | 1 | 1 | 4 | 1 | 32 |
| F41.0 | Panic disorder [episodic paroxysmal anxiety] | 2 | 1 | 1 | 1 | 5 | 7 | 2 | 1 | 4 | 2 | 1 | 1 | 28 |
| F41.1 | Generalised anxiety disorder | 0 | 5 | 3 | 3 | 1 | 2 | 6 | 0 | 0 | 1 | 6 | 10 | 37 |
| F41.2 | Mixed anxiety and depressive disorder | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| F41.3 | Other mixed anxiety disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| F41.8 | Other specified anxiety disorders | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F41.9 | Anxiety disorder, unspecified | 19 | 22 | 23 | 25 | 24 | 18 | 25 | 40 | 34 | 40 | 51 | 33 | 354 |
| F42.0 | Predominantly obsessional thoughts or ruminations | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F42.2 | Mixed obsessional thoughts and acts | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| F42.9 | Obsessive-compulsive disorder, unspecified | 0 | 0 | 1 | 3 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 2 | 11 |
| F43.0 | Acute stress reaction | 12 | 36 | 30 | 23 | 20 | 28 | 16 | 19 | 25 | 26 | 41 | 20 | 296 |
| F43.1 | Post-traumatic stress disorder | 6 | 11 | 8 | 9 | 7 | 9 | 7 | 12 | 7 | 12 | 13 | 7 | 108 |
| F43.2 | Adjustment disorders | 20 | 27 | 33 | 36 | 42 | 19 | 37 | 45 | 38 | 48 | 48 | 41 | 434 |
| F43.8 | Other reactions to severe stress | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| F43.9 | Reaction to severe stress, unspecified | 33 | 19 | 35 | 28 | 10 | 8 | 13 | 33 | 20 | 21 | 13 | 17 | 250 |
| F44.0 | Dissociative amnesia | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 5 |
| F44.7 | Mixed dissociative [conversion] disorders | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F44.8 | Other dissociative [conversion] disorders | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 6 |
| F44.9 | Dissociative [conversion] disorder, unspecified | 3 | 3 | 4 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 30 |
| F45.0 | Somatisation disorder | 1 | 0 | 3 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 3 | 13 |
| F45.2 | Hypochondriacally disorder | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 6 |
| F45.8 | Other somatoform disorders | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 |
| F45.9 | Somatoform disorder, unspecified | 3 | 7 | 3 | 6 | 5 | 7 | 6 | 9 | 19 | 11 | 11 | 6 | 93 |
| F48.1 | Depersonalisation-derealisation syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| F48.9 | Neurotic disorder, unspecified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| Sub Total | | 105 | 139 | 149 | 140 | 122 | 107 | 121 | 172 | 154 | 171 | 198 | 145 | 1723 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------------|---|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| F50-F59 | Behavioural syndromes associated with physiological disturbances | | | | | | | | | | | | | |
| F50.0 | Anorexia nervosa | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| F50.1 | Atypical anorexia nervosa | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F50.8 | Other eating disorders | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| F51.0 | Nonorganic insomnia | 2 | 0 | 0 | 3 | 1 | 1 | 0 | 0 | 1 | 0 | 5 | 2 | 15 |
| F51.3 | Sleepwalking [somnambulism] | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 5 |
| F51.5 | Nightmares | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F51.9 | Nonorganic sleep disorder, unspecified | 0 | 0 | 0 | 3 | 2 | 0 | 0 | 3 | 0 | 0 | 0 | 2 | 10 |
| F52.0 | Lack or loss of sexual desire | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| F52.1 | Sexual aversion and lack of sexual enjoyment | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.2 | Failure of genital response | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| F52.3 | Orgasmic dysfunction | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.4 | Premature ejaculation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| F52.8 | Other sexual dysfunction, not caused by organic disorder or disease | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F52.9 | Unspecified sexual dysfunction, not caused by organic disorder or disease | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 |
| F53.0 | Mild mental and behavioural disorders associated with the puerperium, not elsewhere classified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F53.1 | Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified | 6 | 1 | 7 | 3 | 1 | 4 | 6 | 7 | 6 | 6 | 4 | 7 | 58 |
| F53.9 | Puerperal mental disorder, unspecified | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| F59 | Unspecified behavioural syndromes associated with physiological disturbances and physical factors | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Sub Total | | 9 | 5 | 10 | 9 | 5 | 8 | 8 | 14 | 10 | 7 | 10 | 12 | 107 |
| F60-F69 | Disorders of adult personality and behaviour | | | | | | | | | | | | | |
| F60.0 | Paranoid personality disorder | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 5 |
| F60.2 | Dissocial personality disorder | 0 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 0 | 1 | 4 | 19 |
| F60.3 | Emotionally unstable personality disorder | 2 | 0 | 1 | 1 | 1 | 0 | 4 | 0 | 3 | 3 | 0 | 0 | 15 |
| F60.4 | Histrionic personality disorder | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 6 |
| F60.9 | Personality disorder, unspecified | 5 | 0 | 2 | 4 | 6 | 5 | 5 | 0 | 1 | 4 | 1 | 2 | 35 |
| F62.9 | Enduring personality change, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| F63.0 | Pathological gambling | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| F63.2 | Pathological stealing [kleptomania] | 1 | 2 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 10 |
| F63.8 | Other habit and impulse disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| F63.9 | Habit and impulse disorder, unspecified | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| F68.8 | Other specified disorders of adult personality and behaviour | 0 | 5 | 5 | 1 | 1 | 5 | 0 | 4 | 1 | 0 | 4 | 0 | 26 |
| Sub Total | | 10 | 11 | 12 | 8 | 11 | 13 | 11 | 8 | 10 | 14 | 9 | 6 | 123 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| F70-F79 | Mental Retardation | | | | | | | | | | | | | |
| F70.0 | Mild mental retardation with the statement of no, or minimal, impairment of behaviour | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F70.9 | Mild mental retardation without mention of impairment of behaviour | 4 | 5 | 0 | 3 | 4 | 1 | 2 | 1 | 0 | 3 | 7 | 1 | 31 |
| F71.9 | Moderate mental retardation without mention of impairment of behaviour | 0 | 1 | 1 | 0 | 1 | 0 | 2 | 2 | 2 | 2 | 0 | 1 | 12 |
| F72.9 | Severe mental retardation without mention of impairment of behaviour | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| F78.9 | Other mental retardation without mention of impairment of behaviour | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| F79.0 | Unspecified mental retardation with the statement of no, or minimal, impairment of behaviour | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.8 | Unspecified mental retardation, other impairments of behaviour | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F79.9 | Unspecified mental retardation without mention of impairment of behaviour | 55 | 55 | 71 | 55 | 40 | 48 | 61 | 63 | 64 | 60 | 61 | 61 | 694 |
| Sub Total | | 61 | 61 | 73 | 58 | 45 | 49 | 65 | 66 | 66 | 65 | 69 | 64 | 742 |
| F80-F89 | Disorders of Psychological Development | | | | | | | | | | | | | |
| F80.0 | Specific speech articulation disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| F80.9 | Developmental disorder of speech and language, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| F81.0 | Specific reading disorder | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 3 |
| F81.9 | Developmental disorder of scholastic skills, unspecified | 1 | 1 | 0 | 1 | 5 | 1 | 0 | 2 | 0 | 1 | 1 | 5 | 18 |
| F82 | Specific developmental disorder of motor function | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| F84.0 | Childhood autism | 1 | 2 | 8 | 1 | 2 | 1 | 2 | 5 | 3 | 4 | 3 | 2 | 34 |
| F84.9 | Pervasive developmental disorder, unspecified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| F89 | Unspecified disorder of psychological development | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Sub Total | | 2 | 7 | 8 | 2 | 8 | 2 | 2 | 9 | 5 | 6 | 5 | 7 | 63 |
| F90-F98 | Behaviour and emotional disorders with onset usually occurring in childhood and adolescent | | | | | | | | | | | | | |
| F90.0 | Disturbance of activity and attention | 30 | 31 | 32 | 24 | 27 | 30 | 29 | 13 | 31 | 15 | 29 | 29 | 320 |
| F90.1 | Hyperkinetic conduct disorder | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| F90.9 | Hyperkinetic disorder, unspecified | 17 | 5 | 8 | 11 | 11 | 6 | 9 | 16 | 1 | 15 | 12 | 5 | 116 |
| F91.0 | Conduct disorder confined to the family context | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| F91.1 | Unsocialised conduct disorder | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F91.3 | Oppositional defiant disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| F91.9 | Conduct disorder, unspecified | 5 | 8 | 5 | 4 | 4 | 10 | 3 | 7 | 4 | 3 | 3 | 1 | 57 |
| F92.0 | Depressive conduct disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| F92.9 | Mixed disorder of conduct and emotions, unspecified | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| F93.1 | Phobic anxiety disorder of childhood | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| F93.9 | Childhood emotional disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| F94.0 | Elective mutism | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F94.2 | Disinhibited attachment disorder of childhood | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| F95.2 | Combined vocal and multiple motor tic disorder [de la Tourette] | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 4 |
| F95.9 | Tic disorder, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| F98.0 | Nonorganic enuresis | 0 | 1 | 2 | 0 | 1 | 3 | 3 | 0 | 1 | 1 | 1 | 1 | 14 |
| F98.1 | Nonorganic encopresis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| F98.9 | Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| Sub Total | | 57 | 46 | 49 | 39 | 47 | 49 | 44 | 36 | 43 | 36 | 45 | 41 | 532 |
| F99 | Mental disorder, not otherwise specified | 4 | 6 | 14 | 6 | 9 | 12 | 2 | 4 | 6 | 5 | 8 | 5 | 81 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|---------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------|
| OTHERS | | | | | | | | | | | | | | |
| B20.9 | HIV disease resulting in unspecified infectious or parasitic disease | 0 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| B22.0 | HIV disease resulting in encephalopathy | 44 | 27 | 28 | 39 | 32 | 28 | 24 | 18 | 21 | 25 | 25 | 25 | 336 |
| B33.3 | Retrovirus infections, not elsewhere classified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| C37 | Malignant neoplasm of thymus | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C50.9 | Malignant neoplasm of breast, unspecified part | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 |
| C58 | Malignant neoplasm of placenta | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| C68.0 | Malignant neoplasm of urethra | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C80 | Malignant neoplasm without specification of site | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| C85.9 | Non-Hodgkin's lymphoma, unspecified type | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| D48.9 | Neoplasm of uncertain or unknown behaviour, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| E14.9 | Unspecified diabetes mellitus, without complications | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 3 |
| E20.9 | Hypoparathyroidism, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| E22.0 | Acromegaly and pituitary gigantism | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| G04.9 | Encephalitis, myelitis and encephalomyelitis, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| G20 | Parkinson's disease | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 4 |
| G24.0 | Drug-induced dystonia | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G24.9 | Dystonia, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G25.9 | Extrapyramidal and movement disorder, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| G30.9 | Alzheimer's disease, unspecified | 1 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| G40.0 | Localisation-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G40.1 | Localisation-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| G40.4 | Other generalised epilepsy and epileptic syndromes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| G40.5 | Special epileptic syndromes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| G40.8 | Other epilepsy | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| G40.9 | Epilepsy, unspecified | 263 | 208 | 228 | 232 | 256 | 232 | 239 | 269 | 308 | 266 | 266 | 260 | 3027 |
| G41.0 | Grand mal status epilepticus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| G41.9 | Status epilepticus, unspecified | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| G43.9 | Migraine, unspecified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| G45.9 | Transient cerebral ischaemic attack, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 |
| G47.0 | Disorders of initiating and maintaining sleep [insomnias] | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 3 | 3 | 1 | 0 | 0 | 10 |
| G47.1 | Disorders of excessive somnolence [hypersomnias] | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G47.2 | Disorders of the sleep-wake schedule | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G47.4 | Narcolepsy and cataplexy | 2 | 4 | 1 | 2 | 1 | 2 | 3 | 2 | 3 | 3 | 2 | 0 | 25 |
| G47.9 | Sleep disorder, unspecified | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 4 |
| G80.9 | Cerebral palsy, unspecified | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| G82.2 | Paraplegia, unspecified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G90.9 | Disorder of autonomic nervous system, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| G93.4 | Encephalopathy, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| G93.9 | Disorder of brain, unspecified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| H25.9 | Senile cataract, unspecified | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| I10 | Essential (primary) hypertension | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 3 | 2 | 0 | 10 |
| I42.8 | Other cardiomyopathies | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| I47.9 | Paroxysmal tachycardia, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| I49.9 | Cardiac arrhythmia, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| I67.4 | Hypertensive encephalopathy | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| J80 | Adult respiratory distress syndrome | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| K73.9 | Chronic hepatitis, unspecified | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M13.9 | Arthritis, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| M43.6 | Torticollis | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M53.8 | Other specified dorsopathies in spine | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M54.5 | Low back pain | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 3 |
| M54.8 | Other dorsalgia in spine | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| M79.6 | Pain in limb | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 |
| N18.9 | Chronic renal failure, unspecified | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| N89.9 | Noninflammatory disorder of vagina, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| O03.9 | Spontaneous abortion, complete or unspecified, without complication | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| O60.1 | Preterm labour with preterm delivery | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Q85.0 | Neurofibromatosis (non-malignant) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| R06.0 | Dyspnoea | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| R15 | Faecal incontinence | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| R29.8 | Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 3 |
| R32 | Unspecified urinary incontinence | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 2 | 1 | 0 | 8 |
| R33 | Retention of urine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| R40.0 | Somnolence | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| R41.0 | Disorientation, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 5 |
| R41.3 | Other amnesia | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 7 |
| R41.8 | Other and unspecified symptoms and signs involving cognitive functions and awareness | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| R44.3 | Hallucinations, unspecified | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R45.4 | Irritability and anger | 1 | 3 | 0 | 5 | 2 | 3 | 1 | 1 | 3 | 1 | 2 | 0 | 22 |
| R45.7 | State of emotional shock and stress, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| R45.8 | Other symptoms and signs involving emotional state | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| R47.0 | Dysphasia and aphasia | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R47.8 | Other and unspecified speech disturbances | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| R49.1 | Aphonia | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R49.8 | Other and unspecified voice disturbances | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| R51 | Headache | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| R54 | Senility | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| R55 | Syncope and collapse | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 4 |
| R56.0 | Febrile convulsions | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| R56.8 | Other and unspecified convulsions | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| R62.8 | Other lack of expected normal physiological development | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| R62.9 | Lack of expected normal physiological development, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| R63.4 | Abnormal weight loss | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| R68.8 | Other specified general symptoms and signs | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| R69 | Unknown and unspecified causes of morbidity | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| S06.0 | Concussion | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| S09.9 | Unspecified injury of head | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| S88.9 | Traumatic amputation of lower leg, level unspecified | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| T09.3 | Injury of spinal cord, level unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| T09.4 | Injury of unspecified nerve, spinal nerve root and plexus of trunk | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T14.2 | Fracture of unspecified body region | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| T14.7 | Crushing injury and traumatic amputation of unspecified body region | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| T14.9 | Injury, unspecified | 0 | 0 | 3 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 8 |
| T37.5 | Antiviral drugs | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T50.9 | Other and unspecified drugs, medications and biological substances | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| T74.2 | Sexual abuse | 0 | 5 | 0 | 0 | 3 | 3 | 5 | 4 | 2 | 7 | 5 | 2 | 36 |
| T74.3 | Psychological abuse | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| T74.9 | Maltreatment syndrome, unspecified | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X02 | Exposure to controlled fire in building or structure | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| X06.0 | Exposure to ignition or melting of other clothing and apparel - Home | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| X32.9 | Exposure to sunlight - Unspecified place | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| X65 | Intentional self-poisoning by and exposure to alcohol | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| X69 | Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| X84 | Intentional self-harm by unspecified means | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Y05 | Sexual assault by bodily force | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Z00.0 | General medical examination | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Z01.0 | Examination of eyes and vision | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z03.2 | Observation for suspected mental and behavioural disorders | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 4 |
| Z03.9 | Observation for suspected disease or condition, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 |
| Z04.1 | Examination and observation following transport accident | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z04.4 | Examination and observation following alleged rape and seduction | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z04.6 | General psychiatric examination, requested by authority | 0 | 4 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| Z04.8 | Examination and observation for other specified reasons | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Z04.9 | Examination and observation for unspecified reason | 36 | 49 | 58 | 39 | 31 | 32 | 47 | 46 | 35 | 58 | 31 | 25 | 487 |

Annex 4: Mental Health Out-Patient Attendances by Diagnosis and Month Cont...

| ICD10 Code | Diagnosis | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|--------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| Z13.3 | Special screening examination for mental and behavioural disorders | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z20.9 | Contact with and exposure to unspecified communicable disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 |
| Z34.9 | Supervision of normal pregnancy, unspecified | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 3 |
| Z43.3 | Attention to colostomy | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z46.8 | Fitting and adjustment of other specified devices | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Z55.8 | Other problems related to education and literacy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Z56.3 | Stressful work schedule | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Z56.6 | Other physical and mental strain related to work | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| Z60.8 | Other problems related to social environment | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Z60.9 | Problem related to social environment, unspecified | 0 | 1 | 2 | 1 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 1 | 13 |
| Z61.0 | Loss of love relationship in childhood | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 4 |
| Z61.1 | Removal from home in childhood | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z61.9 | Problems related to negative life events in childhood, unspecified | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z63.0 | Problems in relationship with spouse or partner | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 6 | 2 | 1 | 0 | 12 |
| Z63.4 | Disappearance and death of family member | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 5 |
| Z63.5 | Disruption of family by separation and divorce | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z63.8 | Other specified problems related to primary support group | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 7 |
| Z63.9 | Problem related to primary support group, unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 |
| Z65.8 | Other specified problems related to psychosocial circumstances | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Z65.9 | Problem related to unspecified psychosocial circumstances | 0 | 0 | 0 | 0 | 0 | 6 | 1 | 0 | 2 | 0 | 0 | 0 | 9 |
| Z71.1 | Person with feared complaint in whom no diagnosis is made | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Z71.7 | Human immunodeficiency virus [HIV] counselling | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z71.9 | Counselling, unspecified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z72.8 | Other problems related to lifestyle | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 |
| Z73.3 | Stress, not elsewhere classified | 0 | 14 | 7 | 6 | 4 | 15 | 14 | 7 | 2 | 7 | 7 | 3 | 86 |
| Z73.9 | Problem related to life-management difficulty, unspecified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Z76.5 | Malingering [conscious simulation] | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| Z91.1 | Personal history of noncompliance with medical treatment and regimen | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 5 |
| Z91.5 | Personal history of self-harm | 12 | 23 | 20 | 14 | 13 | 7 | 12 | 18 | 23 | 21 | 36 | 15 | 214 |
| Z91.8 | Personal history of other specified risk-factors, not elsewhere classified | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Sub Total | | 368 | 361 | 374 | 366 | 360 | 346 | 372 | 391 | 439 | 421 | 397 | 347 | 4542 |
| Grand Total | | 3597 | 3334 | 3479 | 3328 | 3656 | 3337 | 3409 | 3594 | 3619 | 3618 | 3669 | 3407 | 42047 |



PSYCHIATRIC OUT- PATIENT

STATISTICAL BRIEF, 2015



PSYCHIATRIC OUT- PATIENT

STATISTICAL BRIEF, 2015

