

EYE OUTPATIENT STATISTICS 2023

JUNE 2026

Private Bag 0024, Gaborone
Tel: 3671300
Toll Free: 0800 600 200

Four Thirty Square, Plot 54350
PG Matante Road,
CBD, Gaborone

E-mail: info@statsbots.org.bw
Website: www.statsbots.org.bw



STATISTICS BOTSWANA

EYE OUTPATIENT STATISTICS 2023

JUNE 2026

Health Statistics

Released by Statistics Botswana

Private Bag 0024

Gaborone, Botswana

Telephone: 3671300

Website: www.statsbots@org.bw

Gaborone Health District
13.9%

AND

Kweneng East
12.4%

reported the highest proportions of eye outpatient attendances compared to the other health districts

PREFACE

This statistical brief analyses the out-patients eye disease/conditions diagnosed at health facilities with eye service for new or Repeat attendances in 2023 in Botswana. The report shows the major causes of eye outpatient disease by different variables such as place, period, sex and age groups. The information provided will help with health policy formulation, monitoring and evaluation purposes of eye diseases/conditions in Botswana.

Statistics Botswana's Health Statistics Unit (HSU), is attached to the Ministry of Health to provide statistical support through the collection, analysis and dissemination of quality official statistics reports for evidence-based decision making, program monitoring and evaluation.

Statistics Botswana has since decided to produce different Health statistics reports instead of the all in one encompassing Health statistics report on different data sets notably; Eye Outpatient, Psychiatric-Out Patient, General Out Patient and In Patient Statistics (Mortality, Morbidity and Obstetric). The decision was made to avoid delay in production of reports since the different data sets are available at different time frames.

For more information contact the Directorate of Stakeholder Relations at **+267 367 1300**. All Statistics Botswana outputs/publications are available on the website at **www.statsbots.org.bw**.

We sincerely thank all stakeholders involved in the formulation of this brief for their continued support as we strive to better serve users with our statistical products and services.



Dr Lucky Mokgathe
Acting Statistician General
June 2026

TABLE OF CONTENTS

Preface.....	I
Table of Contents.....	II
List of tables.....	II
List of Figures.....	II
1. Introduction.....	1
1.2 Data Sources.....	1
2. Findings.....	1
2.1 Botswana Population by Age and Sex, 2023.....	1
2.2 Age Sex Structure of Eye Outpatients Attendances.....	2
2.3 Eye Outpatient by Health District.....	3
2.4 Eye Outpatient Attendances by Main Blocks.....	3
2.5 Major Eye Disease.....	4
2.6 Major Eye Diseases New and Repeat.....	5
2.7 Major Eye Diseases by Sex.....	5
3.0 Eye Injuries.....	7
3.1 Age Sex Structure of Eye Injuries.....	7
3.2 Major Eye Injuries.....	7
Appendices.....	8
List of Tables	
Table 1: Population by Age and Sex, 2023.....	2
Table 2: Percentage Distribution of Eye outpatient Attendance by Health Districts, 2023.....	3
Table 3: Eye outpatient Attendance by Blocks.....	4
Table 4: Major Eye Diseases Outpatient Attendance by New and Repeat, 2023.....	5
Table 5: Major Eye Outpatient attendance among Males and Females, 2023.....	6
Table 6: Major Eye Outpatient Injuries, 2023.....	7
List of Figures	
Figure 1: Age Sex structure of Eye Outpatient Attendance, 2023.....	2
Figure 2: Top ten Eye Outpatient Diseases 2023.....	4
Figure 3: Age Sex structure of Eye Injuries, 2023.....	7

1. INTRODUCTION

Eye function renders human the sense of sight. They convert light into electrical signals. The brain then deciphers these electrical signals into images. Eyes help us view our surroundings and enable us to see colours. Eyes also help us see distant objects. These extremely delicate organs can fall prey to different problems due to allergic factors, unhygienic conditions, injuries and the old age. According to the 2022 Population and Housing Census, the most prevalent form of disability was visual impairment, with 16.5 percent. The proportion of females with visual impairment was higher than that of males which was 20.9 percent and 12.8 percent respectively.

1.2 Data Sources

This publication is based on administrative records from health facilities using the Eye Diseases Out-Patient Register (MH 3028/Rev 2003) in Botswana (Annex 2). The form is completed by health facilities with eye services for out-patients. This form records information on date, sex, age, main condition/disorder, and International Classification of Diseases (ICD-10) codes. For each consultation, the main condition/disorder should be specified as either a new or repeat episode. A new consultation refers to a case where a patient is seeking health services for a condition for the first time. A repeat consultation refers to a case where a patient is getting a service for the same condition for the second time, or several times. An episode of contact with health services for reasons other than illness may also be recorded under appropriate main condition. The information is collected on monthly basis from health facilities.

In WHO's ICD-10 Volume 2, the main condition is defined as: The condition, diagnosed at the end of the episode of health care, primarily responsible for the patients need for treatment or investigation. If there is more than one such condition, the one held most responsible for the greatest use of resources should be selected. If no diagnosis was made, the main symptoms, abnormal finding, or problem should be selected as the main condition.

2. FINDINGS

2.1. Botswana Population by age and sex, 2023

The Population of Botswana was estimated at 2,501,145 for the year 2023 with males constituting 49.3 percent compared to 50.7 percent for their female counterparts. The proportion of children from 0-14 years was 28.8 percent, the adult population aged 15-64 years was 65.8 percent and elderly population aged 65+ was 5.6 percent as indicated in Botswana Population Projections 2011-2026 Report as shown in **table 1** below.

TABLE 1: POPULATION BY AGE AND SEX. 2023


Age	Male	Female	Total	Percent
0-4	121,868	120,047	241,915	9.7
5-9	117,728	116,399	234,127	9.4
10-14	121,781	119,960	241,741	9.7
15-19	111,912	110,012	221,924	8.9
20-24	105,509	103,607	209,116	8.4
25-29	105,497	104,741	210,238	8.4
30-34	100,177	103,438	203,615	8.1
35-39	100,686	105,903	206,589	8.3
40-44	91,411	94,300	185,711	7.4
45-49	73,329	72,695	146,024	5.8
50-54	54,185	54,655	108,840	4.4
55-59	39,439	45,009	84,448	3.4
60-64	30,295	38,176	68,471	2.7
65-69	23,500	30,432	53,932	2.2
70-74	16,549	21,144	37,693	1.5
75-79	10,349	13,961	24,310	1.0
80+	8,973	13,482	22,455	0.9
Total	1,233,188	1,267,961	2,501,149	100.0

Source: Botswana population projections 2011-2026 (Statistics Botswana)

2.2. Age Sex Structure of Eye Outpatients Attendances

Figure 1, shows the age sex structure of all eye outpatient attendance in 2023. The figure indicates there were more female eye outpatients (60.4%) than males (39.6%) at the facilities. The figure further shows that females attendance was higher than males in all age groups. The general pattern shows that there was a gradual increase in the middle ages 25-54 years for males. There was a peak at ages 70-74 years and 80+ for both males and females. The lowest number of attendances were among under ones for both males and females.

FIGURE 1: Age Sex structure of Eye Outpatient Attendance, 2023



2.3. Eye Outpatient by Health District

Table 2 shows the distribution of all eye outpatient attendances by facility type across the different health districts in 2023. The Gaborone health district (13.9%) and Kweneng East (12.4%) reported the highest proportions of eye outpatient attendances compared to the other health districts. More than three fifths (63.0%) of eye outpatients attended in General/Referral Hospitals while 26.9% were attended in Primary Hospitals. Clinics and health posts accounted for 10.1 percent of all eye outpatient attendances and this were mostly outreach programmes done by Hospitals.

TABLE 2: PERCENTAGE DISTRIBUTION OF EYE OUTPATIENT ATTENDANCE BY HEALTH DISTRICTS, 2023

District	Clinics	General/Referral Hospital	Health Post	Primary Hospital	Total	Percent
Gaborone	2,846	10,698	-	-	13,544	13.9
Kweneng East	17	9,870	35	2,099	12,021	12.4
Southern	-	6,477	-	-	6,477	6.7
Kgatleng	-	6,165	-	-	6,165	6.3
Lobatse	-	5,440	2	-	5,442	5.6
Francistown	755	4,475	-	-	5,230	5.4
Bobirwa	138	-	224	4,354	4,716	4.8
South East	737	3,759	-	-	4,496	4.6
Serowe	-	4,403	-	-	4,403	4.5
Ngamiland	-	3,512	-	-	3,512	3.6
Mahalapye	-	2,732	-	527	3,259	3.4
Okavango	-	905	-	2,263	3,168	3.3
Tutume	-	-	-	2,969	2,969	3.1
Chobe	-	-	-	2,944	2,944	3.0
GoodHope	2,907	-	24	-	2,931	3.0
Selebi Phikwe	-	2,843	-	-	2,843	2.9
North East	131	-	243	2,457	2,831	2.9
Boteti	-	-	-	2,812	2,812	2.9
Palapye	-	-	-	2,715	2,715	2.8
Kgalagadi South	120	-	-	1,672	1,792	1.8
Jwaneng	1,238	-	95	-	1,333	1.4
Gantsi	9	-	27	965	1,001	1.0
Kweneng West	-	-	-	416	416	0.4
Mabutsane	197	-	-	-	197	0.2
Charlehill	36	-	-	-	36	0.0
Grand Total	9,131	61,279	650	26,193	97,253	100.0

2.4. Eye Outpatient attendances by main blocks

Table 3, shows eye outpatient attendance diagnosis in 2023 by main eye categories. The table shows that the eye outpatient attendances accounted for 98.5 percent of the diagnosis while 1.5 percent were other diseases classified elsewhere. The majority of eye disease attendances were due to conjunctival disorders (25.4%), followed by glaucoma (16.4%), lens disorders (12.6%), and diseases of the ocular muscles, binocular movement, accommodation, and refraction (11.6%). Persons with potential health hazards related to family and personal history and certain conditions influencing health status accounted for 5.7 percent of all attendances. A further distribution of diseases/conditions among different categories are shown in annex 1.


TABLE 3: MAJOR EYE OUTPATIENT ATTENDANCE BY BLOCKS

Blocks		New Case	NS	Repeat Case	Total	Percent
H00-H06	Disorders of eyelid, lacrimal system and orbit	3,193	24	1,702	4,919	5.1
H10-H13	Disorders of conjunctiva	17,400	137	7,163	24,700	25.4
H15-H22	Disorders of sclera, cornea, iris and ciliary body	2,994	35	3,940	6,969	7.2
H25--H28	Disorders of lens	5,383	55	6,789	12,227	12.6
H30-H36	Disorders of choroid and retina	551	17	621	1,189	1.2
H40-H42	Glaucoma	3,077	172	12,652	15,901	16.4
H43-H45	Disorders of vitreous body and globe	193	6	641	840	0.9
H46-H48	Disorders of optic nerve and visual pathways	290	5	309	604	0.6
H49-H52	Disorders of ocular muscles, binocular movement, accommodation and refraction	8,520	51	2,668	11,239	11.6
H53-H54	Visual disturbances and blindness	1,395	8	486	1,889	1.9
H55-H59	Other disorders of eye and adnexa	993	38	643	1,674	1.7
S00-S09	Injuries to the head	2,069	27	910	3,006	3.1
T15-T19	Effects of foreign body entering through natural orifice	826	5	223	1,054	1.1
Z00-Z13	Persons encountering health services for examination and investigation	3,126	38	889	4,053	4.2
Z80-Z99	Persons with potential health hazards related to family and personal history and certain conditions influencing health status	949	42	4,575	5,566	5.7
Total Above		50,959	660	44,211	95,830	98.5
Other eye diseases/conditions		810	27	586	1,423	1.5
Grand Total		51,769	687	44,797	97,253	100.0

2.5. Top 10 Major eye disease

Figure 2, shows top ten major eye outpatient diseases attendance in 2023. The top ten major eye diseases/ conditions attended, constituted 58.4 percent while other conditions constituted 41.7 percent of all attendances. The leading cause of outpatient attendance was unspecified glaucoma (11.8%), followed by acute atopic conjunctivitis (10.3%), and unspecified refractive disorder (6.3%).

FIGURE 2: Top ten Eye outpatient diseases/conditions - 2023



2.6. Major Eye Diseases New and Repeat

Table 4, shows the major new and repeat eye outpatient diseases/conditions in 2023. The table shows that Acute atopic conjunctivitis was the highest for new attendances contributing 13.8 percent. The second leading eye outpatient disease among new attendance was Disorder of refraction, unspecified (9.0%). Among repeat attendances Glaucoma, unspecified (21.8%) was the highest followed by Presence of intraocular lens(9.8%). Top 10 diagnosis for both new attendances contributed 73.9 percent and repeat contributed 76.1 percent.

TABLE 5: MAJOR EYE DISEASES OUTPATIENT ATTENDANCE BY NEW AND REPEAT, 2023

ICD-10 code	Diagnosis	Rank	New case			Repeat case		
			Number	Percent	NS	Rank	Number	Percent
H10.1	Acute atopic conjunctivitis	1	7,163	13.8	70	3	2,805	6.3
H52.7	Disorder of refraction, unspecified	2	4,639	9.0	30	7	1,460	3.3
Z01.0	Examination of eyes and vision	3	3,118	6.0	38	11	884	2.0
H10.9	Conjunctivitis, unspecified	4	2,938	5.7	14	12	750	1.7
H11.0	Pterygium	5	2,912	5.6	32	6	1,998	4.5
H52.4	Presbyopia	6	2,260	4.4	11	13	613	1.4
H26.0	Infantile, juvenile and presenile cataract	7	1,960	3.8	-	5	2,005	4.5
H25.8	Other senile cataract	8	1,847	3.6	-	4	2,307	5.1
H40.9	Glaucoma, unspecified	9	1,618	3.1	152	1	9,747	21.8
H10.8	Other conjunctivitis	10	1,450	2.8	-	14	573	1.3
S05.0	Injury of conjunctiva and corneal abrasion without mention of foreign body	11	1,420	2.7	6	15	503	1.1
H16.2	Keratoconjunctivitis	12	1,128	2.2	2	10	1,300	2.9
H40.0	Glaucoma suspect	13	1,069	2.1	13	9	1,371	3.1
H10.0	Mucopurulent conjunctivitis	14	1,066	2.1	5	16	307	0.7
H53.1	Subjective visual disturbances	15	951	1.8	2	20	184	0.4
Z96.1	Presence of intraocular lens	16	917	1.8	38	2	4,368	9.8
H26.9	Cataract, unspecified	17	835	1.6	31	8	1,390	3.1
H01.1	Noninfectious dermatoses of eyelid	18	790	1.5	-	17	256	0.6
H52.1	Ocular pain	19	753	1.5	-	18	245	0.5
H11.3	Conjunctival haemorrhage	20	744	1.4	5	19	211	0.5
Diagnosis above		210	39,578	76.5	449		33,277	74.3
Other Diagnosis			12,191	23.5			11,520	25.7
Grand Total			51,769	100.0	687		44,797	100.0

2.7. Major eye Diseases by sex

The distribution of the ten leading eye outpatient diseases/condition by male and female is shown in Table 5. The major male eye outpatient contributed 62.4 percent of all male attendances. Similarly, the major outpatient for females contributed 67.2 percent of all female outpatient. Two of the ten major attendances were the same for both males and females. Glaucoma, unspecified was the highest for both males(13.1%) and females at 11.0 percent. This is followed by Acute atopic conjunctivitis at 9.5 percent for males and 10.9 percent for females. The third major eye disease for males was presence of intraocular lens with 5.2 percent while for females was Disorder of refraction, unspecified.


TABLE 5: Major Eye outpatient attendance among Males and Females

ICD-10 code		Rank	Male	Percent	Rank	Female	Percent
H40.9	Glaucoma, unspecified	1	5,041	13.1	1	6,476	11.0
H10.1	Acute atopic conjunctivitis	2	3,652	9.5	2	6,386	10.9
Z96.1	Presence of intraocular lens	3	1,996	5.2	5	3,327	5.7
H52.7	Disorder of refraction, unspecified	4	1,803	4.7	3	4,326	7.4
H25.8	Other senile cataract	5	1,581	4.1	7	2,573	4.4
H10.9	Conjunctivitis, unspecified	6	1,543	4.0	9	2,159	3.7
Z01.0	Examination of eyes and vision	7	1,539	4.0	8	2,501	4.3
H16.2	Keratoconjunctivitis	8	1,370	3.6	-	1,060	1.8
H11.0	Pterygium	9	1,283	3.3	4	3,659	6.2
S05.0	Injury of conjunctiva and corneal abrasion without mention of foreign body	10	1,198	3.1	-	731	1.2
H26.0	Infantile, juvenile and presenile cataract	-	1,138	3.0	6	2,827	4.8
H40.0	Glaucoma suspect	-	975	2.5	-	1,478	2.5
H52.4	Presbyopia	-	917	2.4	10	1,967	3.3
Total Above			24,036	62.4		39,470	67.2
Other diseases/conditions			14,480	37.6		19,267	32.8
Grand Total			38,516	100.0		58,737	100.0

3.0 EYE INJURIES

3.1 Age sex structure of Eye Injuries

Figure 3, shows the age sex distribution of eye Injuries in 2023. Injury, Poisoning and certain consequences of external causes accounted for 4.5 percent of all eye attendances in 2023. Contrary to the general age sex structure of eye outpatient consultations the majority of the eye injuries were males (66.7%) as compared to females (32.8%). There was an increase in attendance for ages 1-5 years and 20-34 years for both males and females. There was also a decrease for both males and females on ages 40 years and above. The figure also shows that female attendance was higher than male attendance in the under-10 and 50+ age groups, whereas male attendance was higher between the ages of 15 and 49. Among females, the highest attendance was 3.8% in the 35-39 age group. The highest among males was 8.6 percent in the 30-34 years age group.



3.2. Major Eye Injuries

Table 6, shows top ten major eye outpatient injuries attendance in 2023. The top ten major eye injuries attended constituted 94.2 percent of all eye injuries. The major eye outpatient attendance injury was Injury of conjunctiva and corneal abrasion without mention of foreign body (45.7%) followed by foreign body in cornea(14.2%) and on the third was Injury of eye and orbit, unspecified (10.2%). Other major eye outpatient attendances are shown in **Table 5**.

TABLE 6: MAJOR EYE OUTPATIENT INJURIES, TOP 10 2023

Rank	ICD10-code	Diagnosis	Number	Percent
1	S05.0	Injury of conjunctiva and corneal abrasion without mention of foreign body	1929	44.0
2	T15.0	Foreign body in cornea	716	16.3
3	S05.9	Injury of eye and orbit, unspecified	599	13.6
4	T26.9	Corrosion of eye and adnexa, part unspecified	235	5.4
5	T15.9	Foreign body on external eye, part unspecified	201	4.6
6	T15.1	Foreign body in conjunctival sac	130	3.0
7	S05.2	Ocular laceration and rupture with prolapse or loss of intraocular tissue	125	2.8
8	S01.1	Open wound of eyelid and periocular area	102	2.3
9	S05.7	Avulsion of eye	58	1.3
10	S05.8	Other injuries of eye and orbit	55	1.3
Total above			4150	94.6
Other injuries of eye and orbit			239	5.4
Grand Total			4389	100.0

ANNEX 1: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES												
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	GRAND TOTAL	
A50-A64	Infections with a predominantly sexual mode of transmission	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	2	3
A54.3	Gonococcal infection of eye	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	2	3
A70-A74	Other diseases caused by chlamydiae	0	0	0	0	0	0	2	1	1	0	4	0	0	0	0	0	1	0	0	1	0	0	2	6
A71.0	Initial stage of trachoma	0	0	0	0	0	0	2	0	1	0	3	0	0	0	0	0	0	0	0	1	0	0	1	4
A71.9	Trachoma, unspecified	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1	2
B00-B09	Viral infections characterized by skin and mucous membrane lesions	0	0	0	6	1	10	13	6	16	0	52	0	2	1	3	6	4	4	5	9	1	0	35	87
B00.5	Herpesviral ocular disease	0	0	0	5	0	1	0	0	0	0	6	0	0	0	1	2	0	0	0	0	0	0	3	9
B00.9	Herpesviral infection, unspecified	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
B02.3	Zoster ocular disease	0	0	0	1	0	9	13	6	16	0	45	0	2	1	2	4	4	4	4	9	1	0	31	76
B02.9	Zoster without complication	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	
B25-B34	Other viral diseases	0	1	3	3	1	0	1	2	1	0	12	0	0	0	0	1	2	0	1	2	1	0	7	19
B25.9	Cytomegaloviral disease, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	
B30.1+	Conjunctivitis due to adenovirus (H13.1*)	0	0	0	1	1	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	0	1	3	
B30.2	Viral pharyngoconjunctivitis	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
B30.8+	Other viral conjunctivitis (H13.1*)	0	0	1	2	0	0	1	0	1	0	5	0	0	0	0	0	0	0	0	1	0	0	1	6
B30.9	Viral conjunctivitis, unspecified	0	0	2	0	0	0	0	2	0	0	4	0	0	0	0	1	1	0	0	1	1	0	4	8
B50-B64	Protozoal diseases	0	0	0	0	1	5	1	0	0	0	7	0	1	0	0	0	3	2	2	0	0	0	8	15
B58.0+	Toxoplasma oculopathy	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	1
B58.8	Toxoplasmosis with other organ involvement	0	0	0	0	1	3	1	0	0	0	5	0	0	0	0	0	3	2	2	0	0	0	7	12
B58.9	Toxoplasmosis, unspecified	0	0	0	0	0	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	2
B65-B83	Helminthiasis	0	0	0	2	0	0	0	1	0	0	3	0	0	5	0	0	0	0	0	0	0	0	5	8
B69.1	Cysticercosis of eye	0	0	0	2	0	0	0	1	0	0	3	0	0	5	0	0	0	0	0	0	0	0	5	8
C43-C44	Melanoma and other malignant neoplasms of skin	0	0	0	0	0	0	2	0	2	0	4	0	0	0	0	0	0	0	2	0	0	0	2	6
C44.1	Malignant neoplasm of skin of eyelid, including canthus	0	0	0	0	0	0	2	0	2	0	4	0	0	0	0	0	0	0	2	0	0	0	2	6
C69-C72	Malignant neoplasms of eye, brain and other parts of central nervous system	1	0	2	0	2	1	0	1	2	0	9	1	3	2	1	0	5	5	2	1	0	0	20	29
C69.0	Malignant neoplasm of conjunctiva	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	3	3	
C69.1	Malignant neoplasm of cornea	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	2	
C69.2	Malignant neoplasm of retina	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	3	3	
C69.6	Malignant neoplasm of orbit	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	1	2	
C69.9	Malignant neoplasm of eye, unspecified	1	0	2	0	2	1	0	1	1	0	8	0	2	1	1	0	2	4	1	0	0	0	11	19
D10-D36	Benign neoplasms	0	4	6	6	12	21	11	18	16	0	94	0	6	6	5	3	6	12	3	11	0	0	52	146
D18.0	Haemangioma, any site	0	0	1	0	0	0	1	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	1	3
D18.1	Lymphangioma, any site	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
D22.9	Melanocytic naevi, unspecified	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
D23.1	Other benign neoplasms of skin of eyelid, including canthus	0	3	5	5	9	9	8	15	14	0	68	0	6	5	4	2	6	11	3	10	0	0	47	115
D31.0	Benign neoplasm of conjunctiva	0	1	0	1	0	4	0	2	0	0	8	0	0	0	0	1	0	0	0	0	0	0	1	9
D31.1	Benign neoplasm of the cornea	0	0	0	0	2	0	0	0	1	0	3	0	0	0	0	0	0	1	0	1	0	0	2	5
D31.6	Benign neoplasm of orbit, unspecified	0	0	0	0	0	1	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	2	2
D31.9	Benign neoplasm of eye and adnexa, unspecified	0	0	0	0	0	4	2	0	0	0	6	0	0	0	1	0	0	0	0	0	0	0	1	7
D32.9	Benign neoplasm of meninges, unspecified	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
D35.2	Benign neoplasm of pituitary gland	0	0	0	0	1	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	2
D37-D48	Neoplasms of uncertain or unknown behaviour	0	1	4	8	20	22	7	3	7	2	74	0	0	2	7	16	17	7	6	5	1	0	61	135
D48.7	Neoplasm of uncertain or unknown behaviour of other specified sites	0	1	4	8	15	19	7	3	7	2	66	0	0	2	5	13	16	6	5	5	1	0	53	119
D48.9	Neoplasm of uncertain or unknown behaviour, unspecified	0	0	0	0	5	3	0	0	0	0	8	0	0	0	2	3	1	1	1	0	0	0	8	16

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											GRAND TOTAL
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	
E10-E14	Diabetes mellitus	0	0	1	0	3	16	17	19	22	0	78	0	0	1	1	1	7	9	8	10	0	37	115
E10.3	Insulin-dependent diabetes mellitus, with ophthalmic complications	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
E11.3	Non-insulin-dependent diabetes mellitus with ophthalmic complications	0	0	0	0	1	3	5	4	9	0	22	0	0	0	0	0	4	2	2	2	0	10	32
E11.8	Non-insulin-dependent diabetes mellitus, with unspecified complications	0	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	1	0	0	1	3
E14.3	Unspecified diabetes mellitus, with ophthalmic complications	0	0	1	0	2	13	12	13	13	0	54	0	0	1	1	1	3	6	5	8	0	25	79
E70-E90	Metabolic disorders	0	1	1	1	1	1	0	0	0	0	5	0	0	2	0	0	0	0	0	0	0	2	7
E70.3	Ocular albinism	0	1	1	1	1	1	0	0	0	0	5	0	0	2	0	0	0	0	0	0	0	2	7
G20-G26	Extrapyramidal and movement disorders	0	0	0	1	2	4	1	0	2	0	10	0	0	3	0	1	1	3	0	1	0	9	19
G24.5	Blepharospasm	0	0	0	1	2	4	1	0	2	0	10	0	0	3	0	1	1	3	0	1	0	9	19
G40-G47	Episodic and paroxysmal disorders	0	0	3	8	7	4	0	1	0	1	24	0	0	0	2	1	1	1	0	1	0	6	30
G43.8	Other migraine(ophthalmoplegic)	0	0	1	2	2	0	0	0	0	0	5	0	0	0	1	0	0	1	0	0	0	2	7
G45.3	Amaurosis fugax	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
G43.9	Migraine, unspecified	0	0	0	4	0	3	0	1	0	1	9	0	0	0	0	0	0	0	0	1	0	1	10
G44.2	Tension type headache	0	0	2	2	4	1	0	0	0	0	9	0	0	0	1	1	1	0	0	0	0	3	12
G50-G59	Nerve, nerve root and plexus disorders	0	0	1	0	1	2	1	0	0	0	5	0	0	0	0	0	1	0	0	0	0	1	6
G51.0	Bell's palsy	0	0	1	0	1	2	1	0	0	0	5	0	0	0	0	0	1	0	0	0	0	1	6
H00-H06	Disorders of eyelid, lacrimal system and orbit	24	121	399	442	387	412	361	408	561	16	3131	19	137	358	270	202	212	175	165	243	7	1788	4919
H00.0	Hordeolum and other deep inflammation of eyelid	2	31	107	101	102	91	51	30	37	3	555	1	29	98	74	55	51	29	16	19	2	374	929
H00.1	Chalazion	0	15	67	124	78	64	36	22	11	4	421	1	17	51	79	45	36	23	9	10	0	271	692
H01.0	Blepharitis	0	3	17	12	7	8	10	11	22	0	90	0	6	7	2	1	8	10	4	11	1	50	140
H01.1	Noninfectious dermatoses of eyelid	4	29	116	92	81	77	89	93	128	4	713	4	35	106	48	25	29	26	25	34	1	333	1046
H01.8	Other specified inflammation of eyelid	0	0	0	0	1	1	0	0	0	0	2	0	0	0	0	1	1	0	0	0	0	2	4
H01.9	Inflammation of eyelid, unspecified	0	0	6	9	6	8	3	4	10	0	46	1	0	6	1	0	4	4	2	1	0	19	65
H02.0	Entropion and trichiasis of eyelid	0	1	5	2	4	4	15	35	98	1	165	0	3	2	2	0	9	20	41	42	1	120	285
H02.1	Ectropion of eyelid	0	0	1	2	0	0	0	1	6	0	10	0	0	0	1	1	0	3	1	1	0	7	17
H02.2	Lagophthalmos	0	0	1	0	0	1	2	5	4	2	15	0	1	1	0	0	1	1	3	1	0	8	23
H02.3	Blepharochalasis	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	1
H02.4	Ptosis of eyelid	2	9	9	6	3	9	4	4	3	0	49	4	5	17	4	3	1	3	0	6	0	43	92
H02.5	Other disorders affecting eyelid function	1	0	0	0	0	1	0	0	1	0	3	0	1	0	1	1	0	1	0	0	0	4	7
H02.7	Other degenerative disorders of eyelid and periocular area	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
H02.8	Other specified disorders of eyelid	0	5	10	12	11	26	15	28	15	0	122	0	5	13	4	7	10	5	6	9	0	59	181
H02.9	Disorder of eyelid, unspecified	0	1	0	0	3	0	0	0	1	0	5	0	1	1	2	2	0	0	0	0	0	6	11
H03.1*	Involvement of eyelid in other infectious diseases classified elsewhere	0	0	0	0	0	2	0	0	1	0	3	0	0	1	0	0	0	0	0	0	0	1	4

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											TOTAL MALES	GRAND TOTAL
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S			
H04.1	Other disorders of lacrimal gland	1	4	41	56	60	82	114	155	192	2	707	1	2	17	28	31	36	42	48	83	1	289	996	
H04.2	Epiphora	2	5	1	3	4	3	8	5	11	0	42	1	10	3	1	5	2	2	2	9	0	35	77	
H04.3	Acute and unspecified inflammation of lacrimal passages	1	4	2	3	6	9	0	2	10	0	37	2	2	5	1	0	0	0	3	3	0	16	53	
H04.4	Chronic inflammation of lacrimal passages	0	0	2	0	0	0	0	1	0	0	3	0	0	0	0	0	1	0	0	0	0	1	4	
H04.5	Stenosis and insufficiency of lacrimal passages	9	7	2	6	3	4	6	6	8	0	51	4	12	15	3	2	3	1	2	5	0	47	98	
H04.9	Disorder of lacrimal system, unspecified	0	1	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0	2	3	
H05.0	Acute inflammation of orbit	1	4	11	6	10	2	4	2	1	0	41	0	5	10	11	11	5	2	0	3	0	47	88	
H05.1	Chronic inflammatory disorders of orbit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	
H05.2	Exophthalmic conditions	1	2	1	8	8	16	3	3	0	0	42	0	0	4	6	6	12	3	1	3	1	36	78	
H05.5	Retrobulbar Foreign body	0	0	0	0	0	1	0	0	1	0	2	0	0	1	1	4	1	0	0	0	0	7	9	
H05.8	Other disorders of orbit	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0	2	0	2	2	0	7	8	
H05.9	Disorder of orbit, unspecified	0	0	0	0	0	2	0	0	0	0	2	0	0	0	0	2	0	0	0	0	0	2	4	
H06.2	Dysthyroid exophthalmos	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0		1	
H06.3*	Other disorders of orbit in diseases classified elsewhere	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0		1	
H10-H13	Disorders of conjunctiva	144	654	1828	1599	2044	2659	2424	2103	2352	103	15910	169	734	1759	1007	1183	1457	968	690	778	45	8790	24700	
H10.0	Mucopurulent conjunctivitis	42	167	157	102	79	88	67	52	65	1	820	51	162	138	41	39	44	22	30	29	2	558	1378	
H10.1	Acute atopic conjunctivitis	40	284	1161	955	820	951	729	617	770	59	6386	51	307	1081	541	459	432	284	214	263	20	3652	10038	
H10.2	Other acute conjunctivitis	0	0	2	2	1	2	0	0	1	0	8	0	2	1	3	5	9	1	3	2	1	27	35	
H10.3	Acute conjunctivitis, unspecified	3	2	4	5	9	4	3	4	5	0	39	1	3	1	5	6	1	4	2	0	0	23	62	
H10.4	Chronic conjunctivitis	0	12	50	35	26	17	12	10	17	0	179	0	18	64	18	11	13	2	6	5	1	138	317	
H10.5	Blepharoconjunctivitis	0	3	2	8	1	7	3	4	8	0	36	1	3	1	1	2	0	1	2	3	0	14	50	
H10.8	Other conjunctivitis	0	3	20	62	217	311	311	247	272	10	1453	0	1	11	35	97	156	115	69	85	1	570	2023	
H10.9	Conjunctivitis, unspecified	54	154	337	252	281	272	239	245	313	12	2159	52	210	349	186	166	207	142	78	143	10	1543	3702	
H11.0	Pterygium	0	6	18	65	331	747	890	817	769	16	3659	1	4	15	52	160	348	297	208	194	4	1283	4942	
H11.1	Conjunctival degenerations and deposits	0	3	2	20	120	120	86	57	62	1	471	0	0	2	14	61	71	23	21	25	2	219	690	
H11.2	Conjunctival scars	0	0	0	1	3	5	2	2	2	0	15	0	2	1	1	1	2	0	3	0	0	10	25	
H11.3	Conjunctival haemorrhage	3	8	34	61	108	84	51	38	38	4	429	9	18	54	85	133	129	52	32	16	3	531	960	
H11.4	Other conjunctival vascular disorders and cysts	0	0	7	6	4	7	6	2	7	0	39	1	1	4	3	6	8	3	3	2	0	31	70	
H11.8	Other specified disorders of conjunctiva	0	0	0	0	1	1	1	0	0	0	3	0	0	0	0	1	0	0	0	0	0	1	4	
H11.9	Disorder of conjunctiva, unspecified	0	2	14	12	29	33	22	7	19	0	138	1	1	12	10	21	28	18	18	9	1	119	257	
H13.0	Filarial infection of conjunctiva (B74+)	1	0	1	2	0	2	0	0	0	0	6	0	0	0	2	1	0	0	0	0	0	3	9	
H13.1*	Conjunctivitis in infectious and parasitic diseases classified elsewhere	0	7	15	10	11	8	2	0	4	0	57	0	2	22	8	11	7	4	0	1	0	55	112	
H13.8*	Other disorders of conjunctiva in diseases classified elsewhere	1	3	4	1	3	0	0	1	0	0	13	1	0	3	2	3	2	0	1	1	0	13	26	

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	GRAND TOTAL
H15-H22	Disorders of sclera, cornea, iris and ciliary body	11	279	739	353	310	341	282	253	741	29	3338	15	383	1115	382	311	301	255	235	602	32	3631	6969
H15.0	Scleritis	0	1	3	3	13	14	5	4	8	1	52	0	0	0	4	7	8	2	1	4	0	26	78
H15.1	Episcleritis	0	1	6	12	18	39	15	14	19	1	125	0	1	13	13	15	9	8	4	4	0	67	192
H15.8	Other disorders of sclera	0	1	2	1	3	2	0	2	10	2	23	0	0	0	0	4	2	2	1	10	0	19	42
H16.0	Corneal ulcer	0	10	8	8	40	29	28	24	54	2	203	0	23	27	23	44	64	48	39	36	11	315	518
H16.1	Other superficial keratitis without conjunctivitis	0	0	1	2	2	7	1	0	0	1	14	0	0	2	10	10	12	5	1	3	0	43	57
H16.2	Keratoconjunctivitis	8	222	532	123	40	46	34	20	30	5	1060	10	298	819	139	34	17	16	12	19	6	1370	2430
H16.3	Interstitial and deep keratitis	0	0	2	4	0	0	0	0	0	0	6	0	0	2	3	0	1	2	0	1	0	9	15
H16.4	Chronic conjunctivitis	0	0	0	1	0	1	0	0	1	0	3	0	0	1	0	0	1	0	0	0	0	2	5
H16.8	Other keratitis	0	0	1	1	2	0	0	0	0	0	4	0	0	1	1	0	0	1	1	1	0	5	9
H16.9	Keratitis, unspecified	0	6	34	66	42	61	46	21	52	5	333	0	5	14	22	37	37	22	17	25	2	181	514
H17.0	Adherent leukoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	2	0	5	5
H17.1	Other central corneal opacity	0	0	0	0	0	0	0	1	4	0	5	0	0	0	0	0	0	0	0	0	0	5	5
H17.8	Other corneal scars and opacities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1
H17.9	Corneal scar and opacity, unspecified	1	9	31	24	20	26	30	28	66	2	237	0	8	37	34	43	39	49	23	46	4	283	520
H18.0	Corneal pigmentations and deposits	0	0	1	2	1	0	0	1	1	0	6	0	0	1	0	0	1	0	2	2	0	6	12
H18.1	Bullous keratopathy	0	1	9	20	11	23	35	45	312	3	459	0	3	13	11	11	30	23	57	315	4	467	926
H18.2	Other corneal oedema	0	0	1	0	2	1	1	1	2	0	8	0	1	4	1	3	1	2	1	1	0	14	22
H18.4	Corneal degeneration	1	1	0	3	2	0	1	4	23	3	38	0	0	1	2	1	0	3	5	19	0	31	69
H18.5	Hereditary corneal dystrophies	0	0	2	0	1	2	1	2	6	0	14	0	0	0	1	0	1	4	3	1	0	10	24
H18.6	Keratoconus	0	2	12	20	5	4	9	5	12	0	69	1	6	11	14	8	4	1	1	3	0	49	118
H18.7	Other corneal deformities	0	0	0	1	0	0	0	0	0	0	1	0	1	1	0	0	0	3	0	2	0	7	8
H18.8	Other specified disorders of cornea	0	0	0	1	0	7	1	0	2	0	11	0	0	0	1	0	1	1	0	1	0	4	15
H18.9	Disorder of cornea, unspecified	0	0	6	2	5	4	2	8	57	0	84	0	3	5	7	9	5	6	14	58	4	111	195
H19.0	Keratitis and keratoconjunctivitis in other infectious and parasitic diseases classified elsewhere	1	23	73	25	13	7	14	1	0	0	157	3	32	124	42	10	4	2	1	0	0	218	375
H19.1	Herpesviral keratitis and keratoconjunctivitis	0	0	3	7	16	6	6	4	2	0	44	0	0	7	14	8	4	5	0	0	0	38	82
H19.2*	Keratitis and episcleritis in diseases classified elsewhere	0	0	0	1	1	0	0	0	0	0	2	0	0	12	2	0	0	0	0	1	0	15	17
H20.0	Acute and subacute iridocyclitis	0	1	3	4	15	5	11	10	7	0	56	0	0	4	13	16	10	11	9	6	0	69	125
H20.1	Chronic iridocyclitis	0	0	1	1	8	9	3	2	6	0	30	0	0	0	1	3	2	3	2	4	0	15	45
H20.8	Other iridocyclitis	0	0	0	1	2	4	4	4	5	0	20	0	0	0	2	1	3	1	2	1	0	10	30
H20.9	Iridocyclitis, unspecified	0	1	7	14	45	42	34	47	56	4	250	1	1	5	17	27	35	28	29	33	1	177	427
H21.0	Hyphaema	0	0	0	4	2	1	1	4	4	0	16	0	1	11	1	17	9	3	8	3	0	53	69
H21.2	Degeneration of iris and ciliary body	0	0	1	0	0	0	0	1	0	0	2	0	0	0	0	1	0	0	0	1	0	2	4
H21.3	Cyst of iris, ciliary body and anterior chamber	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1	2
H21.4	Pupillary membranes	0	0	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	0	2	3
H21.5	Other adhesions and disruptions of iris and ciliary body	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	1	1	1	1	0	0	4	6
H21.8	Other specified disorders of iris and ciliary body	0	0	0	1	0	1	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	1	3
H21.9	Disorder of iris and ciliary body, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	GRAND TOTAL
H25--H28	Disorders of lens	1	13	66	59	101	174	471	1,364	5,525	55	7,829	3	22	87	91	95	164	305	664	2924	43	4,398	12,227
H25.0	Senile incipient cataract	0	0	3	6	4	7	27	64	158	1	270	0	1	4	7	4	9	13	22	67	0	127	397
H25.1	Senile nuclear cataract	0	0	0	1	0	0	0	4	7	0	12	0	0	0	2	0	3	1	1	4	0	11	23
H25.2	Senile cataract, morgagnian type	0	0	1	0	0	0	1	4	17	2	25	0	0	1	0	0	1	0	2	14	0	18	43
H25.8	Other senile cataract	0	0	10	11	26	60	153	414	1,893	6	2,573	0	4	10	8	25	36	113	251	1124	10	1,581	4,154
H25.9	Senile cataract, unspecified	0	0	0	1	0	1	4	7	24	0	37	0	0	2	1	1	0	0	6	13	0	23	60
H26.0	Infantile, juvenile and presenile cataract	0	2	11	10	21	37	137	534	2,055	20	2,827	0	2	6	11	10	21	67	192	816	13	1,138	3,965
H26.1	Traumatic cataract	0	5	13	7	17	11	10	8	16	0	87	1	6	32	31	36	37	36	14	28	2	223	310
H26.2	Complicated cataract	0	0	1	1	2	2	6	11	28	0	51	0	1	3	0	3	4	6	5	28	0	50	101
H26.4	After-cataract	0	0	0	1	0	1	2	0	3	0	7	0	0	0	1	0	0	1	0	2	0	4	11
H26.8	Other specified cataract	0	2	6	4	3	6	12	28	127	2	190	0	0	4	1	1	1	5	26	85	0	123	313
H26.9	Cataract, unspecified	0	4	13	14	22	20	71	213	1,008	21	1,386	1	7	15	18	11	34	43	124	603	14	870	2,256
H27.0	Aphakia	0	0	8	2	0	12	15	26	113	1	177	0	1	9	8	2	8	7	8	108	4	155	332
H27.1	Dislocation of lens	0	0	0	0	0	2	3	2	10	0	17	0	0	0	1	0	0	0	1	12	0	14	31
H27.8	Other specified disorders of lens	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
H27.9	Disorder of lens, unspecified	0	0	0	0	0	1	1	0	4	0	6	0	0	0	0	0	0	0	0	2	0	2	8
H28.0*	Diabetic cataract (E10-E14 with common fourth character .3)	1	0	0	1	6	12	29	48	59	2	158	1	0	0	2	2	9	13	12	17	0	56	214
H28.1	Cataract in other endocrine, nutritional and metabolic diseases	0	0	0	0	0	2	0	0	1	0	3	0	0	0	0	0	1	0	0	1	0	2	5
H28.8	Other disorders of lens in diseases classified elsewhere	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	2
H30-H36	Disorders of choroid and retina	5	2	18	24	64	71	134	192	251	5	766	2	4	11	22	53	74	74	84	97	2	423	1,189
H30.0	Focal chorioretinal inflammation	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
H30.1	Disseminated chorioretinal inflammation	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
H30.9	Chorioretinal inflammation, unspecified	0	0	0	3	0	1	4	1	6	0	15	0	0	0	3	2	2	0	1	0	0	8	23
H31.0	Chorioretinal scars	0	0	2	2	2	0	0	1	1	0	8	0	0	1	0	2	1	1	0	1	0	6	14
H31.1	Choroidal degeneration	1	0	0	1	1	1	1	0	3	0	8	0	0	0	0	1	0	0	1	0	0	2	10
H31.2	Hereditary choroidal dystrophy	0	0	0	0	1	1	0	0	0	0	2	0	0	0	0	0	0	0	1	0	0	1	3
H33.0	Retinal detachment with retinal break	0	0	1	5	4	7	8	5	8	0	38	0	0	1	2	10	11	7	10	7	1	49	87
H33.2	Serous retinal detachment	0	0	0	2	1	0	0	2	0	0	5	0	0	0	0	0	0	0	0	0	0	0	5
H33.5	Other retinal detachments	0	0	0	1	2	1	2	2	3	0	11	0	0	0	0	0	4	2	1	1	0	8	19
H34.1	Central retinal artery occlusion	0	0	0	0	0	0	0	1	2	0	3	0	0	0	0	0	0	0	0	1	0	1	4
H34.2	Other retinal artery occlusions	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	1	0	0	0	0	1	3
H34.8	Other retinal vascular occlusions	0	0	2	0	5	2	8	20	17	1	55	0	0	0	0	4	5	4	2	9	0	24	79
H35.0	Background retinopathy and retinal vascular changes	3	1	2	1	4	6	16	24	39	3	99	2	0	0	2	7	11	13	9	16	0	60	159
H35.1	Retinopathy of prematurity	1	0	0	0	0	1	0	0	0	0	2	0	1	0	0	0	0	0	1	0	0	2	4
H35.2	Other proliferative retinopathy	0	0	0	0	4	2	6	4	5	0	21	0	0	0	0	0	1	6	3	3	0	13	34
H35.3	Degeneration of macula and posterior pole	0	0	5	8	18	15	26	41	47	0	160	0	1	4	9	8	16	10	16	25	0	89	249
H35.4	Peripheral retinal degeneration	0	0	0	0	0	1	1	1	13	0	16	0	0	0	4	1	5	4	1	6	1	22	38
H35.5	Hereditary retinal dystrophy	0	0	2	1	5	5	3	5	6	0	27	0	0	1	0	3	3	9	8	2	0	26	53
H35.6	Retinal haemorrhage	0	1	2	0	2	4	2	3	1	1	16	0	0	0	1	8	3	0	2	3	0	17	33
H35.7	Separation of retinal layers	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0	0	1	3
H35.8	Other specified retinal disorders	0	0	1	0	2	4	1	2	6	0	16	0	1	1	0	0	0	1	0	2	0	5	21
H35.9	Retinal disorder, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
H36.0*	Diabetic retinopathy (E10-E14 with common fourth character .3)	0	0	1	0	11	20	56	79	93	0	260	0	1	2	1	6	11	17	26	21	0	85	345

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	GRAND TOTAL
H30-H36	Disorders of choroid and retina	5	2	18	24	64	71	134	192	251	5	766	2	4	11	22	53	74	74	84	97	2	423	1,189
H40-H42	Glaucoma	0	29	153	239	374	579	919	1,883	4,814	71	9,061	2	17	169	241	303	513	903	1260	3365	67	6,840	15,901
H40.0	Glaucoma suspect	0	3	74	92	97	140	199	290	578	5	1,478	0	0	60	76	74	115	144	156	344	6	975	2,453
H40.1	Primary open-angle glaucoma	0	1	9	13	17	50	86	151	489	10	826	1	1	6	11	17	37	78	134	355	9	649	1,475
H40.2	Primary angle-closure glaucoma	0	0	2	2	3	1	0	2	11	1	22	0	0	0	1	1	0	2	2	6	0	12	34
H40.3	Glaucoma secondary to eye trauma	0	0	0	0	0	1	2	2	8	0	13	0	0	0	0	1	0	3	0	2	0	6	19
H40.4	Glaucoma secondary to eye inflammation	0	0	0	1	1	0	1	2	1	0	6	0	0	0	0	3	0	2	1	0	0	6	12
H40.5	Glaucoma secondary to other eye disorders	0	0	2	2	8	7	14	37	167	1	238	0	0	0	6	2	11	18	31	80	1	149	387
H40.8	Other glaucoma	0	0	1	0	0	0	0	0	1	0	2	0	0	0	0	0	0	1	1	0	0	2	4
H40.9	Glaucoma, unspecified	0	25	65	129	248	380	617	1,399	3,559	54	6,476	1	16	103	147	205	350	655	935	2578	51	5,041	11,517
H43-H45	Disorders of vitreous body and globe	2	0	7	5	19	21	32	72	242	2	402	1	2	12	24	28	32	45	62	226	6	438	840
H40.1	Primary open-angle glaucoma	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	1	2
H43.1	Vitreous haemorrhage	0	0	0	0	2	0	1	3	8	0	14	0	0	0	1	2	6	4	1	2	1	17	31
H43.2	Crystalline deposits in vitreous body	0	0	0	0	0	1	0	3	4	0	8	0	0	0	0	0	0	1	0	2	0	3	11
H43.3	Other vitreous opacities	0	0	1	1	2	2	2	18	13	0	39	0	0	0	4	2	2	1	6	3	0	18	57
H43.8	Other disorders of vitreous body	0	0	1	0	3	1	6	10	9	0	30	0	0	1	3	5	7	4	8	9	0	37	67
H43.9	Disorder of vitreous body, unspecified	0	0	1	0	0	2	1	1	0	0	5	0	0	1	0	0	4	2	1	2	0	10	15
H44.0	Purulent endophthalmitis	0	0	1	0	3	2	3	5	14	0	28	0	1	1	7	9	3	8	6	17	0	52	80
H44.1	Other endophthalmitis	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1	2	0	1	1	0	0	5	6
H44.4	Hypotony of eye	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	2	0	0	0	0	2	4
H44.5	Degenerated conditions of globe	2	0	3	4	9	11	19	31	192	2	273	1	1	8	8	8	7	24	39	191	5	292	565
H44.7	Retained (old) intraocular foreign body, nonmagnetic	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
H44.9	Disorder of globe, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
H46-H48	Disorders of optic nerve and visual pathways	1	5	22	28	37	69	63	51	64	3	343	3	6	15	23	23	36	32	42	78	3	261	604
H46	Optic neuritis	0	1	6	10	5	8	17	6	10	0	63	0	0	3	5	5	8	7	7	3	0	38	101
H46.3	Toxic optic neuropathy	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
H47.0	Disorders of optic nerve, not elsewhere classified	0	0	1	0	1	1	2	0	0	0	5	0	0	0	1	1	0	0	1	2	0	5	10
H47.1	Papilloedema, unspecified	0	0	4	3	13	12	11	4	1	0	48	0	0	2	3	6	5	1	0	2	0	19	67
H47.2	Optic atrophy	1	4	11	15	18	47	31	40	50	2	219	2	3	7	12	9	22	20	32	68	3	178	397
H47.3	Other disorders of optic disc	0	0	0	0	0	1	1	1	2	1	6	0	0	1	2	2	1	2	2	0	0	10	16
H47.6	Disorders of visual cortex	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0	0	1	0	2	0	8	8
H47.7	Disorder of visual pathways, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	2	2
H48.8	Other disorders of optic nerve and visual pathways in diseases classified elsewhere	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	1	2

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	GRAND TOTAL
H49-H52	Disorders of ocular muscles, binocular movement, accommodation and refraction	30	91	1,056	1,358	743	1,087	1,577	888	787	20	7,637	18	74	719	506	323	444	751	370	377	20	3,602	11,239
H49.0	Third [oculomotor] nerve palsy	1	0	0	0	1	0	0	0	1	0	3	0	0	0	0	0	0	0	0	1	0	1	4
H49.2	Sixth(abducent)nerve palsy	0	0	0	0	0	3	0	2	1	0	6	1	2	0	0	0	0	0	0	0	0	3	9
H49.9	Paralytic strabismus, unspecified	0	0	1	0	0	0	1	0	2	0	4	0	0	0	0	1	0	0	0	1	0	2	6
H50.0	Convergent concomitant strabismus	6	28	42	9	3	2	2	6	8	1	107	6	11	34	3	7	4	1	4	7	0	77	184
H50.1	Divergent concomitant strabismus	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	1	0	2	3
H50.2	Vertical strabismus	0	0	1	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	1	0	1	3
H50.3	Intermittent heterotropia	0	6	3	4	0	2	0	1	2	0	18	1	3	3	3	0	0	0	3	1	0	14	32
H50.4	Other and unspecified heterotropia	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	0	0	1	2
H50.5	Heterophoria	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	1
H50.6	Mechanical strabismus	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	2	3
H50.8	Other specified strabismus	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2	2
H50.9	Strabismus, unspecified	19	30	47	20	7	7	1	0	4	1	136	9	36	42	11	7	4	2	3	5	0	119	255
H51.0	Palsy of conjugate gaze	0	3	0	0	0	0	0	0	0	0	3	1	4	0	0	0	0	0	0	0	0	5	8
H51.1	Convergence insufficiency and excess	0	0	0	2	0	1	0	0	0	0	3	0	0	0	1	0	0	0	0	0	0	1	4
H52.0	Hypermetropia	0	6	86	46	21	24	10	13	17	0	223	0	5	51	22	14	12	9	2	7	0	122	345
H52.1	Myopia	1	0	127	162	115	95	52	35	58	1	646	0	3	91	57	56	58	30	13	43	1	352	998
H52.2	Astigmatism	0	0	38	25	17	31	27	7	19	0	164	0	2	30	13	19	19	34	16	18	1	152	316
H52.3	Anisometropia and aniseikonia	0	0	4	6	5	2	2	4	2	0	25	0	0	7	4	5	4	0	2	4	0	26	51
H52.4	Presbyopia	1	4	8	6	10	344	913	428	250	3	1,967	0	1	3	3	3	157	468	186	93	3	917	2,884
H52.5	Disorders of accommodation	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
H52.7	Disorder of refraction, unspecified	2	14	698	1078	563	576	567	393	421	14	4,326	0	5	457	388	210	186	207	140	195	15	1,803	6,129
H53-H54	Visual disturbances and blindness	1	10	180	290	200	161	116	96	140	9	1,203	5	11	143	118	124	100	56	33	89	7	686	1,889
H53.0	Amblyopia ex anopsia	0	1	12	4	3	3	4	2	5	0	34	0	0	16	7	2	3	0	1	5	0	34	68
H53.1	Subjective visual disturbances	0	3	133	255	170	107	55	24	24	3	774	0	1	91	78	84	62	30	8	5	4	363	1137
H53.2	Diplopia	0	0	2	3	1	3	4	2	0	0	15	0	0	3	1	4	3	0	0	0	0	11	26
H53.3	Other disorders of binocular vision	0	0	0	1	0	0	0	1	6	0	8	0	0	0	1	0	0	0	1	1	0	3	11
H53.4	Visual field defects	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	2	3
H53.5	Colour vision deficiencies	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	0	0	0	0	7	7
H53.6	Night blindness	0	0	1	1	0	4	1	0	1	0	8	0	1	1	1	0	4	2	0	0	0	9	17
H53.8	Other visual disturbances	0	0	1	0	2	1	4	5	2	1	16	0	0	1	0	3	0	1	0	1	0	6	22
H53.9	Visual disturbance, unspecified	1	1	1	0	0	1	1	0	0	0	5	0	0	1	1	1	0	0	0	0	1	4	9
H54.0	Blindness, both eyes	0	1	2	1	0	1	1	3	5	0	14	4	2	0	0	2	0	1	1	1	0	11	25
H54.1	Severe visual impairment, binocular	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	2
H54.2	Low vision, both eyes	0	0	8	5	4	4	6	5	11	0	43	0	2	14	12	4	1	1	3	8	0	45	88
H54.4	Blindness, one eye	0	0	1	2	2	3	2	11	18	1	40	0	0	0	0	6	8	1	4	11	0	30	70
H54.5	Low vision, one eye	0	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	1	2
H54.7	Unspecified visual loss	0	2	19	17	17	29	38	43	68	3	236	1	4	13	14	15	17	19	14	57	2	156	392
H54.9	Unspecified visual impairment (binocular)	0	0	0	1	0	4	0	0	0	1	6	0	1	1	2	0	0	0	0	0	0	4	10

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											GRAND TOTAL
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	
H55-H59	Other disorders of eye and adnexa	2	11	92	144	121	148	113	144	254	19	1,048	6	15	77	95	95	75	61	59	134	9	626	1,674
H55	Nystagmus and other irregular eye movements	0	2	5	0	2	1	1	2	1	0	14	2	7	9	0	6	1	1	0	0	0	26	40
H57.0	Anomalies of pupillary function	0	0	0	2	3	3	0	1	4	0	13	0	1	6	5	4	3	2	2	2	1	26	39
H57.1	Ocular pain	2	3	69	124	81	100	71	86	152	15	703	1	4	51	72	57	34	26	20	70	7	342	1045
H57.8	Other specified disorders of eye and adnexa	0	1	5	3	7	6	8	3	8	1	42	0	1	1	2	4	3	3	2	2	0	18	60
H57.9	Disorder of eye and adnexa, unspecified	0	4	12	15	24	37	28	26	43	3	192	3	2	10	16	23	31	24	22	23	1	155	347
H58.1	Visual disturbances in diseases classified elsewhere	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
H59.0	Vitreous syndrome following cataract surgery	0	0	0	0	0	0	4	23	42	0	69	0	0	0	0	0	0	2	10	31	0	43	112
H59.8	Other postprocedural disorders of eye and adnexa	0	0	1	0	3	0	0	2	3	0	9	0	0	0	0	1	2	3	3	6	0	15	24
H59.9	Postprocedural disorder of eye and adnexa, unspecified	0	1	0	0	1	1	1	1	1	0	6	0	0	0	0	0	0	0	0	0	0	6	6
L00-L08	Infections of the skin and subcutaneous tissue	0	0	3	2	0	0	0	0	2	0	7	1	0	3	1	0	0	1	0	1	0	7	14
L03.2	Cellulitis of face	0	0	3	2	0	0	0	0	2	0	7	1	0	3	1	0	0	1	0	1	0	7	14
P35-P39	Infections specific to the perinatal period	6	4	1	0	0	0	0	0	1	0	12	2	1	1	0	0	0	0	0	0	0	4	16
P39.1	Neonatal conjunctivitis and dacryocystitis	6	4	1	0	0	0	0	0	1	0	12	2	1	1	0	0	0	0	0	0	0	4	16
Q10-Q18	Congenital malformations of eye, ear, face and neck	7	14	18	7	3	1	0	2	2	0	54	7	18	17	8	1	1	0	1	4	0	57	111
Q10.0	Congenital ptosis	0	1	1	0	0	0	0	0	0	0	2	1	0	1	2	0	0	0	0	0	0	4	6
Q11.1	Other anophthalmos	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
Q11.2	Microphthalmos	1	0	1	1	0	1	0	0	0	0	4	0	1	1	0	0	0	0	0	0	0	2	6
Q12.0	Congenital cataract	3	11	10	5	0	0	0	0	0	0	29	5	12	8	4	0	0	0	0	1	0	30	59
Q12.9	Congenital lens malformation, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
Q13.0	Coloboma of iris	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
Q13.2	Other congenital malformations of iris	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
Q13.9	Congenital malformation of anterior segment of eye, unspecified	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
Q15.0	Congenital glaucoma	2	1	6	1	2	0	0	2	0	0	14	1	4	6	2	1	0	0	1	3	0	18	32
Q15.8	Other specified congenital malformations of eye	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	2	2
Q15.9	Congenital malformation of eye, unspecified	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1
R40-R46	Symptoms and signs involving cognition, perception, emotional state and behaviour	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
R44.1	Visual hallucinations	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
R50-R69	General symptoms and signs	0	0	27	80	53	31	19	12	10	0	232	0	2	11	20	13	9	0	7	2	0	64	296
R51	Headache	0	0	27	80	53	31	19	12	10	0	232	0	2	11	20	13	9	0	7	2	0	64	296

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											GRAND TOTAL
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	
S00-S09	Injuries to the head	3	43	140	135	215	226	106	93	145	3	1,109	4	75	316	274	418	324	214	126	132	14	1,897	3,006
S00.1	Contusion of eyelid and periocular area	0	0	1	5	3	3	2	1	2	0	17	0	1	4	4	6	4	1	0	0	0	20	37
S00.2	Other superficial injuries of eyelid and periocular area	0	0	0	1	1	2	1	0	0	0	5	0	3	3	1	2	2	2	1	0	1	15	20
S01.1	Open wound of eyelid and periocular area	0	3	4	7	9	3	3	3	3	0	35	0	4	8	12	17	8	9	6	2	1	67	102
S02.3	Fracture of orbital floor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
S02.8	Fractures of other skull and facial	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
S04.0	Injury of optic nerve and pathways	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1	0	4	4
S04.9	Injury of unspecified cranial nerve	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1	2
S05.0	Injury of conjunctiva and corneal abrasion without mention of foreign body	3	29	99	79	140	164	78	68	69	2	731	3	43	195	157	274	213	136	88	79	10	1,198	1,929
S05.1	Contusion of eyeball and orbital tissues	0	0	0	0	1	0	0	0	1	0	2	0	0	7	0	2	0	3	0	0	0	12	14
S05.2	Ocular laceration and rupture with prolapse or loss of intraocular tissue	0	2	5	4	3	7	2	1	8	0	32	0	4	22	9	12	20	18	3	5	0	93	125
S05.3	Ocular laceration without prolapse or loss of intraocular tissue	0	2	3	6	1	1	1	0	4	0	18	0	1	7	4	3	4	0	1	2	0	22	40
S05.4	penetrating wound of orbit with or without foreign body	0	0	1	0	0	0	0	0	1	0	2	0	0	1	4	4	0	1	0	0	0	10	12
S05.5	Penetrating wound of eyeball with foreign body	0	0	1	0	0	0	1	1	0	0	3	0	0	0	3	0	0	0	0	0	0	3	6
S05.6	Penetrating wound of eyeball without foreign body	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
S05.7	Avulsion of eye	0	0	0	1	0	2	0	1	15	0	19	0	1	5	7	8	4	5	4	5	0	39	58
S05.8	Other injuries of eye and orbit	0	1	4	2	4	4	3	0	4	0	22	0	5	6	5	6	4	4	1	2	0	33	55
S05.9	Injury of eye and orbit, unspecified	0	6	22	29	52	40	15	17	38	1	220	1	13	56	68	83	65	34	22	35	2	379	599
T15-T19	Effects of foreign body entering through natural orifice	0	8	31	26	28	51	27	29	18	1	219	2	6	40	115	268	216	119	44	21	4	835	1054
T15.0	Foreign body in cornea	0	4	20	11	17	27	13	10	11	0	113	2	6	18	80	204	162	81	34	15	1	603	716
T15.1	Foreign body in conjunctival sac	0	1	3	8	3	14	6	7	3	1	46	0	0	12	11	21	21	11	3	4	1	84	130
T15.8	Foreign body in other and multiple parts of external eye	0	0	0	0	0	1	0	2	0	0	3	0	0	0	0	2	2	0	0	0	0	4	7
T15.9	Foreign body on external eye, part unspecified	0	3	8	7	8	9	8	10	4	0	57	0	0	10	24	41	31	27	7	2	2	144	201
T26-T28	Burns and corrosions confined to eye and internal organs	0	10	8	11	17	40	5	9	9	1	110	0	15	15	32	55	42	14	9	8	3	193	303
T26.0	Burn of eyelid and periocular area	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	3	3
T26.1	Burn of cornea and conjunctival sac	0	0	0	1	0	0	0	1	0	1	3	0	0	1	1	2	3	0	1	0	0	8	11
T26.4	Burn of eye and adnexa, part unspecified	0	5	2	1	2	8	3	1	0	0	22	0	7	2	2	9	3	2	0	0	0	25	47
T26.5	Corrosion of eyelid and periocular area	0	0	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
T26.6	Corrosion of cornea and conjunctival sac	0	0	1	0	0	0	0	0	1	0	2	0	0	1	1	0	0	0	1	0	0	3	5
T26.9	Corrosion of eye and adnexa, part unspecified	0	5	3	9	15	32	2	7	8	0	81	0	8	8	28	44	36	12	7	8	3	154	235
T51-T65	Toxic effects of substances chiefly nonmedicinal as to source	0	1	1	2	0	0	1	2	1	0	8	0	0	5	0	1	0	1	1	3	0	11	19
T63.0	Snake venom	0	0	0	0	0	0	1	2	1	0	4	0	0	2	0	1	0	1	1	3	0	8	12
T63.4	Venom of other arthropods	0	1	1	2	0	0	0	0	0	0	4	0	0	3	0	0	0	0	0	0	0	3	7
T80-T88	Complications of surgical and medical care, not elsewhere classified	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	2	0	7	7
T85.2	Mechanical complication of intraocular lens	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	3	3
T86.8	Failure and rejection of other transplanted organ and tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	4	4

ANNEX 1 CONT'D: EYE OUT PATIENTS ATTENDANCES BY SEX AND AGE GROUP

ICD 10 CODE	DIAGNOSIS	FEMALES											MALES											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL FEMALES	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+	N/S	TOTAL MALES	GRAND TOTAL
Z00-Z13	Persons encountering health services for examination and investigation	44	43	148	442	792	437	275	212	112	5	2,510	37	50	147	295	412	240	169	109	75	9	1,543	4,053
Z01.0	Examination of eyes and vision	44	43	148	442	792	432	275	210	110	5	2,501	37	50	147	295	412	236	169	109	75	9	1,539	4,040
Z09.8	Follow-up examination after other treatment for other conditions	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
Z13.5	Special screening examination for eye and ear disorders	0	0	0	0	0	5	0	2	2	0	9	0	0	0	0	0	3	0	0	0	0	3	12
Z40-Z54	Persons encountering health services for specific procedures and health care	0	0	3	1	0	2	2	1	0	0	9	0	2	1	0	6	3	4	0	0	0	16	25
Z41.8	Other procedures for purposes other than remedying health state	0	0	1	1	0	2	1	0	0	0	5	0	2	1	0	4	1	4	0	0	0	12	17
Z48.0	Attention to surgical dressings and sutures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	4	4
Z48.8	Other specified surgical follow-up care	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
Z94.7	Corneal transplant status	0	0	2	0	0	0	0	1	0	0	3	0	0	0	0	0	0	0	0	0	0	3	3
Z80-Z99	Persons with potential health hazards related to family and personal history and certain conditions influencing health status	3	20	49	56	68	104	233	586	2265	32	3,416	1	19	77	80	59	108	166	331	1292	17	2,150	5,566
Z90.0	Acquired absence of part of head and neck	0	0	3	1	1	2	2	1	3	0	13	0	0	0	0	0	5	4	1	4	1	15	28
Z91.1	Personal history of noncompliance with medical treatment and regimen	0	0	1	1	0	1	1	0	3	0	7	0	1	0	2	0	0	0	0	1	0	4	11
Z93.8	Other artificial opening status	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
Z94.7	Corneal transplant status	0	2	5	11	11	4	6	10	14	1	64	0	9	18	25	23	17	20	7	4	0	123	187
Z96.1	Presence of intraocular lens	3	18	40	42	53	97	223	575	2245	31	3,327	1	9	56	53	36	83	142	319	1281	16	1,996	5,323
Z97.0	Presence of artificial eye	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0	0	2	0	0	0	0	4	5
Z97.3	Presence of spectacles and contact lenses	0	0	0	1	1	0	0	0	0	0	2	0	0	0	0	0	0	0	0	1	0	1	3
Z98.8	Other specified postsurgical states	0	0	0	0	2	0	0	0	0	0	2	0	0	1	0	0	0	0	4	1	0	6	8
Grand Total		285	1365	5010	5338	5627	6701	7217	8452	18365	377	58737	298	1605	5121	3624	4005	4399	4357	4322	10494	291	38516	97253



Private Bag 0024, Gaborone
Tel: 3671300
Toll Free: 0800 600 200

Four Thirty Square, Plot 54350
PG Matante Road,
CBD, Gaborone

E-mail: info@statsbots.org.bw
Website: www.statsbots.org.bw



STATISTICS BOTSWANA