

Private Bag 0024, Gaborone.

Tel: 3671300 Fax: 3952201 Toll Free: 0800 600 200

E-mail: info@statsbots.org.bw

Website: http://www.statsbots.org.bw



PREFACE

This statistical brief focuses on analyzing the General out-patient and Preventive Health Statistics in Botswana. The information is derived from administrative data from patients seen at health facilities country wide in 2011. It also shows the trends in out-patient statistics over a ten year period covering 2001 to 2011 and the total network of health facilities countrywide providing out-patient and preventive services. The information provided will help in health policy formulation monitoring and evaluation purposes.

The report presents statistics on the following areas:

- i. Notifiable Diseases
- ii. Other Diseases/Conditions
- iii. Sexually Transmitted Infections inc. HIV/AIDS
- iv. Complicated Pregnancies
- v. Ante Natal Care and Post Natal Care
- vi. Family planning
- vii. Other Preveventive services (Well Baby Care, Injections, Dressings, Tetanus Toxoid)
- viii. Health facilities

The report shows that between 2010 and 2011 there was a notable decrease on out-patient attendances; Notifiable diseases decreased from 86,655 in 2010 to 73,416 in 2011,STI's decreased from 318,109 in 2010 to 315,431in 2011,ANC decreased from 372,019 in 2010 to 361,802 in 2011,other diseases/conditions decreased from 4,054,069 in 2010 to 3,763,685 in 2011,other services like Family planning, Well baby care, Injections and Dressings also decreased. This decrease in out-patient attendees might be attributed to the 2011 Public Sector Unions strike. This desrupted service delivery in Health Facilities as some Health facilities staff were also on the strike.

For more information, contact the Directorate of Stakeholder Relations at 3671300. All Statistics Botswana outputs/publications are available on the website at www.statsbots.org.bw and at the Statistics Botswana Library (Head-Office, Plot 8843, Khama Crescent, Gaborone).

We sincerely thank all stakeholders involved in the formulation of this brief, for their continued support, as we strive to better serve users of our statistical products and services.

Dr. Burton Mguni Statistician General

May 2019

1.0 INTRODUCTION

This brief analyses administrative data from all health facilities across the country. Data are aggregated using the Out-Patient and Preventive Health Statistics Summary Form(MH 1049/rev 2003 & MH 1049rev2010) on monthly basis .Data in MH1049 is extracted from three other forms:

- i. Out-patient and Preventive Health Consultation Tally Sheet (MH 1048/rev 2003/MH1048rev 2010)
- ii. Mother to Child Health/Family Planning(MCH/FP) Tally Sheet (MH 1046/rev 2003),
- iii. Out-patient and Preventive Health Statistics tally Sheet (Injections & Dressings) MH 1047/rev 1993

The revised data collection tools were implemented in response to the introduction of the International Classification of diseases 10th Edition(ICD) codes. A consultation is either recorded as a new or repeat case. A new consultation refers to a case where a patient is seeking health services for a condition for the first time, whereas repeat refers to a case where a patient is getting health service for the same condition for the second time, or several times.

2.0 ACCESS TO HEALTH SERVICES AND BIRTH ATTENDANTS ASSISTANCE

2.1 Out-patient Morbidity

A total of 4,152,532 out-patient attendances were recorded in 2011, a decrease of 6.9 percent from 4,458,833 recorded in 2010. The major cause of out-patient morbidity in 2011 was 'Other Diseases/conditions' with 27.3 percent, followed by Diseases of the Respiratory System with 20.7 percent, Hypertention with 10.2 percent and Diseases of the Musculoskeletal System with 9.5 percent respectively. All the top ten conditions recorded in 2010 were also identified in 2011 in order of ranking (Table 2.1.1 refers).

Table 2.1.1 Top 10 causes of out-patient morbidity-2011

| | | 2010 | 1 | 2011 | |
|------------------|--|-------------|---------|-------------|---------|
| Codes | Diagnosis | Attendances | Percent | Attendances | Percent |
| R 68.80 | Other diseases/conditions | 1,333,501 | 29.9 | 1,131,782 | 27.3 |
| J98.9 | Diseases of the Respiratory System (e.g. Cough and Cold) | 890,757 | 20.0 | 861,428 | 20.7 |
| 110 | Hypertension | 426,012 | 9.6 | 422,787 | 10.2 |
| M79.9 | Diseases of the Musculoskeletal System | 396,444 | 8.9 | 395,211 | 9.5 |
| L98.9 | Skin conditions | 336,704 | 7.6 | 328,229 | 7.9 |
| Z21 | HIV positive | 157,794 | 3.5 | 148,962 | 3.6 |
| J03.9 | Tonsillitis | 146,729 | 3.3 | 139,639 | 3.4 |
| H57.9 | Eye diseases/conditions | 127,764 | 2.9 | 122,004 | 2.9 |
| X59.9 | Other external causes of injuries | 97,106 | 2.2 | 108,669 | 2.6 |
| H93.9 | Ear diseases/conditions | 87,146 | 2.0 | 76,857 | 1.9 |
| Total (Causes S | specified Above) | 3,999,957 | 89.7 | 3,735,568 | 90.0 |
| Other conditio | ns | 458,876 | 10.3 | 416,964 | 10.0 |
| Total (All atten | dances) | 4,458,833 | 100.0 | 4,152,532 | 100.0 |

2.2 Sexually Transmitted Infections

There were 315,431 total attendances for Sexually Transmitted Infections (STIs) in 2011, a decrease of 0.8 percent from 318,109 cases in 2010. In 2011, total number of new attendances were estimated at 161,963 while repeat cases were estimated at 153,468. Figure 2.2.1 show an upward trend in the total number of STI's from 2003 to 2010 with a peak of 37percent observed between 2003 and 2004. However, a decline was observed between 2010 and 2011.




Figure 2.2.1 Number of Sexually Transmitted Infections 2001-2011

Figure 2.2.2, shows distributon of STI attendances in 2011. The highest recorded STI was HIV positive (34.5%), followed by Vaginal discharge syndrome (19.5%), AIDS (14.0%), Urethral discharge syndromme and lower abdominal pain (PID) at 8.2 percent and 7.8 percent respectively. STIs cases were higher amongst females (63.1%) compared to their male counterparts. Among age groups, STIs cases were higher within the age group 30 years and above (58.4%) followed by 15-29 at 37.3 percent years age group while 0-14 was the lowest, constituting 4.3 percent (Annex 3).




Figure 2.2.2: Sexually Transmitted Infections(STI's) Attendances – 2011

2.3 Family Planning (FP)

The number of Family planing visits in 2011 were 348,622, with New visits constituting 46,231 (13.3%) compared to 302,391 (86.7%) repeat visits. Figure 2.3.1 shows the total number of FP visits in 2011 by preferred method of contraception. The top three preferred method of contraception were the male condom with 181,355 (52%) followed by Injections with 103,764 (29.8%) and the third was Pill with 54,466 (15.6%) of all family planning methods. Other Family planing methods are shown in the figure below.





Figure 2.3.1 Number of Family Planning - 2011

2.4 Antenatal Care Visits

The total number of antenatal visits in 2011 was 361,802 as compared to 372,109 in 2010, representing a decrease of 2.8 percent. Figure 2.4.1 shows that the highest number of antenatal visits were recorded in 2010 at 372,019 as compared to 203,863 in 2004. In 2011, there were 50,665 new and 311,137 repeat ANC visits. The majority of new attendances in 2011 were in the age groups 20-24 with 15,026 visits, followed by the age group 25-29 with 13,503 visits, and age group 30-39 with 12,775 visits. About 7,607 of new ANC cases were less than 20 years of age making up 15 percent of teenagers who were pregnant. The graph further shows that percentage of teenage pregnancy attendances have been declining from 20 percent in 2001 to 15 percent in 2009 and remained constant until 2011 (Annex 7).



2.5 Notifiable Diseases

Figure 2.5.1 shows marginal fluctuations in the number of confirmed malaria and measles cases between 2001 and 2011. A significant decrease in the number of malaria cases is observed during the period 2001-2002 from 4,720 in 2001 to 1,284 in 2002. Conversely, there was an upward trend in the number of cases between 2002 and 2004 of 1,284 and 3,453 respectively. The number of cases reported in 2011 was the lowest record during the periods 2001-2011. The number of suspected measles cases recorded during the periods 2001-2009 were minimal, followed by a peak in the number of cases in 2010 (8,605 cases). A total number of 3,441 cases of suspected measles were reported in 2011 showing a decrease of 60.0 percent in number of cases from 2010.





Figure 2.5.1: Trends in Selected Notifiable Diseases, Botswana 2001-2011

The number of reported diarrhoea cases increased from 24,516 in 2010 to 28,231 in 2011, an increase of 15.2 percent. Figure 2.5.2 shows that the number of reported diarrhoea cases were high in 2001, 2002 and 2003 at 121,744, 109466 and 103,724 cases respectively. However the number of cases dropped significantly by 73.0 percent from 103,724 in 2003 to 29,322 in 2004, followed by an increase of 55,015 cases in 2006. Further, there was reduction in diarrhoea cases from 2007 to 2010 (28.4 %).



3.0 Health facilities

Figure 3.1 below presents the number of health facilities from the year 2007-2017. A total of 739 health facilities (35 Hospitals,357 Clinics,347 Health Posts) and 1117 Mobile stops were recorded in 2017 as compared to 644 recorded in 2007. This signifies an increase of 14.8 percent over the 10 year period. Total number of Hospitals have stagnated at 35 since 2009, while total number of Health Posts have been decreasing while clinics increase. Furthermore, over the years the total number of Health Posts have been higher than clinics, however In 2017 the situation changed as more clinics were recorded. This increase in clinics and decline in health posts is due to the construction of new clinics and upgrading of some Health posts to clinics.




Figure 3.1: Total number of Health Facilities 2007-2017

Annex: Tables

Annex 1: Number of Out-Patient Attendances by Diagnosis, Agegroup and Sex (Notifiable Diseases) - 2011

| | | | | | New | Attenda: | nces | | | |
|-------|---|--------|--------|-------|-------|----------|-------------|--------|--------|--------|
| | | < | 1 | 1- | 4 | 5 | ;+ | Sub | Total | |
| Code | Diagnosis | М | F | M | F | М | F | M | F | Total |
| A01.0 | Typhoid Fever | 7 | 8 | 3 | 5 | 3 | 4 | 13 | 17 | 30 |
| A09 | Diarrhoea with blood | 1,276 | 1,120 | 742 | 721 | 622 | 781 | 2,640 | 2,622 | 5,262 |
| A36.9 | Diphtheria | 10 | 8 | 5 | 2 | 0 | 1 | 15 | 11 | 26 |
| A37.9 | Whooping cough | 5 | 3 | 4 | 2 | 3 | 2 | 12 | 7 | 19 |
| A82.9 | Rabies exposure | 95 | 51 | 167 | 122 | 898 | 733 | 1,160 | 906 | 2,066 |
| B05.9 | Suspected Measles | 467 | 464 | 438 | 454 | 1,256 | 1,273 | 2,161 | 2,191 | 4,352 |
| B50.8 | Malaria with severe anaemia | 4 | 0 | 1 | 1 | 13 | 15 | 18 | 16 | 34 |
| B53.8 | Uncomplicated Malaria Lab-confirmed | 29 | 28 | 85 | 94 | 213 | 171 | 327 | 293 | 620 |
| B54 | Total Confirmed Malaria | 0 | 1 | 1 | 0 | 6 | 6 | 7 | 7 | 14 |
| B54 | Unconfirmed Malaria | 155 | 92 | 270 | 204 | 725 | 656 | 1,150 | 952 | 2,102 |
| B54.0 | Total Suspected Malaria | 0 | 0 | 2 | 1 | 1 | 0 | 3 | 1 | 4 |
| B54.1 | Total Tested Malaria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E43 | Severe acute malnutrition | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E86 | Diarrhoea (acute) with dehydration | 10 | 13 | 6 | 2 | 12 | 4 | 28 | 19 | 47 |
| E86 | Diarrhoea (acute) with severe dehydration | 936 | 811 | 439 | 381 | 454 | 51 <i>7</i> | 1,829 | 1,709 | 3,538 |
| E86 | Diarrhoea (acute) with some dehydration | 8,230 | 7,408 | 4,583 | 4,094 | 6,116 | 5,015 | 18,929 | 16,517 | 35,446 |
| G82.0 | Acute Flaccid Paralysis (AFP) | 7 | 6 | 7 | 6 | 0 | 3 | 14 | 15 | 29 |
| J11.1 | Influenza like-illness | 80 | 83 | 45 | 88 | 125 | 148 | 250 | 319 | 569 |
| J18.8 | Severe Pneumonia | 284 | 244 | 166 | 150 | 122 | 104 | 572 | 498 | 1,070 |
| J18.9 | Pneumonia | 2,192 | 1,892 | 1,710 | 1,338 | 1,460 | 1,027 | 5,362 | 4,257 | 9,619 |
| K52.9 | Diarrhoea (acute) with no dehydration | 661 | 688 | 385 | 395 | 418 | 539 | 1,464 | 1,622 | 3,086 |
| O98.6 | Total Confirmed Malaria in Pregnancy | n/a | 0 | n/a | 0 | n/a | 0 | n/a | 0 | 0 |
| | Total | 14,448 | 12,920 | 9,059 | 8,060 | 12,447 | 10,999 | 35,954 | 31,979 | 67,933 |

Annex 1: Number of Out-Patient Attendances by Diagnosis, Agegroup and Sex (Notifiable Diseases) - 2011 cont'd

| | | | | | Repeat | Attendan | ces | | _ | | |
|-------|---|-------|-----|-----|--------|----------|-----|-------|-------|-------|-------------------|
| | | < | 1 | 1- | -4 | 5+ | - | Sub | Total | | Grand |
| | | M | F | M | F | M | F | M | F | | Total (New and |
| Code | Diagnosis | | | | | | | | | Total | Repeat) |
| A01.0 | Typhoid Fever | 1 | 3 | 4 | 2 | 2 | 7 | 7 | 12 | 19 | 49 |
| A09 | Diarrhoea with blood | 52 | 49 | 42 | 40 | 32 | 35 | 126 | 124 | 250 | 5,512 |
| A36.9 | Diphtheria | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 3 | 4 | 30 |
| A37.9 | Whooping cough | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 3 | 22 |
| A82.9 | Rabies exposure | 5 | 4 | 7 | 4 | 31 | 25 | 43 | 33 | 76 | 2,142 |
| B05.9 | Suspected Measles | 13 | 17 | 20 | 26 | 46 | 41 | 79 | 84 | 163 | 4,515 |
| B50.8 | Malaria with severe anaemia | 0 | 2 | 0 | 0 | 1 | 2 | 1 | 4 | 5 | 39 |
| B53.8 | Uncomplicated Malaria Lab-confirmed | 2 | 1 | 2 | 3 | 20 | 16 | 24 | 20 | 44 | 664 |
| B54 | Total Confirmed Malaria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| B54 | Unconfirmed Malaria | 22 | 3 | 20 | 20 | 61 | 36 | 103 | 59 | 162 | 2,264 |
| B54.0 | Total Suspected Malaria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| B54.1 | Total Tested Malaria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E43 | Severe acute malnutrition | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E86 | Diarrhoea (acute) with dehydration | 1 | 1 | 1 | 1 | 4 | 1 | 6 | 3 | 9 | 56 |
| E86 | Diarrhoea (acute) with severe dehydration | 71 | 49 | 48 | 64 | 66 | 70 | 185 | 183 | 368 | 3,906 |
| E86 | Diarrhoea (acute) with some dehydration | 571 | 441 | 431 | 346 | 478 | 408 | 1,480 | 1,195 | 2,675 | 38,121 |
| G82.0 | Acute Flaccid Paralysis (AFP) | 0 | 1 | 1 | 1 | 5 | 2 | 6 | 4 | 10 | 39 |
| J11.1 | Influenza like-illness | 7 | 5 | 1 | 3 | 11 | 18 | 19 | 26 | 45 | 614 |
| J18.8 | Severe Pneumonia | 29 | 30 | 32 | 27 | 39 | 30 | 100 | 87 | 187 | 1,257 |
| J18.9 | Pneumonia | 182 | 199 | 225 | 196 | 235 | 220 | 642 | 615 | 1,257 | 10,876 |
| K52.9 | Diarrhoea (acute) with no dehydration | 44 | 40 | 29 | 31 | 36 | 26 | 109 | 97 | 206 | 3,292 |
| O98.6 | Total Confirmed Malaria in Pregnancy | n/a | 0 | n/a | 0 | n/a | 0 | n/a | 0 | 0 | 0 |
| | Total | 1,001 | 846 | 863 | 765 | 1,069 | 939 | 2,933 | 2,550 | 5,483 | 73,416 |

Annex 2: Number of Out-Patient Attendances by Diagnosis Agegroup and Sex (Other Diseases/Conditions) - 2011

| | Nomber of our Falletti Allettadile | | | | | lew Attend | | · | | |
|-------|--|---------|---------|---------|---------|------------|---------|-----------|-----------|-----------|
| | | 0- | 14 | 15- | -29 | 30 |)+ | Sub | Total | |
| ICD10 | Diagnosis | M | F | M | F | M | F | М | F | Total |
| A16.2 | Pulmonary tuberculosis | 219 | 227 | 583 | 678 | 1,877 | 1,347 | 2,679 | 2,252 | 4,931 |
| A16.9 | Isonazid Preventive Therapy (IPT) | 62 | 53 | 155 | 257 | 267 | 297 | 484 | 607 | 1,091 |
| A16.9 | Tuberculosis | 2 | 0 | 7 | 3 | 18 | 8 | 27 | 11 | 38 |
| A30.9 | Leprosy | 7 | 4 | 0 | 1 | 0 | 1 | 7 | 6 | 13 |
| A64 | Stroke | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| B65.9 | Schistosomiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B83.9 | Helminthiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E10.8 | Diabetes Mellitus type 1 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 2 |
| E11.8 | Diabetes Mellitus type 2 | 3 | 4 | 2 | 2 | 7 | 7 | 12 | 13 | 25 |
| E14.9 | Diabetes | 155 | 239 | 602 | 807 | 2,204 | 3,085 | 2,961 | 4,131 | 7,092 |
| E46 | Malnutrition | 829 | 943 | 83 | 110 | 120 | 195 | 1,032 | 1,248 | 2,280 |
| F99 | Mental disorders | 741 | 703 | 1,851 | 1,713 | 2,747 | 3,243 | 5,339 | 5,659 | 10,998 |
| H57.9 | Eye diseases/conditions | 19,471 | 17,713 | 14,900 | 18,831 | 19,631 | 24,185 | 54,002 | 60,729 | 114,731 |
| H93.9 | Ear diseases/conditions | 12,613 | 13,064 | 7,278 | 9,192 | 8,705 | 9,506 | 28,596 | 31,762 | 60,358 |
| 110 | Hypertension | 77 | 92 | 1,724 | 2,544 | 11,878 | 21,150 | 13,679 | 23,786 | 37,465 |
| 150.9 | Cardiac Failure | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| J03.9 | Tonsillitis | 23,083 | 29,758 | 15,224 | 26,986 | 11,982 | 21,244 | 50,289 | 77,988 | 128,277 |
| J45.9 | Asthma | 1 | 1 | 3 | 1 | 2 | 4 | 6 | 6 | 12 |
| J98.9 | Diseases of the Respiratory System (e.g. cough and Cold) | 190,111 | 198,241 | 69,785 | 89,159 | 84,992 | 110,337 | 344,888 | 397,737 | 742,625 |
| L98.9 | Skin conditions | 72,901 | 72,921 | 28,814 | 38,350 | 32,076 | 40,242 | 133,791 | 151,513 | 285,304 |
| M79.9 | Diseases of the Musculoskeletal System | 10,544 | 9,775 | 39,041 | 43,948 | 85,416 | 130,978 | 135,001 | 184,701 | 319,702 |
| R68.8 | Other diseases/ conditions | 127,226 | 134,239 | 105,563 | 181,723 | 150,185 | 233,228 | 382,974 | 549,190 | 932,164 |
| U88 | Suspected MDR-TB | 32 | 26 | 1 | 6 | 10 | 12 | 43 | 44 | 87 |
| U88.1 | Laboratory confirmed MDR-TB | 32 | 38 | 19 | 11 | 38 | 17 | 89 | 66 | 155 |
| V89.2 | Injuries secondary to road traffic accidents | 1,449 | 1,126 | 2,428 | 1,915 | 2,974 | 2,006 | 6,851 | 5,047 | 11,898 |
| X59.9 | Other external causes of injuries | 18,136 | 11,306 | 23,579 | 14,627 | 22,153 | 15,712 | 63,868 | 41,645 | 105,513 |
| Y05.9 | Rape | 139 | 131 | 154 | 271 | 243 | 323 | 536 | 725 | 1,261 |
| | Grand Total | 477,833 | 490,604 | 311,797 | 431,135 | 437,526 | 617,128 | 1,227,156 | 1,538,867 | 2,766,023 |

Annex 2: Number of Out-Patient Attendances by Diagnosis Agegroup and Sex (Other Diseases/Conditions) – 2011 cont'd

| | | Re | | | | eat Attend | dance | | | | |
|-------|--|--------|--------|--------|--------|------------|---------|-----------|---------|---------|-----------|
| | | 0-1 | 14 | 15- | 29 | 30+ | | Sub Total | | | Grand |
| Code | Diagnosis | М | F | M | F | M | F | M | F | Total | Total |
| A16.2 | Pulmonary tuberculosis | 274 | 348 | 1,147 | 1,383 | 4,367 | 4,144 | 5,788 | 5,875 | 11,663 | 16,594 |
| A16.9 | Isonazid Preventive Therapy (IPT) | 28 | 25 | 262 | 667 | 628 | 1,082 | 918 | 1,774 | 2,692 | 3,783 |
| A16.9 | Tuberculosis | 1 | 1 | 4 | 5 | 10 | 24 | 15 | 30 | 45 | 83 |
| A30.9 | Leprosy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| A64 | Stroke | 1 | 0 | 1 | 3 | 1 | 4 | 3 | 7 | 10 | 11 |
| B65.9 | Schistosomiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B83.9 | Helminthiasis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| E10.8 | Diabetes Mellitus type 1 | 0 | 0 | 2 | 1 | 30 | 44 | 32 | 45 | 77 | 79 |
| E11.8 | Diabetes Mellitus type 2 | 0 | 1 | 1 | 2 | 25 | 23 | 26 | 26 | 52 | 77 |
| E14.9 | Diabetes | 176 | 159 | 1,195 | 2,027 | 12,032 | 24,916 | 13,403 | 27,102 | 40,505 | 47,597 |
| E46 | Malnutrition | 394 | 492 | 33 | 73 | 685 | 1,965 | 1,112 | 2,530 | 3,642 | 5,922 |
| F99 | Mental disorders | 882 | 746 | 5,018 | 3,699 | 11,433 | 13,622 | 17,333 | 18,067 | 35,400 | 46,398 |
| H57.9 | Eye diseases/conditions | 1,997 | 1,835 | 2,375 | 2,465 | 6,682 | 9,554 | 11,054 | 13,854 | 24,908 | 139,639 |
| H93.9 | Ear diseases/conditions | 2,509 | 2,664 | 1,851 | 2,376 | 3,355 | 3,744 | 7,715 | 8,784 | 16,499 | 76,857 |
| 110 | Hypertension | 512 | 706 | 4,563 | 8,664 | 83,938 | 259,363 | 89,013 | 268,733 | 357,746 | 395,211 |
| 150.9 | Cardiac Failure | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| J03.9 | Tonsillitis | 2,385 | 3,383 | 2,740 | 3,965 | 3,261 | 4,951 | 8,386 | 12,299 | 20,685 | 148,962 |
| J45.9 | Asthma | 0 | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 8 | 20 |
| J98.9 | Diseases of the Respiratory System (e.g. cough and Cold) | 21,459 | 22,762 | 12,427 | 15,208 | 19,986 | 26,961 | 53,872 | 64,931 | 118,803 | 861,428 |
| L98.9 | Skin conditions | 6,662 | 6,955 | 5,407 | 6,432 | 7,832 | 9,637 | 19,901 | 23,024 | 42,925 | 328,229 |
| M79.9 | Diseases of the Musculoskeletal System | 2,878 | 3,580 | 9,643 | 10,516 | 26,987 | 49,481 | 39,508 | 63,577 | 103,085 | 422,787 |
| R68.8 | Other diseases/ conditions | 14,952 | 17,834 | 20,334 | 35,098 | 41,371 | 70,029 | 76,657 | 122,961 | 199,618 | 1,131,782 |
| U88 | Suspected MDR-TB | 1 | 0 | 1 | 0 | 4 | 3 | 6 | 3 | 9 | 96 |
| U88.1 | Laboratory confirmed MDR-TB | 2 | 1 | 1 | 0 | 6 | 3 | 9 | 4 | 13 | 168 |
| V89.2 | Injuries secondary to road traffic accidents | 203 | 156 | 434 | 384 | 646 | 593 | 1,283 | 1,133 | 2,416 | 14,314 |
| X59.9 | Other external causes of injuries | 1,544 | 1,193 | 3,233 | 2,733 | 4,099 | 3,689 | 8,876 | 7,615 | 16,491 | 122,004 |
| Y05.9 | Rape | 14 | 14 | 37 | 67 | 107 | 131 | 158 | 212 | 370 | 1,631 |
| | Grand Total | 56,874 | 62,855 | 70,709 | 95,768 | 227,489 | 483,967 | 355,072 | 642,590 | 997,662 | 3,763,685 |

Annex 3: Number of Out-Patient Attendances by Diagnosis Agegroup and Sex (Sexually Transmitted Infections) - 2011

| | | | | | Nev | v Attenda | nces | | | |
|-------|---|-------|-------|--------|--------|-----------|--------|-----------|---------|---------|
| | | 0-1 | 4 | 15- | 29 | 30+ | | Sub Total | | Total |
| Code | Diagnosis | M | F | M | F | M | F | M | F | |
| A64 | Other STI (e.g Inguinal bubo, Syphillis, Warts) | 144 | 174 | 3,371 | 3,557 | 3,702 | 2,790 | 7,217 | 6,521 | 13,738 |
| B16.9 | Hepatitis B | 4 | 4 | 45 | 64 | 78 | 90 | 127 | 158 | 285 |
| B24 | AIDS | 137 | 128 | 530 | 683 | 1,598 | 1,725 | 2,265 | 2,536 | 4,801 |
| N34.3 | Urethral discharge syndrome | 504 | n/a | 11,802 | n/a | 11,151 | n/a | 23,457 | n/a | 23,457 |
| N50.9 | Genital ulcer syndrome | 252 | n/a | 4,002 | n/a | 4,221 | n/a | 8,475 | n/a | 8,475 |
| N73.9 | Lower abdominal pains (PID) | n/a | 458 | n/a | 10,475 | n/a | 10,412 | n/a | 21,345 | 21,345 |
| N76.6 | Genital ulcer syndrome | n/a | 201 | n/a | 3,960 | n/a | 3,588 | n/a | 7,749 | 7,749 |
| N89.8 | Vaginal discharge syndrome | n/a | 1,242 | n/a | 32,754 | n/a | 21,180 | n/a | 55,176 | 55,176 |
| Z20.2 | STI Contacts | 168 | 165 | 3,380 | 2,991 | 4,585 | 2,587 | 8,133 | 5,743 | 13,876 |
| Z21 | HIV positive | 364 | 446 | 1,356 | 2,315 | 4,104 | 4,476 | 5,824 | 7,237 | 13,061 |
| | Total | 1,573 | 2,818 | 24,486 | 56,799 | 29,439 | 46,848 | 55,498 | 106,465 | 161,963 |

Annex 3: Number of Out-Patient Attendances by Diagnosis Agegroup and Sex (Sexually Transmitted Infections) - 2011 cont'd

| | | Repeat A | Attendanc | :es | | | | | | | |
|-------|--|----------|-----------|--------|--------|--------|--------|-----------|--------|---------|---------|
| | | 0-1 | 14 | 15- | 29 | 30+ | | Sub Total | | | Grand |
| Code | Diagnosis | M | F | М | F | M | F | M | F | Total | Total |
| A64 | Other STI (e.g Inguinal bubo, Syphillis, Warts) | 29 | 28 | 410 | 579 | 584 | 726 | 1,023 | 1,333 | 2,356 | 16,094 |
| B16.9 | Hepatitis B | 14 | 59 | 17 | 328 | 65 | 611 | 96 | 998 | 1,094 | 1,379 |
| B24 | AIDS | 1,108 | 1,032 | 2,468 | 4,834 | 12,597 | 17,196 | 16,173 | 23,062 | 39,235 | 44,036 |
| N34.3 | Urethral discharge syndrome | 79 | n/a | 1,045 | n/a | 1,186 | n/a | 2,310 | n/a | 2,310 | 25,767 |
| N50.9 | Genital ulcer syndrome | 26 | n/a | 480 | n/a | 587 | n/a | 1,093 | n/a | 1,093 | 9,568 |
| N73.9 | Lower abdominal pains (PID) | n/a | 61 | n/a | 1,407 | n/a | 1,682 | n/a | 3,150 | 3,150 | 24,495 |
| N76.6 | Genital ulcer syndrome | n/a | 32 | n/a | 508 | n/a | 565 | n/a | 1,105 | 1,105 | 8,854 |
| N89.8 | Vaginal discharge syndrome | n/a | 120 | n/a | 3,651 | n/a | 2,628 | n/a | 6,399 | 6,399 | 61,575 |
| Z20.2 | STI Contacts | 30 | 28 | 211 | 272 | 294 | 283 | 535 | 583 | 1,118 | 14,994 |
| Z21 | HIV positive | 3,120 | 3,256 | 7,339 | 12,880 | 29,163 | 39,850 | 39,622 | 55,986 | 95,608 | 108,669 |
| | Total | 4,406 | 4,616 | 11,970 | 24,459 | 44,476 | 63,541 | 60,852 | 92,616 | 153,468 | 315,431 |

Annex 4: Number of Out-Patient Attendances by Health District and Diagnosis (Complicated Pregnancies) - 2011

| Health District | Anaemia <10g/ld | Anaemia >=10g/ld | Haemorrhage | Infection | Hypertension | Other complications |
|-----------------|-----------------|------------------|-------------|-----------|--------------|---------------------|
| Ngamiland | 285 | 3 | 25 | 133 | 119 | 8 |
| North East | 189 | 224 | 5 | 41 | 28 | 0 |
| Palapye | 130 | 87 | 14 | 12 | 38 | 6 |
| Bobirwa | 837 | 126 | 8 | 13 | 83 | 0 |
| Kweneng East | 192 | 30 | 3 | 78 | 78 | 1 |
| Southern | 134 | 53 | 7 | 43 | 44 | 2 |
| Gantsi | 62 | 1 | 1 | 64 | 27 | 2 |
| Mahalapye | 453 | 178 | 52 | 214 | 248 | 8 |
| Kgatleng | 437 | 261 | 17 | 131 | 260 | 1 |
| Chobe | 106 | 111 | 5 | 49 | 16 | 0 |
| Kgalagadi South | 30 | 12 | 1 | 13 | 15 | 0 |
| Tutume | 578 | 495 | 29 | 72 | 99 | 1 |
| Boteti | 93 | 5 | 3 | 7 | 20 | 3 |
| Okavango | 247 | 438 | 2 | 53 | 27 | 0 |
| Gaborone | 1,364 | 781 | 163 | 630 | 674 | 5 |
| Francistown | 1,198 | 269 | 38 | 253 | 192 | 6 |
| South East | 254 | 16 | 4 | 169 | 287 | 0 |
| Lobatse | 202 | 44 | 16 | 69 | 125 | 0 |
| Selibe Phikwe | 461 | 132 | 5 | 125 | 94 | 0 |
| Kweneng West | 90 | 28 | 2 | 62 | 34 | 1 |
| Mabutsane | 30 | 0 | 2 | 74 | 8 | 2 |
| Jwaneng | 83 | 70 | 4 | 20 | 13 | 0 |
| Goodhope | 159 | 7 | 0 | 9 | 74 | 5 |
| Kgalagadi North | 25 | 26 | 2 | 3 | 5 | 1 |
| Moshupa | 28 | 3 | 0 | 2 | 9 | 0 |
| Charleshill | 19 | 0 | 2 | 11 | 17 | 1 |
| Serowe | 278 | 247 | 14 | 56 | 142 | 1 |
| Total | 7,964 | 3,647 | 424 | 2,406 | 2,776 | 54 |

Annex 5: Number of Out-Patient Attendances by Diagnosis and Health district (Other Services) - 2011

| | Well Baby Care | | | | |
|-----------------|----------------|-----------|------------|-----------|----------------|
| Districts | New | Repeat | Injections | Dressings | Tetanus Toxoid |
| Ngamiland | 1,658 | 82,789 | 12,436 | 9,449 | 789 |
| North East | 1,204 | 56,094 | 6,545 | 7,350 | 811 |
| Palapye | 498 | 31,857 | 7,382 | 6,840 | 1,303 |
| Bobirwa | 2,518 | 81,913 | 12,551 | 11,783 | 789 |
| Kweneng East | 2,069 | 121,944 | 16,200 | 17,718 | 959 |
| Southern | 732 | 51,105 | 7,509 | 9,713 | 786 |
| Gantsi | 802 | 26,726 | 6,715 | 5,005 | 411 |
| Mahalapye | 3,086 | 147,816 | 16,352 | 25,201 | 1,777 |
| Kgatleng | 3,033 | 72,254 | 13,192 | 18,193 | 1,419 |
| Chobe | 622 | 22,857 | 5,165 | 4,964 | 706 |
| Kgalagadi South | 1,006 | 41,165 | 7,031 | 5,618 | 478 |
| Tutume | 2,391 | 108,072 | 10,394 | 12,136 | 1,416 |
| Boteti | 1,582 | 63,932 | 12,342 | 13,043 | 1,270 |
| Okavango | 895 | 46,398 | 6,414 | 6,818 | 512 |
| Gaborone | 6,493 | 169,432 | 70,070 | 56,480 | 4,450 |
| Francistown | 8,219 | 178,272 | 32,148 | 36,435 | 2,336 |
| South East | 4,656 | 36,377 | 6,722 | 7,718 | 3,164 |
| Lobatse | 1,018 | 24,668 | 9,205 | 10,589 | 792 |
| Selibe Phikwe | 814 | 42,055 | 15,651 | 13,299 | 835 |
| Kweneng West | 1,426 | 69,499 | 7,258 | 7,881 | 864 |
| Mabutsane | 390 | 14,838 | 2,097 | 1,465 | 227 |
| Jwaneng | 398 | 27,060 | 5,775 | 4,762 | 568 |
| Goodhope | 656 | 47,721 | 4,835 | 6,448 | 437 |
| Kgalagadi North | 711 | 19,265 | 5,420 | 4,867 | 404 |
| Moshupa | 1,240 | 32,071 | 4,372 | 5,320 | 353 |
| Charleshill | 99 | 7,782 | 2,696 | 2,627 | 332 |
| Serowe | 2,314 | 93,923 | 13,542 | 18,092 | 1,196 |
| Grand Total | 50,530 | 1,717,885 | 320,019 | 329,814 | 29,384 |

Annex 6: Number of Out-Patient Attendances by Diagnosis and Health district (Family Planning) - 2011

| Health District | | | | New | Attendanc | е | | | |
|-----------------|------------------|-------------------|---------------------|-----------------|----------------|------------|-----------|-------|--------|
| | Pill Low Dose | Pill High Dose | Pill Progestrone | IUCDs Copper | IUCDs Other | Infections | Nor Plant | Other | Total |
| Ngamiland | 594 | 20 | 144 | 2 | 0 | 705 | 0 | 0 | 1,465 |
| North East | 169 | 24 | 15 | 3 | 0 | 213 | 0 | 0 | 424 |
| Palapye | 145 | 60 | 76 | 4 | 0 | 370 | 0 | 1 | 656 |
| Bobirwa | 354 | 23 | 63 | 10 | 5 | 565 | 0 | 0 | 1,020 |
| Kweneng East | 701 | 48 | 23 | 30 | 7 | 721 | 0 | 2 | 1,532 |
| Southern | 87 | 14 | 47 | 7 | 1 | 514 | 0 | 4 | 674 |
| Gantsi | 112 | 23 | 29 | 10 | 3 | 291 | 0 | 0 | 468 |
| Mahalapye | 350 | 33 | 102 | 21 | 3 | 1,184 | 0 | 30 | 1,723 |
| Kgatleng | 373 | 30 | 100 | 26 | 1 | 612 | 0 | 16 | 1,158 |
| Chobe | 139 | 13 | 40 | 5 | 0 | 215 | 0 | 0 | 412 |
| Kgalagadi South | 156 | 18 | 18 | 2 | 0 | 321 | 3 | 29 | 547 |
| Tutume | 275 | 29 | 123 | 9 | 0 | 668 | 0 | 12 | 1,116 |
| Boteti | 84 | 48 | 48 | 13 | 0 | 329 | 0 | 0 | 522 |
| Okavango | 176 | 96 | 61 | 0 | 0 | 296 | 0 | 10 | 639 |
| Gaborone | 1,116 | 59 | 167 | 90 | 7 | 1,333 | 0 | 1,416 | 4,188 |
| Francistown | 769 | 26 | 77 | 12 | 1 | 1,310 | 0 | 19 | 2,214 |
| South East | 145 | 6 | 82 | 23 | 0 | 255 | 0 | 14 | 525 |
| Lobatse | 201 | 65 | 104 | 9 | 0 | 266 | 0 | 8 | 653 |
| Selibe Phikwe | 136 | 31 | 18 | 16 | 1 | 122 | 0 | 0 | 324 |
| Kweneng West | 645 | 34 | 55 | 2 | 0 | 550 | 0 | 0 | 1,286 |
| Mabutsane | 118 | 11 | 7 | 0 | 0 | 101 | 0 | 0 | 237 |
| Jwaneng | 146 | 12 | 31 | 14 | 0 | 189 | 0 | 6 | 398 |
| Goodhope | 268 | 12 | 22 | 19 | 1 | 204 | 0 | 0 | 526 |
| Kgalagadi North | 101 | 8 | 36 | 2 | 0 | 238 | 0 | 0 | 385 |
| Moshupa | 53 | 9 | 88 | 1 | 6 | 182 | 0 | 0 | 339 |
| Charleshill | 20 | 10 | 0 | 0 | 0 | 128 | 0 | 0 | 158 |
| Serowe | 263 | 26 | 59 | 10 | 1 | 714 | 0 | 0 | 1,073 |
| Total | 7,696 | 788 | 1,635 | 340 | 37 | 12,596 | 3 | 1,567 | 24,662 |

Annex 6: Number of Out-Patient Attendances by Diagnosis and Health district (Family Planning) - 2011

| | Repeat Attendance | | | | | | | | | | Amount Dispens | |
|-----------------|-------------------|-------------------|---------------------|-----------------|----------------|------------|--------------|-------|---------|----------------|------------------|--------------------|
| Health District | Pill Low Dose | Pill High Dose | Pill Progestrone | IUCDs Copper | IUCDs Other | Infections | Nor Plant | Other | Total | Total Grand | Condom (Male) | Condom (Female) |
| Ngamiland | 2,702 | 323 | 402 | 3 | 0 | 4,704 | 0 | 0 | 8,134 | 9,599 | 167,462 | 4,283 |
| North East | 546 | 100 | 55 | 9 | 0 | 1,224 | 1 | 5 | 1,940 | 2,364 | 210,748 | 6,791 |
| Palapye | 837 | 222 | 251 | 16 | 0 | 2,472 | 0 | 17 | 3,815 | 4,471 | 95,659 | 7,254 |
| Bobirwa | 2,004 | 33 | 192 | 15 | 1 | 2,497 | 0 | 0 | 4,742 | 5,762 | 276,003 | 33,236 |
| Kweneng East | 3,447 | 172 | 200 | 98 | 33 | 5,739 | 0 | 32 | 9,721 | 11,253 | 438,439 | 4,946 |
| Southern | 195 | 28 | 54 | 8 | 2 | 2,496 | 0 | 15 | 2,798 | 3,472 | 93,742 | 2,796 |
| Gantsi | 501 | 83 | 31 | 11 | 4 | 1,525 | 0 | 110 | 2,265 | 2,733 | 97,475 | 6,302 |
| Mahalapye | 1,681 | 340 | 347 | 29 | 4 | 8,127 | 0 | 50 | 10,578 | 12,301 | 315,840 | 6,225 |
| Kgatleng | 1,911 | 242 | 321 | 64 | 3 | 5,578 | 0 | 14 | 8,133 | 9,291 | 293,376 | 3,478 |
| Chobe | 656 | 18 | 68 | 2 | 0 | 1,665 | 0 | 15 | 2,424 | 2,836 | 85,315 | 1,375 |
| Kgalagadi South | 406 | 42 | 33 | 5 | 0 | 2,828 | 0 | 0 | 3,314 | 3,861 | 184,578 | 1,720 |
| Tutume | 1,092 | 39 | 239 | 9 | 0 | 3,859 | 0 | 83 | 5,321 | 6,437 | 229,328 | 5,433 |
| Boteti | 430 | 56 | 72 | 23 | 1 | 2,819 | 0 | 0 | 3,401 | 3,923 | 135,152 | 1,959 |
| Okavango | 1,813 | 208 | 497 | 0 | 0 | 4,030 | 0 | 0 | 6,548 | 7,187 | 124,855 | 3,020 |
| Gaborone | 4,096 | 172 | 484 | 228 | 37 | 10,458 | 0 | 47 | 15,522 | 19,710 | 1,089,544 | 14,820 |
| Francistown | 2,397 | 114 | 146 | 16 | 1 | 7,622 | 0 | 67 | 10,363 | 12,577 | 579,590 | 6,527 |
| South East | 841 | 23 | 462 | 31 | 3 | 2,837 | 0 | 0 | 4,197 | 4,722 | 130,086 | 849 |
| Lobatse | 1,079 | 328 | 444 | 35 | 3 | 2,095 | 0 | 21 | 4,005 | 4,658 | 168,959 | 2,062 |
| Selibe Phikwe | 831 | 224 | 117 | 29 | 0 | 809 | 0 | 0 | 2,010 | 2,334 | 66,558 | 520 |
| Kweneng West | 3,140 | 123 | 167 | 3 | 2 | 3,074 | 0 | 0 | 6,509 | 7,795 | 304,276 | 979 |
| Mabutsane | 461 | 28 | 46 | 2 | 0 | 707 | 0 | 0 | 1,244 | 1,481 | 40,048 | 199 |
| Jwaneng | 906 | 99 | 157 | 7 | 0 | 1,593 | 0 | 0 | 2,762 | 3,160 | 96,477 | 594 |
| Goodhope | 755 | 108 | 97 | 13 | 3 | 2,423 | 0 | 0 | 3,399 | 3,925 | 134,887 | 2,988 |
| Kgalagadi North | 506 | 93 | 202 | 1 | 0 | 1,669 | 0 | 0 | 2,471 | 2,856 | 60,154 | 798 |
| Moshupa | 183 | 120 | 118 | 21 | 0 | 1,557 | 0 | 0 | 1,999 | 2,338 | 57,372 | 1,682 |
| Charleshill | 249 | 1 | 9 | 2 | 0 | 871 | 0 | 0 | 1,132 | 1,290 | 39,388 | 180 |
| Serowe | 1,632 | 269 | 231 | 20 | 1 | 5,890 | 0 | 0 | 8,043 | 9,116 | 327,410 | 3,475 |
| Total | 35,297 | 3,608 | 5,442 | 700 | 98 | 91,168 | 1 | 476 | 136,790 | 161,452 | 5,842,721 | 124,491 |

Annex 7: Number of Out-Patient Attendances by Agegroup and Health district (Ante Natal and Post Natal Care) - 2011

| | | | | New Atte | ndance | | | | ANC first | Post Natal | Total ANC |
|-----------------|-----|-------|--------|----------|--------|-------|-----|--------|-----------|------------|-------------|
| Districts | <15 | 15-19 | 20-24 | 25-29 | 30-39 | 40-44 | 45+ | Total | trimester | Care | Attendances |
| Ngamiland | 14 | 412 | 777 | 674 | 591 | 89 | 12 | 2,569 | 84 | 1,376 | 16,726 |
| North East | 4 | 155 | 309 | 257 | 212 | 30 | 7 | 974 | 62 | 839 | 6,557 |
| Palapye | 3 | 172 | 268 | 287 | 250 | 21 | 5 | 1,006 | 64 | 742 | 7,294 |
| Bobirwa | 9 | 300 | 486 | 430 | 415 | 65 | 10 | 1,715 | 96 | 1,485 | 12,974 |
| Kweneng East | 10 | 421 | 898 | 727 | 727 | 109 | 15 | 2,907 | 116 | 1,944 | 20,728 |
| Southern | 34 | 203 | 422 | 332 | 370 | 41 | 4 | 1,406 | 61 | 810 | 11,499 |
| Gantsi | 3 | 181 | 234 | 198 | 202 | 30 | 4 | 852 | 22 | 307 | 5,556 |
| Mahalapye | 15 | 435 | 754 | 707 | 713 | 122 | 17 | 2,763 | 159 | 2,089 | 21,734 |
| Kgatleng | 3 | 330 | 632 | 564 | 618 | 81 | 7 | 2,235 | 113 | 1,656 | 17,188 |
| Chobe | 2 | 107 | 207 | 203 | 165 | 31 | 1 | 716 | 81 | 322 | 4,597 |
| Kgalagadi South | 2 | 141 | 232 | 206 | 179 | 23 | 1 | 784 | 49 | 561 | 5,237 |
| Tutume | 19 | 410 | 640 | 531 | 550 | 83 | 15 | 2,248 | 120 | 1,472 | 14,170 |
| Boteti | 5 | 282 | 540 | 498 | 444 | 56 | 7 | 1,832 | 36 | 913 | 12,748 |
| Okavango | 4 | 322 | 392 | 325 | 389 | 68 | 12 | 1,512 | 47 | 706 | 9,738 |
| Gaborone | 37 | 1,043 | 3,359 | 3,220 | 2,761 | 201 | 17 | 10,638 | 971 | 3,719 | 72,469 |
| Francistown | 9 | 734 | 1,688 | 1,451 | 1,288 | 136 | 18 | 5,324 | 325 | 3,317 | 39,353 |
| South East | 3 | 113 | 373 | 405 | 404 | 54 | 5 | 1,357 | 87 | 1,130 | 12,232 |
| Lobatse | 2 | 147 | 335 | 300 | 317 | 27 | 2 | 1,130 | 69 | 685 | 10,147 |
| Selibe Phikwe | 3 | 191 | 441 | 506 | 466 | 52 | 5 | 1,664 | 171 | 852 | 12,555 |
| Kweneng West | 9 | 268 | 386 | 250 | 257 | 45 | 5 | 1,220 | 61 | 528 | 7,901 |
| Mabutsane | 2 | 73 | 120 | 106 | 81 | 9 | 2 | 393 | 6 | 221 | 2,416 |
| Jwaneng | 2 | 150 | 292 | 278 | 282 | 33 | - | 1,037 | 51 | 376 | 6,692 |
| Goodhope | 7 | 163 | 233 | 185 | 235 | 38 | 5 | 866 | 25 | 775 | 6,039 |
| Kgalagadi North | 2 | 113 | 136 | 121 | 110 | 17 | 2 | 501 | 18 | 319 | 3,439 |
| Moshupa | 2 | 96 | 157 | 131 | 155 | 22 | 1 | 564 | 46 | 517 | 3,684 |
| Charleshill | 1 | 58 | 107 | 67 | 74 | 18 | 1 | 326 | 12 | 159 | 2,200 |
| Serowe | 12 | 369 | 808 | 544 | 520 | 69 | 4 | 2,126 | 109 | 1,476 | 15,929 |
| Total | 218 | 7,389 | 15,026 | 13,503 | 12,775 | 1,570 | 184 | 50,665 | 3,061 | 29,296 | 361,802 |

Annex 7: Number of Out-Patient Attendances by Agegroup and Health district (Ante Natal and Post Natal Care) - 2011

| | Repeat Attendance | | | | | | | | ANC first | Post Natal | Total ANC |
|-----------------|-------------------|--------|--------|--------|--------|-------|-----|---------|-----------|------------|-------------|
| Districts | <15 | 15-19 | 20-24 | 25-29 | 30-39 | 40-44 | 45+ | Total | trimester | Care | Attendances |
| Ngamiland | 41 | 1,893 | 4,396 | 3,950 | 3,474 | 370 | 33 | 14,157 | 84 | 1,376 | 16,726 |
| North East | 22 | 631 | 1,811 | 1,616 | 1,305 | 180 | 18 | 5,583 | 62 | 839 | 6,557 |
| Palapye | 13 | 777 | 1,859 | 1,841 | 1,667 | 115 | 16 | 6,288 | 64 | 742 | 7,294 |
| Bobirwa | 7 | 1,545 | 3,365 | 3,113 | 2,839 | 370 | 20 | 11,259 | 96 | 1,485 | 12,974 |
| Kweneng East | 40 | 2,156 | 5,487 | 4,897 | 4,628 | 555 | 58 | 17,821 | 116 | 1,944 | 20,728 |
| Southern | 291 | 989 | 2,898 | 2,863 | 2,745 | 282 | 25 | 10,093 | 61 | 810 | 11,499 |
| Gantsi | 14 | 759 | 1,246 | 1,223 | 1,307 | 138 | 17 | 4,704 | 22 | 307 | 5,556 |
| Mahalapye | 35 | 2,357 | 5,666 | 5,285 | 4,875 | 668 | 85 | 18,971 | 159 | 2,089 | 21,734 |
| Kgatleng | 35 | 1,683 | 4,320 | 4,375 | 4,059 | 441 | 40 | 14,953 | 113 | 1,656 | 17,188 |
| Chobe | 3 | 428 | 1,108 | 1,192 | 1,032 | 115 | 3 | 3,881 | 81 | 322 | 4,597 |
| Kgalagadi South | 22 | 628 | 1,313 | 1,172 | 1,181 | 133 | 4 | 4,453 | 49 | 561 | 5,237 |
| Tutume | 97 | 1,727 | 3,528 | 3,279 | 2,870 | 373 | 48 | 11,922 | 120 | 1,472 | 14,170 |
| Boteti | 6 | 1,242 | 3,012 | 3,318 | 2,987 | 316 | 35 | 10,916 | 36 | 913 | 12,748 |
| Okavango | 6 | 1,430 | 2,336 | 2,115 | 2,006 | 318 | 15 | 8,226 | 47 | 706 | 9,738 |
| Gaborone | 139 | 4,495 | 17,664 | 20,696 | 17,480 | 1,300 | 57 | 61,831 | 971 | 3,719 | 72,469 |
| Francistown | 56 | 3,561 | 10,578 | 10,370 | 8,626 | 794 | 44 | 34,029 | 325 | 3,317 | 39,353 |
| South East | 6 | 707 | 2,829 | 3,300 | 3,621 | 399 | 13 | 10,875 | 87 | 1,130 | 12,232 |
| Lobatse | 5 | 767 | 2,307 | 2,933 | 2,694 | 286 | 25 | 9,017 | 69 | 685 | 10,147 |
| Selibe Phikwe | - | 1,055 | 2,726 | 3,488 | 3,331 | 270 | 21 | 10,891 | 171 | 852 | 12,555 |
| Kweneng West | 36 | 1,089 | 2,173 | 1,588 | 1,571 | 193 | 31 | 6,681 | 61 | 528 | 7,901 |
| Mabutsane | 3 | 349 | 578 | 526 | 517 | 43 | 7 | 2,023 | 6 | 221 | 2,416 |
| Jwaneng | 7 | 633 | 1,631 | 1,820 | 1,448 | 114 | 2 | 5,655 | 51 | 376 | 6,692 |
| Goodhope | 36 | 766 | 1,458 | 1,202 | 1,520 | 175 | 16 | 5,173 | 25 | 775 | 6,039 |
| Kgalagadi North | 3 | 435 | 860 | 851 | 694 | 88 | 7 | 2,938 | 18 | 319 | 3,439 |
| Moshupa | 5 | 461 | 929 | 828 | 771 | 125 | 1 | 3,120 | 46 | 517 | 3,684 |
| Charleshill | 5 | 233 | 573 | 431 | 534 | 90 | 8 | 1,874 | 12 | 159 | 2,200 |
| Serowe | 43 | 1,811 | 4,052 | 4,079 | 3,441 | 357 | 20 | 13,803 | 109 | 1,476 | 15,929 |
| Total | 976 | 34,607 | 90,703 | 92,351 | 83,223 | 8,608 | 669 | 311,137 | 3,061 | 29,296 | 361,802 |

